


# Order Acknowledgement

	Customer & Order Information	
	Milano Construction	Job No : 21324 Production Date : Delivery Date : Processed Date : 19-Feb-2016 Printed Date : Order 19-Feb-2016 Date : 19-Feb-2016
	Tel : Fax	<u>Job Spec</u> Glazed / Supply Only (Delivered)
	Job Reference	

1	Eurocell Vertical Slider (Glazed)	Specification	Chk
	O/A Sizes 880mm x 1500mm (V/S)	Frame (Head) VSW001 V/S Outerframe [ ] Frame (Cill) VSW005 Cill Adapter [ ] Frame (Left jamb) VSW001 V/S Outerframe [ ] Frame (Right jamb) VSW001 V/S Outerframe [ ]	



- Sash
- Sash #2
- Colour
- Sash colour
- Bead type
- Open in/out
- Glazed in/out
- VS Hardware Colour
- VS Sash Horn
- VS Travel Restrictor


Glazing Details & Appertures

- VSW002 57mm Slim Sash [ ] VSW003 68mm Med Sash [ ]
- White [ ]
- White [ ]
- Ovolo Bottom V/S Bead [ ]
- Open in [ ] Glazed in [ ]
- White [ ] with Horns [ ]
- Travel Restrictor [ ]

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer  
 Argon Gas Filled Packers  
 A1 - (681 x 633) A6 - (682 x 632)

2	Logik 70mm Casement (Glazed)	Specification	Chk

	O/A Sizes 400mm x 600mm (Style 4)
--	-----------------------------------



Frame (Head)	EWS 7021 60mm Outerframe	[ ]
Frame (Cill)	EWS 7021 60mm Outerframe	[ ]
Frame (Left jamb)	EWS 7021 60mm Outerframe	[ ]
Frame (Right jamb)	EWS 7021 60mm Outerframe	[ ]
Sash	EWS 7004/7005 T/Z Sash	[ ]
Cill	150mm Cill	[ ]
Colour	White	[ ]
Sash colour	White	[ ]
Cill colour	White	[ ]
Bead type	Ovolo Glazing Bead [ ] Handle White Locking Handle [ ]	[ ]
Friction stay	Std stay	[ ]
Open in/out	Open out	[ ]
Glazed in/out	Glazed in	[ ]


Glazing Details & Apertures

Energy Rated "C" 4-20-4 Obs Unit : 20mm Silver Spacer Stippolyte

Argon Gas Filled Packers

A1 - (216 x 386)

3	Eurocell Vertical Slider (Glazed)	Specification	Chk
	Qty (2) O/A Sizes 800mm x 1500mm (V/S)	Frame (Head)	VSW001 V/S Outerframe [ ]



Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash	VSW002 57mm Slim Sash [ ] Sash #2 VSW003 68mm Med Sash	[ ]
Colour	White	[ ]
Sash colour	White	[ ]
Bead type	Ovolo Bottom V/S Bead	[ ]
Open in/out	Open in	[ ]
Glazed in/out	Glazed in	[ ]
VS Hardware Colour	White	[ ]
VS Sash Horn	with Horns	[ ]
VS Travel Restrictor	Travel Restrictor	[ ]

Glazing Details & Apertures


Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer

Argon Gas Filled Packers

A1 - (601 x 633) A6 - (602 x 632)

4	Eurocell Vertical Slider (Glazed)	Specification	Chk
	Qty (2) O/A Sizes 600mm x 1800mm (V/S)	Frame (Head)	VSW001 V/S Outerframe [ ]

Frame (Cill)	VSW005 Cill Adapter	[ ]
Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]



- Sash
- Sash #2
- Colour
- Sash colour
- Bead type
- Open in/out
- Glazed in/out
- VS Hardware Colour
- VS Sash Horn
- VS Travel Restrictor


Glazing Details & Apertures

- VSW002 57mm Slim Sash [ ] VSW003 68mm Med Sash [ ]
- White [ ]
- White [ ]
- Ovolo Bottom V/S Bead [ ]
- Open in [ ] Glazed in [ ]
- White [ ] with Horns [ ]
- Travel Restrictor [ ]

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer  
Argon Gas Filled Packers

A1 - (401 x 783) A6 - (402 x 782)

Eurocell Vertical Slider (Glazed)		Specification	Chk
5	O/A Sizes 1100mm x 1800mm (V/S)	Frame (Head)	VSW001 V/S Outerframe [ ]
		Frame (Cill)	VSW005 Cill Adapter [ ]
		Frame (Left jamb)	VSW001 V/S Outerframe [ ]
		Frame (Right jamb)	VSW001 V/S Outerframe [ ]



- Sash VSW002 57mm Slim Sash [ ] Sash #2 VSW003 68mm Med Sash [ ]
- Colour White [ ]
- Sash colour White [ ]
- Bead type Ovolo Bottom V/S Bead [ ]
- Open in/out Open in [ ]
- Glazed in/out Glazed in [ ]
- VS Hardware Colour White [ ]
- VS Sash Horn with Horns [ ]
- VS Travel Restrictor Travel Restrictor [ ]


Glazing Details & Apertures

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer  
Argon Gas Filled Packers

A1 - (901 x 783) A6 - (902 x 782)



6	Eurocell Vertical Slider (Glazed)	Specification	Chk
	O/A Sizes 800mm x 1800mm (V/S)	Frame (Head) VSW001 V/S Outerframe	[ ]
		Frame (Cill) VSW005 Cill Adapter	[ ]



Frame (Left jamb)	VSW001 V/S Outerframe	[ ]
Frame (Right jamb)	VSW001 V/S Outerframe	[ ]
Sash		
Sash #2		
Colour		
Sash colour		
Bead type		
Open in/out		
Glazed in/out		
VS Hardware Colour		
VS Sash Horn		
VS Travel Restrictor		


Glazing Details & Appertures

VSW002 57mm Slim Sash	[ ]	VSW003 68mm Med Sash	[ ]
White	[ ]		
White	[ ]		
Ovolo Bottom V/S Bead	[ ]		
Open in	[ ]	Glazed in	[ ]
White	[ ]	with Horns	[ ]
Travel Restrictor	[ ]		

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer  
 Argon Gas Filled Packers

A1 - (601 x 783)      A6 - (602 x 782)

7	Eurocell Vertical Slider (Glazed)	Specification	Chk
	Qty (2) O/A Sizes 800mm x 1500mm (V/S)	Frame (Head) VSW001 V/S Outerframe	[ ]
		Frame (Cill) VSW005 Cill Adapter	[ ]
		Frame (Left jamb) VSW001 V/S Outerframe	[ ]
		Frame (Right jamb) VSW001 V/S Outerframe	[ ]



Sash	VSW002 57mm Slim Sash	<input type="checkbox"/> Sash #2	VSW003 68mm Med Sash	<input type="checkbox"/>
Colour			White	<input type="checkbox"/>
Sash colour			White	<input type="checkbox"/>
Bead type			Ovolo Bottom V/S Bead	<input type="checkbox"/>
Open in/out			Open in	<input type="checkbox"/>
Glazed in/out			Glazed in	<input type="checkbox"/>
VS Hardware Colour			White	<input type="checkbox"/>
VS Sash Horn			with Horns	<input type="checkbox"/>
VS Travel Restrictor			Travel Restrictor	<input type="checkbox"/>


Glazing Details & Apertures

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer

Argon Gas Filled Packers

A1 - (601 x 633) A6 - (602 x 632)

	Logik 70mm Casement (Glazed)	Specification	Chk
8	O/A Sizes 500mm x 1000mm (Style 4)	Frame (Head)	EWS 7021 60mm Outerframe <input type="checkbox"/>
		Frame (Cill)	EWS 7021 60mm Outerframe <input type="checkbox"/>
		Frame (Left jamb)	EWS 7021 60mm Outerframe <input type="checkbox"/>




Frame (Right jamb)	EWS 7021 60mm Outerframe	<input type="checkbox"/>
Sash	EWS 7004/7005 T/Z Sash	<input type="checkbox"/>
Cill	150mm Cill	<input type="checkbox"/>
Colour	White	<input type="checkbox"/>
Sash colour	White	<input type="checkbox"/>
Cill colour	White	<input type="checkbox"/>
Bead type	Ovolo Glazing Bead <input type="checkbox"/> Handle White Locking Handle <input type="checkbox"/>	
Friction stay	Std stay	<input type="checkbox"/>
Open in/out	Open out	<input type="checkbox"/>
Glazed in/out	Glazed in	<input type="checkbox"/>

Glazing Details & Apertures

Energy Rated "C" 4-20-4 Obs Unit : 20mm Silver Spacer Stippolyte

Argon Gas Filled Packers

A1 - (316 x 786)



Frame (Right jamb)	EWS 7021 60mm Outerframe	[ ]
Mullion	EWS 7002/3 70mm T/Z Section	[ ]
Sash	EWS 7004/7005 T/Z Sash	[ ]
Cill	150mm Cill	[ ]
Colour	White	[ ]
Sash colour	White	[ ]
Cill colour	White	[ ]
Bead type	Ovolo Glazing Bead	[ ] Handle White Locking Handle [ ]
Friction stay	Std stay	[ ]
Open in/out	Open out	[ ]

9	Logik 70mm Casement (Glazed)	Specification	Chk
	O/A Sizes 1700mm x 1400mm (Style 39)	Frame (Head)	EWS 7021 60mm Outerframe [ ]
		Frame (Cill)	EWS 7021 60mm Outerframe [ ]
		Frame (Left jamb)	EWS 7021 60mm Outerframe [ ]
		Glazed in/out	Glazed in [ ]


Glazing Details & Apertures

Energy Rated "C" 4-20-4 Clear Unit : 20mm Silver Spacer Argon

Gas Filled Packers

- A1 - (266 x 1186)      D1 - (291 x 1186)
- F1 - (291 x 1186)      H1 - (266 x 1186)

10	Eurocell Vertical Slider (Glazed)	Specification	Chk
	Qty (2) O/A Sizes 600mm x 2000mm (V/S)	Frame (Head)	VSW001 V/S Outerframe [ ]
		Frame (Cill)	VSW005 Cill Adapter [ ]
		Frame (Left jamb)	VSW001 V/S Outerframe [ ]
		Frame (Right jamb)	VSW001 V/S Outerframe [ ]




- Sash
- Sash #2
- Colour
- Sash colour
- Bead type
- Open in/out
- Glazed in/out
- VS Hardware Colour
- VS Sash Horn
- VS Travel Restrictor

Glazing Details & Appertures

- VSW002 57mm Slim Sash [ ] VSW003 68mm Med Sash [ ]
- White [ ]
- White [ ]
- Ovolo Bottom V/S Bead [ ]
- Open in [ ] Glazed in [ ]
- White [ ] with Horns [ ]
- Travel Restrictor [ ]

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer  
 Argon Gas Filled Packers

- A1 - (401 x 883)
- A6 - (402 x 882)



- Frame (Right jamb) VSW001 V/S Outerframe [ ]
- Sash VSW002 57mm Slim Sash [ ] Sash #2 VSW003 68mm Med Sash [ ]
- Colour White [ ]
- Sash colour White [ ]
- Bead type Ovolo Bottom V/S Bead [ ]
- Open in/out Open in [ ]
- Glazed in/out Glazed in [ ]
- VS Hardware Colour White [ ]
- VS Sash Horn with Horns [ ]
- VS Travel Restrictor Travel Restrictor [ ]


Glazing Details & Apertures

Energy Rated C - VS 4-16-4 Clear Low E : 16mm Swiss V Spacer

Argon Gas Filled Packers

A1 - (901 x 883) A6 - (902 x 882)

	Eurocell Vertical Slider (Glazed)	Specification	Chk
11	O/A Sizes 1100mm x 2000mm (V/S)	Frame (Head)	VSW001 V/S Outerframe [ ]
		Frame (Cill)	VSW005 Cill Adapter [ ]
		Frame (Left jamb)	VSW001 V/S Outerframe [ ]



Frame (Right jamb)	EWS 7006 75mm Outerframe	[ ]
Transom	EWS 7022/3 85mm T/Z Section	
Mullion	EWS 7022/3 85mm T/Z Section	
Sash	EWS 7018/7019 105mm T/Z Sash	
Cill	150mm Cill	
<b>Colour</b>	<b>White</b>	
<b>Sash colour</b>	<b>White</b>	
<b>Cill colour</b>	<b>White</b>	
Bead type	Ovolo Glazing Bead	
Handle	2 x White Lever/Lever Handle	
Door hinge	Evolution Door Hinge	
Door lock	Mila door lock	
Cylinder	Standard Cylinder	
<b>Master leaf</b>	<b>Right leaf</b>	
Door hinge quantity	3 hinges	
Open in/out	Open out	
Glazed in/out	Glazed in	[ ]

Glazing Details & Apertures

Energy Rated "C" 4-20-4 Clear Unit TOUGHNED : 20mm Silver Spacer

Argon Gas Filled Packers

	Logik 70mm French Door (Glazed)	Specification	Chk
12	O/A Sizes 1250mm x 2400mm (Style 3)	Frame (Head)	EWS 7006 75mm Outerframe [ ]
		Frame (Cill)	EWS 7006 75mm Outerframe [ ]
		Frame (Left jamb)	EWS 7006 75mm Outerframe [ ]

[ ]  
[ ]



