



NOTES

1. All works shall be carried out in accordance with the Specification For Highway Works.
2. For cross sections refer to drawing No. 20227/107/116/04.
3. Refer to drawing No. 20227/107/112/04 for finished level profiles.
4. Draw Pit sizes to be verified following cable sizing.
5. Number of ducts to be verified following cable sizing.
6. Lamp column to be Simes S.2816D or similar approved.

KEY

- SCOPE OF WORKS BOUNDARY
- STREET LIGHTING DUCTS
- STREET LIGHTING DRAW PIT (Refer to drawing 20227/107/116/10)
- STREET LIGHTING COLUMN
Simes - Twin headed 5.7m Column
Luminaire - 2 x 37w LED (3000k)
- STREET LIGHTING BOLLARD AT VIADUCT LEVEL

Residual Risks

- Normal construction risks which a competent contractor would be expected to identify have not been listed.
- Unexploded ordnance
 - Interface with public highway
 - Existing and proposed utilities
 - Work on live sewer
 - Confined spaces
 - Deep connections
 - Inundation from existing flows
 - Temporary site services (locations NOT recorded)
 - Stability of existing structures
 - Live site access/haul roads

| | | | | |
|------|-----------------------------------------------------|-------|----------|------|
| F | Bollard lighting detail added & coordinates revised | AGM | 07.07.16 | CA |
| E | Upper level bollard coordinates added. | MG | 13.05.16 | CA |
| D | Layout updated, access bollard supply added | AGM | 23.03.16 | CA |
| C | Issued for construction | MG | 10.12.15 | IM |
| B | LV access to Viaduct level revised. | MG | 25.08.15 | CA |
| A | Duct routes amended on Upper Level. | AGM | 17.07.15 | CA |
| Mark | Revision | Drawn | Date | Chkd |

SCALING NOTE: Do not scale from this drawing. If in doubt, ask.
UTILITIES NOTE: The position of any existing public or private sewers, utility services, plant or apparatus shown on this drawing is believed to be correct, but no warranty to this is expressed or implied. Other such plant or apparatus may also be present but not shown. The Contractor is therefore advised to undertake his own investigation where the presence of any existing sewers, services, plant or apparatus may affect his operations.

Drawing Issue Status
FOR CONSTRUCTION

**KINGS CROSS CENTRAL
WHARF ROAD VIADUCT - BELOW
GROUND ELECTRICAL INFRASTRUCTURE
FOR LIGHTING REQUIREMENTS**

Client
**BAM
CONSTRUCTION**

Date of 1st Issue
24.04.15

Drawn by
AGM

A1 Scale
1:250

Checked by
CA

Drawing Number
20227/107/1300/01

Revision
F

Offices throughout the UK, Ireland,
continental Europe, Africa, Asia and Australia
www.pba.co.uk
© Peter Brett Associates LLP
KENT
Tel: 01233 651740 Fax: 01233 651741