



FIELD INSPECTION / JOB REPORT



Sunray House - Gerrards Cross Rd - Stoke Poges - Bucks - SL2 4EL

Tel: 01753 664393 - Fax: 01753 663383

Email: info@acepestcontrol.net - Web: www.acepestcontrol.net

Date: 05/06/16

Brief Address: PARLIMENT Hill		Call Type: ROUTINE <input checked="" type="checkbox"/> CALL OUT <input type="checkbox"/> FOLLOW UP <input type="checkbox"/> CONTRACT <input checked="" type="checkbox"/> JOB <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
Name:	TYPE OF PESTS:	EVIDENCE OF PESTS:	
Client Signature:	MICE High <u>Med</u> Low	In the residential treatment of infestations, certain poisons are contained in the baits, dusts and other formulations used. Every effort will be made to place them in safe locations but your co-operation and care are needed to avoid unfortunate accidents. Care must be taken to ensure children and domestic animals are kept away from baits. Poisons should not be handled without suitable protective gloves.	
Position:	COCKROACHES High Med Low	In the event of suspected poisoning of a Person, Child or Animal, the Doctor or Vet should be called immediately and shown this form together with any other information given to you by the Pest Technician.	
Is another Technician / Visit Required: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	OTHER High Med Low	Should you require any further advice or information please contact our Office on: 0500 925 100	
TECHNICIAN: CAVALI	HYGIENE / HOUSEKEEPING	WARNING NOTICE & EMERGENCY ADVICE	
Technician Signature: CAVALI	PROOFING	RODENTICIDES & INSECTICIDES USED	
Note:	EXTERNAL CONDITIONS	RODENTICIDES:	
OBSERVATIONS / RECOMMENDATIONS		INSECTICIDES:	
WIDE ACTIVITY TO CORRIDOR		Ficam D - 1% Benilicarb <input type="checkbox"/>	
BY MAIN RECEPTION		Deltamethrin 2.5% <input checked="" type="checkbox"/>	
BAITS PLACED UNDER		Alpha Cypermethrin 6% <input checked="" type="checkbox"/>	
LEADS AND UNDER		Permethrin 25.5% <input type="checkbox"/>	
SEATS ALSO RECEPTION		Smoke - 13.5% Permethrin <input type="checkbox"/>	
BATTER		Alphamos Plus - 9.76% Alpha - Cypermethrin <input type="checkbox"/>	
STUFF ROOM AND BAIT		Maxforce Quantum Ant Gel - 0.03% Imidacloprid <input type="checkbox"/>	
TRUCKS ALSO ROOM 27		Gothath Roach Gel - 0.05% Fipronil <input type="checkbox"/>	
BATTER HOUSE AND CANTINA		Insect Blaster - Permethrin 0.5% <input type="checkbox"/>	
WESS ROOM REBATTER		Biopren BMS Duo - Pharaoh Ants 0.5% S. Methoprene <input type="checkbox"/>	
DRAIN ROOM BATTER			
AND EXTRA BAITS IN			
HALL AND SOUNDRUMS			
KITCHEN EXTERNAL BAITS			
BED REFRIGER			

Send Form





FIELD INSPECTION / JOB REPORT

Sunray House - Gerrards Cross Rd - Stoke Poges - Bucks - SL2 4EL

Tel: 01753 664393 - Fax: 01753 663383

Email: info@acepestcontrol.net - Web: www.acepestcontrol.net

Date: 7/10/16



Brief Address: **Ravenna Mount Mill**

Name: _____

Client Signature: _____

Position: _____

Is another Technician / Visit Required: YES NO

TECHNICIAN: **CAVIN**

Technician Signature: **CAVIN**

Note: _____

Call Type: ROUTINE CALL OUT FOLLOW UP CONTRACT JOB YES NO

Evidence of Pests: YES NO

TYPE OF PESTS	RATS	High	Med	Low
MICE	High	Med	Low	
COCKROACHES	High	Med	Low	
OTHER	High	Med	Low	
HYGIENE / HOUSEKEEPING				
PROOFING				
EXTERNAL CONDITIONS				

OBSERVATIONS / RECOMMENDATIONS	RODENTICIDES:	POISON INFORMATION: RODENTICIDES & INSECTICIDES USED	INSECTICIDES:
SIENS GF MICE FOUNDS TO CLASS ROOM F	Pasta Bait - 0.005% Difencoum BPR UK-2011-0150	<input checked="" type="checkbox"/> Ficam D 1% Bevidocarb	<input type="checkbox"/>
STAFF ROOM ROOM 27	Whole Wheat Bait - 0.005% Difencoum BPR UK-2012-0301	<input checked="" type="checkbox"/> Deltamethrin 2.5%	<input type="checkbox"/>
WHD MICE DROPPINGS	Pasta Bait - 0.005% Brodifacoum	<input type="checkbox"/> Alpha Cypermethrin, 6%	<input type="checkbox"/>
EXTRA BAIT BEEN PLACED	Cat Wheat - 0.005% Difencoum BPR UK-2012-0313	<input type="checkbox"/> Permethrin 25.5%	<input type="checkbox"/>
ALSO MENDS ROOM	Sorex Sewer Bait - 0.005% Brodifacoum	<input type="checkbox"/> Smoke - 13.5% Permethrin	<input type="checkbox"/>
BAIT TAKES BEEN PLACED	Contact Gel - 0.005% Brodifacoum	<input type="checkbox"/> Alphamosi Plus - 9.76% Alpha-Cypermethrin	<input type="checkbox"/>
	Racumin Foam - 0.4% Commanetyl	<input type="checkbox"/> Maxforce Quantum Ant Gel - 0.03% Imidacloprid	<input type="checkbox"/>
	Pasta/Block Bait 4.00% Alphachloralose	<input type="checkbox"/> Goliath Roach Gel - 0.05% Fipronil	<input type="checkbox"/>
	Non Toxic Monitoring Bait	<input type="checkbox"/> Insect Blaster - Permethrin 0.5%	<input type="checkbox"/>
	Squirrel Bait - 0.02% Warfarin HSE 9175	<input type="checkbox"/> Biopren BMS Duo - Pharaoh Ants 0.5% S - Methoprene	<input type="checkbox"/>
	Other/Trips/Insect Lures:		

WARNING NOTICE & EMERGENCY ADVICE

In the remedial treatment of infestations, certain poisons are contained in the baits, dusts and other formulations used. Every effort will be made to place them in safe locations but your co-operation and care are needed to avoid unfortunate accidents. Care must be taken to ensure children and domestic animals are kept away from baits. Poisons should not be handled without suitable protective gloves.

In the event of suspected poisoning of a Person, Child or Animal, the Doctor or Vet should be called immediately and shown this form together with any other information given to you by the Pest Technician.

Should you require any further advice or information please contact our Office on: 0500 925 100



Send Form



FIELD INSPECTION / JOB REPORT



Sunray House - Gerrards Cross Rd - Stoke Poges - Bucks - SL2 4EL

Tel: 01753 664393 - Fax: 01753 663383

Email: info@acepestcontrol.net - Web: www.acepestcontrol.net

Date: 07/04/16

Brief Address: PARLIAMENT MILL		Call Type: ROUTINE <input type="checkbox"/> CALL OUT <input checked="" type="checkbox"/> FOLLOW UP <input type="checkbox"/> CONTRACT <input checked="" type="checkbox"/> JOB <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Name: M MARRER	TYPE OF PESTS: RATS High Med Low	EVIDENCE OF PESTS: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Client Signature: [Signature]	MICE High (Med) Low	WARNING NOTICE & EMERGENCY ADVICE In the remedial treatment of infestations certain poisons are contained in the baits, dusts and other formulations used. Every effort will be made to place them in safe locations but your co-operation and care are needed to avoid unfortunate accidents. Care must be taken to ensure children and domestic animals are kept away from baits. Poisons should not be handled without suitable protective gloves. In the event of suspected poisoning of a Person, Child or Animal, the Doctor or Vet should be called immediately and shown this form together with any other information given to you by the Pest Technician. Should you require any further advice or information please contact our Office on: 0500 925 100	
Position: SITE SERVICE	COCKROACHES High Med Low		
Is another Technician / Visit Required: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	OTHER High Med Low		
TECHNICIAN: C MARRIN	HYGIENE / HOUSEKEEPING * **		
Technician Signature: [Signature]	PROOFING * **		
Note: [Blank]	EXTERNAL CONDITIONS * **		
OBSERVATIONS / RECOMMENDATIONS		POISON INFORMATION: RODENTICIDES & INSECTICIDES USED	
SIGNS OF MICE FOUND		RODENTICIDES:	
TO STAFF ROOM STORE		Pasta Bait - 0.005% Difenacoum BPR: UK-2011-0150 <input checked="" type="checkbox"/>	
ROOM WALL ENGLISH		Whole Wheat Bait - 0.005% Difenacoum BPR: UK-2012-0301 <input checked="" type="checkbox"/>	
AND FOOD REC ROOM		Pasta Bait - 0.005% Brodifacoum <input type="checkbox"/>	
FOOD LEFT OUT CURZIB		Cat Wheat - 0.005% Difenacoum BPR: UK-2012-0313 <input type="checkbox"/>	
BAGGETS LEFT OUT		Sorex Sewer Bait - 0.005% Brodifacoum <input type="checkbox"/>	
FOOD WAST ON FLOOR		Contact Gel - 0.005% Brodifacoum <input type="checkbox"/>	
AREA HAVE WOOD ADD		Racumin Foam - 0.4% Commanetyl <input type="checkbox"/>	
EXTRA BAITS PLACED		Pasta/Block Bait 4.00% Alphachloralose <input type="checkbox"/>	
TO ALL AREAS		Non Toxic Monitoring Bait <input type="checkbox"/>	
		Squirrel Bait - 0.02% Warfarin HSE 9175 <input type="checkbox"/>	
		Other/Taps/Insect lures: <input type="checkbox"/>	
		INSECTICIDES:	
		Flegan D - 1% Bendiocarb <input type="checkbox"/>	
		Deltamethrin 2.5% <input checked="" type="checkbox"/>	
		Alpha Cypermethrin, 6% <input type="checkbox"/>	
		Permethrin 25.5% <input type="checkbox"/>	
		Smoke - 13.5% Permethrin <input type="checkbox"/>	
		Alphamost Plus - 9.76% Alpha - Cypermethrine <input type="checkbox"/>	
		Maxforce Quantum Ant Gel - 0.03% Imidacloprid <input type="checkbox"/>	
		Gothab Roach Gel - 0.05% Fipronil <input type="checkbox"/>	
		Insect Blaster - Permethrin 0.5% <input type="checkbox"/>	
		Biopren BMS Duo - Pharaoh Ants 0.5% S - Methoprene <input type="checkbox"/>	

Send Form





FIELD INSPECTION / JOB REPORT



National Pest Technicians Association

Sunray House - Gerrards Cross Rd - Stoke Poges - Bucks - SL2 4EL

Tel: 01753 664393 - Fax: 01753 663383

Email: info@acepestcontrol.net - Web: www.acepestcontrol.net

Date: 14/03/15

Brief Address:

PARLIAMENT SQUARE

Call Type: ROUTINE CALL OUT FOLLOW UP CONTRACT JOB YES NO

Name: FIDWELL WOOD

Client Signature: [Signature]

Position: SITE SERVICES

Is another Technician / Visit Required: YES NO

TECHNICIAN: CAULD CUM

Technician Signature: [Signature]

Note: EXTERNAL CONDITIONS

OBSERVATIONS / RECOMMENDATIONS

STAFF ROOM AND BAIT TRAYS ALSO OFFICE TRAYS AND MICE ACTIVITY EXTRA BAIT BEEN PLACED TRAPS PLACED ALSO MICE REMOVED EVEN EASTERN WINDOWS TO PLACE EXTRA TRAPS TO MICE MICE IN FRONT VOID F MICE TO FINS ACCESS SO I CAN BAIT VOID VOID EVEN EASTERN.

POISON INFORMATION: RODENTICIDES & INSECTICIDES USED

RODENTICIDES:	POISON INFORMATION: RODENTICIDES & INSECTICIDES USED	INSECTICIDES:
Pasta Bait - 0.005% Difenacoum BPR UK-2011-0150	<input type="checkbox"/> Ficam D - 1% Bendiocarb	<input type="checkbox"/>
Whole Wheat Bait - 0.005% Difenacoum BPR UK-2012-0301	<input checked="" type="checkbox"/> Deltamethrin 2.5%	<input type="checkbox"/>
Pasta Bait - 0.005% Brodifacoum	<input checked="" type="checkbox"/> Alpha Cypermethrin, 6%	<input type="checkbox"/>
Cut Wheat - 0.005% Difenacoum BPR UK-2012-0313	<input type="checkbox"/> Permethrin 25.5%	<input type="checkbox"/>
Sorex Sewer-Bait - 0.005% Brodifacoum	<input type="checkbox"/> Smoke - 13.5% Permethrin	<input type="checkbox"/>
Contact Gel - 0.005% Brodifacoum	<input type="checkbox"/> Alphamost Plus - 9.76% Alpha-Cypermethrin	<input type="checkbox"/>
Racumin Foam - 0.4% Commantraly	<input type="checkbox"/> Maxforce Quantum Ant Gel - 0.03% Imidacloprid	<input type="checkbox"/>
Paste/Block Bait 4.00% Alphachlorose	<input type="checkbox"/> Golliath Roach Gel - 0.05% Fipronil	<input type="checkbox"/>
Non Toxic Monitoring Bait	<input type="checkbox"/> Insect Blaster - Permethrin 0.5%	<input type="checkbox"/>
Squirrel Bait - 0.02% Warfarin HSE 9175	<input type="checkbox"/> Biopren BMS Duo - Pharaoh Ants 0.5% S - Methoprene	<input type="checkbox"/>
Other/Traps/Insect lures:		

WARNING NOTICE & EMERGENCY ADVICE

In the remedial treatment of infestations, certain poisons are contained in the baits, dusts and other formulations used. Every effort will be made to place them in safe locations but your co-operation and care are needed to avoid unfortunate accidents. Care must be taken to ensure children and domestic animals are kept away from baits. Poisons should not be handled without suitable protective gloves. In the event of suspected poisoning of a Person, Child or Animal, the Doctor or Vet should be called immediately and shown this form together with any other information given to you by the Pest Technician. Should you require any further advice or information please contact our Office on: 0500 925 100

Send Form





FIELD INSPECTION / JOB REPORT



National Pest Technicians Association

Sunray House - Gerrards Cross Rd - Stoke Poges - Bucks - SL2 4EL

Tel: 01753 664393 - Fax: 01753 663383

Email: info@acepestcontrol.net - Web: www.acepestcontrol.net

Date: 23/02/16

Street Address: PARLAMENT WALK

Name: _____

Client Signature: [Signature]

Position: SHE SERVICE

Is another Technician / Visit Required: YES NO

TECHNICIAN: CAVIN

Technician Signature: [Signature]

Note: _____

Call Type: ROUTINE CALL OUT FOLLOW UP CONTRACT JOB YES NO

Evidence of Pests:

TYPE OF PESTS:	RATS	MICE	COCKROACHES	OTHER	HYGIENE / HOUSEKEEPING	PROOFING	EXTERNAL CONDITIONS
	High	High	High	High	*	*	**
	Med	Med	Med	Med	**	**	**
	Low	Low	Low	Low	***	***	***

WARNING NOTICE & EMERGENCY ADVICE

In the remedial treatment of infestations, certain poisons are contained in the baits, dusts and other formulations used. Every effort will be made to place them in safe locations but your co-operation and care are needed to avoid unfortunate accidents. Care must be taken to ensure children and domestic animals are kept away from baits. Persons should not be handled without suitable protective gloves.

In the event of suspected poisoning of a Person, Child or Animal, the Doctor or Vet should be called immediately and shown this form together with any other information given to you by the Pest Technician.

Should you require any further advice or information please contact our Office on 0500 925 100

OBSERVATIONS / RECOMMENDATIONS	RODENTICIDES:	POISON INFORMATION: RODENTICIDES & INSECTICIDES USED	INSECTICIDES:
<u>WALL BRACKETED IN ENGLISH</u>	Pasta Bar - 0.005% Difenacoum BPR - UK-2011-0150	<input type="checkbox"/> Fiteam D - 1% Bendiocarb	<input type="checkbox"/>
<u>DEPT WOODEN READS IN</u>	Whole Wheat Bar - 0.005% Difenacoum BPR - UK-2012-0301	<input type="checkbox"/> Deltamethrin 2.5%	<input type="checkbox"/>
<u>CORNER OF ROOM</u>	Pasta Bar - 0.005% Brodifacoum	<input checked="" type="checkbox"/> Alpha Cypermethrin, 6%	<input type="checkbox"/>
<u>I CHANGE OUT W/ST</u>	Car Wheat - 0.005% Difenacoum BPR - UK-2012-0313	<input type="checkbox"/>	<input type="checkbox"/>
<u>W/STK AND WAS TOLD</u>	Sorex Sewer Bar - 0.005% Brodifacoum	<input type="checkbox"/> Permethrin 25.5%	<input type="checkbox"/>
<u>TO COME BACK NEXT</u>	Contact Gel - 0.005% Brodifacoum	<input type="checkbox"/> Smoke - 13.5% Permethrin	<input type="checkbox"/>
<u>MENISKS ALSO REBUILT</u>	Racumin Foam - 0.4% Coumatetralyl	<input type="checkbox"/> Alphamost Plus - 9.76% Alpha - Cypermethrine	<input type="checkbox"/>
<u>W/ST</u>	Pasta/Blood Bait 4.00% Alphachloralose	<input type="checkbox"/> Maxforce Quantum Ant Gel - 0.03% Imidacloprid	<input type="checkbox"/>
<u>I COULD NOT GET INTO</u>	Non Toxic Monitoring Bait	<input type="checkbox"/> Goliath Roach Gel - 0.05% Fipronil	<input type="checkbox"/>
<u>ROOM ALSO AGISTICS</u>	Squirrel Bait - 0.02% Warfarin HSE 9175	<input type="checkbox"/> Insect Blaster - Permethrin 0.5%	<input type="checkbox"/>
<u>BEAM REMOVED</u>	Other/Traps/Insect Lures:	<input type="checkbox"/> Btiopen BMS Duo - Pharaoh Ants 0.5% S - Methoprene	<input type="checkbox"/>

Send Form





FIELD INSPECTION / JOB REPORT



National Pest Technicians Association

Sunray House - Gerrards Cross Rd - Stoke Poges - Bucks - SL2 4EL
 Tel: 01753 664393 - Fax: 01753 663383
 Email: info@acepestcontrol.net - Web: www.acepestcontrol.net

Date: 2001/15

Brief Address: PARLIAMENT MILLS		Call Type: ROUTINE <input checked="" type="checkbox"/> CALL OUT <input type="checkbox"/>	FOLLOW UP <input type="checkbox"/>	CONTRACT <input type="checkbox"/>	JOB <input checked="" type="checkbox"/>	Evidence of Pests: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
Name: BERNARD CHARLES	TYPE OF PESTS:	RATS High Med Low	MICE High Med Low	COCKROACHES High Med Low	OTHER High Med Low	WARNING NOTICE & EMERGENCY ADVICE In the remedial treatment of infestations, certain poisons are contained in the baits, dusts and other formulations used. Every effort will be made to place them in safe locations but your co-operation and care are needed to avoid unfortunate accidents. Care must be taken to ensure children and domestic animals are kept away from baits. Poisons should not be handled without suitable protective gloves. In the event of suspected poisoning of a Person, Child or Animal, the Doctor or Vet should be called immediately and shown this form together with any other information given to you by the Pest Technician. Should you require any further advice or information please contact our Office on: 0500 925 100
Client Signature: [Signature]	Is another Technician / Visit Required: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	HYGIENE / HOUSEKEEPING		PROOFING	EXTERNAL CONDITIONS	
Position: CEO	TECHNICIAN: CAVIN	RODENTICIDES:		POISON INFORMATION: RODENTICIDES & INSECTICIDES USED		
Technician Signature: CAVIN	Note:	INSECTICIDES:				
OBSERVATIONS / RECOMMENDATIONS		RODENTICIDES: Roban Pasta Bait - 0.005% Difenacoum HSE 81116 <input type="checkbox"/> Whole Wheat Bait - 0.005% Difenacoum HSE 7205 <input type="checkbox"/> Vertox Pasta Bait - 0.005% Brodifacoum HSE 8611 <input checked="" type="checkbox"/> Cui Wheat - 0.005% Difenacoum HSE 7175 <input type="checkbox"/> Sorex Sewer Bait - 0.005% Brodifacoum HSE 6708 <input type="checkbox"/> Vertox Contact Gel - 0.005% Brodifacoum HSE 9296 <input type="checkbox"/> Vertox Wax Blocks - 0.005% Brodifacoum HSE 8612 <input type="checkbox"/> Roban Block Bait - 0.005% Difenacoum HSE 7474 <input type="checkbox"/> Roban Gold - Non Toxic Monitoring Bait <input type="checkbox"/> Squirrel Bait - 0.02% Warfarin HSE 9175 <input type="checkbox"/> Other/Traps/Insect lures: <input type="checkbox"/>				
INSECTICIDES: Flocam D - 1% Bendiocarb HSE 4829 <input type="checkbox"/> Gal Dalcib - 5% Deltamethrin HSE 9275 <input type="checkbox"/> Cimicrol - 4.65% Alpha Cypermethrin, 4.65% Tetramethrin, 1.86% Pyriproxyfen HSE 7453 <input checked="" type="checkbox"/> Insectaban - 0.25% Permethrin HSE 6216 <input type="checkbox"/> Fumite Mim Smoke - 0.47g Permethrin HSE 8781 <input type="checkbox"/> Alphamost Plus - 9.76% Alpha - Cypermethrin HSE 8166 <input type="checkbox"/> Maxforce Quantum Amr Gel - 0.03% Imidacloprid HSE 8888 <input type="checkbox"/> Goliath Roach Gel - 0.05% Fipronil <input type="checkbox"/> Pro Insect Blaster - Permethrin 0.5% HSE 9377 <input type="checkbox"/> Biopren BMS Duo - 0.5% S - Methoprene HSE 9366 <input type="checkbox"/>						



FIELD INSPECTION / JOB REPORT



National Pest Technicians Association

Sunray House - Gerrards Cross Rd - Stoke Poges - Bucks - SL2 4EL
Tel: 01753 664393 - Fax: 01753 663383
Email: info@acepestcontrol.net - Web: www.acepestcontrol.net

Date: 26/10/15

Brief Address: Parliament Hill

Name: R. Woods

Client Signature: [Signature]

Position: Site Services

Is another Technician / Visit Required: YES NO

TECHNICIAN: C. Evans

Technician Signature: [Signature]

Note: OBSERVATIONS / RECOMMENDATIONS

TYPE OF PESTS:	RATS	MICE	COCKROACHES	OTHER	HYGIENE / HOUSEKEEPING	PROOFING	EXTERNAL CONDITIONS
	High	High	High	High	High	High	High
	Med	Med	Med	Med	Med	Med	Med
	Low	Low	Low	Low	Low	Low	Low

WARNING NOTICE & EMERGENCY ADVICE

In the remedial treatment of infestations, certain poisons are contained in the baits, dusts and other formulations used. Every effort will be made to place them in safe locations but your co-operation and care are needed to avoid unfortunate accidents. Care must be taken to ensure children and domestic animals are kept away from baits. Poisons should not be handled without suitable protective gloves. In the event of suspected poisoning of a Person, Child or Animal, the Doctor or Vet should be called immediately and shown this form together with any other information given to you by the Pest Technician. Should you require any further advice or information please contact our Office on 0500 925 100

POISON INFORMATION: RODENTICIDES & INSECTICIDES USED

RODENTICIDES:	INSECTICIDES:
Roban Pasta Bait - 0.005% Difenacoum HSE 8116	Ficam D - 1% Bendiocarb HSE 4829
Whole Wheat Bait - 0.005% Difenacoum HSE 7205	Gel Datch - 5% Deltamethrin HSE 9275
Vertox Pasta Bait - 0.005% Brodifacoum HSE 8611	Cimetro - 4.65% Alpha Cypermethrin, 4.65% Tetrametra, 1.86% pyriproxyfen HSE 7453
Cut Wheat - 0.005% Difenacoum HSE 7175	Insectaban - 0.25% Permethrin HSE 6216
Sorex Sewer Bait - 0.005% Brodifacoum HSE 6708	Fumite Min Smoke - 0.47g Permethrin HSE 8781
Vertox Contact Gel - 0.005% Brodifacoum HSE 9296	Alphamost Plus - 9.76% Alpha - Cypermethrin HSE 8166
Vertox Wax Blocks - 0.005% Brodifacoum HSE 8612	Maxforce Quantum Ant Gel - 0.03% Imidacloprid HSE 8888
Roban Block Bait - 0.005% Difenacoum HSE 7474	Golbath Roach Gel - 0.05% Fipronil
Roban Gold - Non Toxic Monitoring Bait	Pro Insect Blaster - Permethrin 0.5% HSE 9377
Squirrel Bait - 0.02% Warfarin HSE 9175	Biopren BMS Duo - 0.5% S - Methoprene HSE 9366
Other/Traps/Insectures:	

Send Form



FIELD INSPECTION / JOB REPORT



National Pest Technicians Association

Sunray House - Gerrards Cross Rd - Stoke Poges - Bucks - SL2 4EL

Tel: 01753 664393 - Fax: 01753 663383

Email: info@acepestcontrol.net - Web: www.acepestcontrol.net

Date: 02/10/15

Brief Address:		Call Type: <input checked="" type="checkbox"/> ROUTINE <input type="checkbox"/> CALL OUT <input type="checkbox"/> FOLLOW UP <input type="checkbox"/> CONTRACT <input checked="" type="checkbox"/> JOB <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
Name: Anne Peters		EVIDENCE OF PESTS:	
Client Signature: [Signature]		TYPE OF PESTS: RATS High Med Low MICE High Med Low COCKROACHES High Med Low OTHER High Med Low	
Position:		HYGIENE/HOUSEKEEPING * * * * *	
Is another Technician / Visit Required: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		PROOFING * * * * *	
TECHNICIAN: Anne Peters		EXTERNAL CONDITIONS * * * * *	
Technician Signature: [Signature]		POISON INFORMATION: RODENTICIDES & INSECTICIDES USED	
Note:		<p>RODENTICIDES:</p> <p>Roban Pasta Bait - 0.005% Difenacoum HSE 8116 <input checked="" type="checkbox"/></p> <p>Whole Wheat Bait - 0.005% Difenacoum HSE 7205 <input checked="" type="checkbox"/></p> <p>Vertox Pasta Bait - 0.005% Brodifacoum HSE 8611 <input checked="" type="checkbox"/></p> <p>Cut Wheat - 0.005% Difenacoum HSE 7175 <input checked="" type="checkbox"/></p> <p>Sorex Sewer Bait - 0.005% Brodifacoum HSE 6708 <input checked="" type="checkbox"/></p> <p>Vertox Contact Gel - 0.005% Brodifacoum HSE 9296 <input checked="" type="checkbox"/></p> <p>Vertox Wax Blocks - 0.005% Brodifacoum HSE 8612 <input checked="" type="checkbox"/></p> <p>Roban Block Bait - 0.005% Difenacoum HSE 7474 <input checked="" type="checkbox"/></p> <p>Roban Gold - Non Toxic Monitoring Bait <input checked="" type="checkbox"/></p> <p>Squirrel Bait - 0.02% Warfarin HSE 9175 <input checked="" type="checkbox"/></p> <p>Other/Traps/Insect lures: <input type="checkbox"/></p> <p>INSECTICIDES:</p> <p>Ectam D - 1% Bendiocarb HSE 4829 <input checked="" type="checkbox"/></p> <p>Gat Daleth - 5% Deltamethrin HSE 9275 <input checked="" type="checkbox"/></p> <p>Cimetroil - 4.65% Alpha Cypermethrin, 4.65% Tetrameta, 1.86% pyriproxyfen HSE 7453 <input checked="" type="checkbox"/></p> <p>Insectaban - 0.25% Permethrin HSE 6216 <input checked="" type="checkbox"/></p> <p>Fumite Mini Smoke - 0.47g Permethrin HSE 8781 <input checked="" type="checkbox"/></p> <p>Alphapest Plus - 9.76% Alpha - Cypermethrin HSE 8166 <input checked="" type="checkbox"/></p> <p>Maxforce Quantum Air Gel - 0.03% Imidacloprid HSE 8888 <input checked="" type="checkbox"/></p> <p>Goliath Roach Gel - 0.05% Fipronil <input checked="" type="checkbox"/></p> <p>Pro Insect Blaster - Permethrin 0.5% HSE 9377 <input checked="" type="checkbox"/></p> <p>Biopren BMS Duo - 0.5% S - Methoprene HSE 9366 <input checked="" type="checkbox"/></p>	
OBSERVATIONS / RECOMMENDATIONS:		<p>HEAD OFFICE VIS ALL CLEAR</p> <p>STAFF ROOM AND A-LOD WICE ACTIVITY ALL OK</p> <p>EDUCIST ROOM OK</p> <p>SITE STAFF ROOM ALSO CHECKED</p> <p>RECEPTION WAS ALL CLEAR</p> <p>ALL OTHER ROOMS RECHECKED</p> <p>PROGRAMS EXTENSIVE BAITS CHECKED</p>	

WARNING NOTICE & EMERGENCY ADVICE

In the remedial treatment of infestations, certain poisons are contained in the baits, dusts and other formulations used. Every effort will be made to place them in safe locations but your co-operation and care are needed to avoid unfortunate accidents. Care must be taken to ensure children and domestic animals are kept away from baits. Poisons should not be handled without suitable protective gloves.

In the event of suspected poisoning of a Person, Child or Animal, the Doctor or Vet should be called immediately and shown this form together with any other information given to you by the Pest Technician.

Should you require any further advice or information please contact our Office on 0500 925 100