

**STABLES MARKET
HORSE HOSPITAL**

**DESIGN AND ACCESS
STATEMENT AND
HERITAGE STATEMENT**

**For proposed works to
Units 87 and 93/94**

August 2016

**Prepared for
Stanley Sidings Ltd**

By



**Stephen Levrant Heritage Architecture Ltd
62 British Grove, Chiswick, London W4 2NL
t: 020 8748 5501 f: 8748 4492**



Stables Market: The Horse Hospital – Units 87 and 93/94 – Design and Access and Heritage Statement

All Rights reserved.

Copyright © Stephen Levrant Heritage Architecture Ltd.

While Copyright in this volume document report as a whole is vested in Stephen Levrant Heritage Architecture Ltd., copyright to individual contributions regarding sections of referenced works belongs to their respective authors, and no part may be reproduced, transmitted stored in a retrieval system in any form or by any means whether electronic, mechanical, via photocopying, recording or otherwise, without the previous consent from Stephen Levrant Heritage Architecture Ltd.

Document production © Stephen Levrant Heritage Architecture Ltd 2016.

Issued: August 2016

Stephen Levrant Heritage Architecture Ltd is a Limited Liability Partnership registered in England, number Registered in England 3053944 • VAT GB656883581.

Registered office 62 British Grove, London, W4 2NL

DESIGN AND ACCESS AND HERITAGE STATEMENT

CONTENTS

1	INTRODUCTION.....	4	4.1	Units 93/94.....	18
1.1	Summary.....	4	4.2	Unit 87.....	19
1.2	Reference to other documentation	4	5	IMPACT ASSESSMENT	20
1.3	Authorship.....	5	5.1	Introduction	20
1.4	Planning Policy Guidance and Legislation	5	5.2	Impact Assessment Criteria.....	21
2	SETTING AND HISTORIC INFORMATION	6	5.3	Impact Assessment on the Heritage Asset.....	21
2.1	Location	6	5.4	'Schedule of Unauthorised Works' - Impact Assessment item by item	23
2.2	Statutory site.....	7	6	NPPF CONSIDERATIONS	26
2.2.1	Listed buildings.....	7	7	LOCAL PLANNING POLICY.....	27
2.2.2	Regent's Canal Conservation Area	7	8	CONCLUSION	28
2.3	Setting.....	8		APPENDIX 1: HISTORIC MAPS.....	30
2.4	Historical Background.....	9		APPENDIX 2: LISTED BUILDING DESCRIPTION.....	33
2.5	The Horse Hospital Building	10		APPENDIX 3: ORIGINAL DESIGN DRAWINGS	39
3	ASSESSMENT OF SIGNIFICANCE	15		APPENDIX 4: Samples of 'Black steel framed glazed doors and screens'	41
3.1	Introduction	15			
3.2	Criteria	15			
3.3	Assessment Methodology and the Grading System	16			
3.4	Significance of the Horse Hospital Building.....	16			
3.4.1	Evidential Value.....	16			
3.4.2	Historical Value.....	17			
3.4.3	Aesthetic Value.....	17			
3.4.4	Communal Value	17			
4	PROPOSED WORKS	18			

1 INTRODUCTION

1.1 Summary

This statement accompanies the application for planning permission and listed building consent for the proposed works to the ground floor units 87 and 93/94 of the Grade II* listed Horse Hospital at The Stables Market, Chalk Farm Road, London NW1 8AH, within the London Borough of Camden.

There are five listed buildings within the Stables Market – Horse Hospital, Tack Room, Provender Stores, Chalk Farm Stable and Long Stable. All of them, apart from the Horse Hospital, are on the Heritage at Risk Register, drawn up by Historic England.

Horse Hospital is included in the ‘Schedule of Unauthorised Works’ (prepared by the Council in June 2013) and the items relevant to the current proposal will be discussed and addressed in detail later in the report.

The ground floor units 87 (forming part of 1882 Western Range) and 93/94 (forming part of Eastern Range) have been used as Class A1 retail, Class A3 restaurant and an ancillary sui generis space for the Proud gallery. The proposal is for new and improved restaurant space incorporating minor interior and exterior alterations and the full provision of new mechanical & electrical services.

This report sets out:

- A historical background of the building, the site and the surrounding area;

- A detailed assessment of the significance of the heritage asset;
- A detailed description of the proposed works and assessment of their impact on the building and heritage assets.

As the Horse Hospital is grade II* listed the Historic England and The Regent’s Canal Conservation Area Advisory Committee (CAAC) have also been consulted as part of the design process.

The design documents have been prepared by and with the input of the Project Team who are:

Client: Stanley Sidings Limited

Heritage Architects: Stephen Levrant Heritage Architecture Ltd.

Mechanical & Electrical Engineers: Michael Jones & Associates

1.2 Reference to other documentation

This document should be read in conjunction with:

- planning drawings prepared by Stephen Levrant Heritage Architecture Ltd. (July 2016)¹;
- M&E drawings and report prepared by Michael Jones & Associates (July 2016).

¹ HH 87/93/94-01 - HH 87/93/94-15

1.3 Authorship

This statement has been prepared by Stephen Levrant Heritage Architecture Ltd, which specialises in the historic cultural environment.

- Stephen Levrant - Principal Architect
- Stephen Jeffrey – Senior Conservation Architect
- Maida Kaiser – Senior Architectural Conservation Consultant

1.4 Planning Policy Guidance and Legislation

The assessment of the alteration on the building and conservation area has been prepared taking into account the information contained in: planning policy guidance and legislation

- National Planning Policy Framework (NPPF), 27 March 2012.
- National Planning Practice Guidance (NPPG), 10 April 2014.
- Conservation principles, policies and guidance for the sustainable management of the historic environment, English Heritage, April 2008.
- Understanding Place: Conservation Area Designation, Appraisal and Management, English Heritage Guidance, 2011.
- Managing Significance in Decision-Taking in the Historic

Environment, Historic Environment Good Practice Advice in Planning Note 2, English Heritage, March 2015.

- The Setting of Heritage Assets, Historic Environment Good Practice Advice in Planning Note 3, English Heritage, March 2015.
- Brown, Andrew, 'Statements of Significance: The view from Historic England', The Building Conservation Directory, 23rd edition, Cathedral Publications, 2016.
- BS 7913:1998 Guide to the Principles of the Conservation of Historic Buildings.
- Local Development Framework - Camden Core Strategy 2010 – 2025
- Camden Development Policies 2010 – 2025, Local Development Framework

2 SETTING AND HISTORIC INFORMATION

2.1 Location

The Horse Hospital building is part of the internationally recognised Stables Market, in the northwest corner of the Regent's Canal Conservation Area, in the Sub-area 1 (Fig. 1).

The area is bounded to the north by Chalk Farm Road (Hampstead Road as it was known until 1862), and is separated from the former lands of the goods yard to the south by the railway viaducts (Fig. 2 and 3).




Figure 1: Regent's Canal Conservation Area map 1875 (subject site highlighted in red)



Figure 2: The Stables Market area shown within the red line and the Horse Hospital highlighted.



Figure 3: The site location Plan. The Horse Hospital shown within the red line.

2.2 Statutory site

2.2.1 Listed buildings

The Horse Hospital is a Grade II* listed building, designated on 30th September 1981. For the complete listing description refer to the Appendix 2.

There are four listed buildings in the vicinity of the former Horse Hospital:

- (West side) Stanley Sidings, Stables to the east of the

Bonded Warehouse (fig.4)

- (South West Side) The Roundhouse ((fig.4)
- (South West side) Drinking fountain in wall next to the Roundhouse
- (South West side) Cattle through SE of the Roundhouse

The site lies within the Regent's Canal Conservation Area.



Figure 4: Map showing Regent's Canal CA and listed buildings.

2.2.2 Regent's Canal Conservation Area

The Regent's Canal Conservation Area (Fig. 4) was originally

designated in 1974 and subsequently extended in 1981 to include the Stanley Sidings and the Stable Buildings. The conservation area was designated due to its unique character. *“It is an important feature of historic and visual interest in the wider townscape and, following the decline of traditional canal-related commercial activities, has been increasingly recognized as a valuable resource for water-based leisure activities, for its tranquil seclusion, for its ecological value and its potential for transportation and informal recreation”* (Regent’s Canal Conservation Area Appraisal and Management Strategy, adopted 11 September 2008, pp.5).

Many of the industrial buildings and structures are fine examples of industrial brickwork, illustrating styles of engineering and construction characteristics of the 19th and early 20th centuries and using various types of brick, some produced in London and others brought in by the railways from their respective regions. Cast iron and wrought iron are also well represented on the site.

2.3 Setting

The National Planning Policy Framework (NPPF) defines ‘*setting of a heritage asset*’ as ‘*the surroundings in which a heritage asset is experienced. Its extent is not fixed and may change as the asset and its surroundings evolve. Elements of a setting may make a positive or negative contribution to the significance of an asset, may affect the ability to appreciate that significance or may be neutral*’ (NPPF, Annex 2: Glossary, p.52).

The Setting of Heritage Assets: English Heritage Guidance 2011, highlights para 114 of the NPPF: ‘*The extent and importance of setting is often expressed by reference to visual considerations. Although views of or from an asset will play an important part, the*

way in which we experience an asset in its setting is also influenced by other environmental factors such as noise, dust and vibration [...]’ (NPPF, para 114).

As stated above the site falls within the Regent’s Canal Conservation Area, a heritage corridor of unique character, but the elements which contribute towards the neighbourhood identity, are not necessarily confined to the conservation area or other boundaries.

The character of the environs developed over the years and, today largely derives from the presence of four distinct but interrelated elements: the Regent’s Canal, Chalk Farm Road, the Railway viaduct and the market activities.

Chalk Farm Road is the principal thoroughfare of the area. The sequence of diverse views along Chalk Farm Road, defined by the built form and the curve of the road, prevents long distance views.

The built environment is defined on the east side by 19th century terraced buildings which have shops, café, and restaurants at the ground floor; and on the west side by predominant structures, such as the Roundhouse, the ‘Camden Wall’ and the railway bridge, which come into view on a northerly progression.

The Roundhouse is a major focal point, almost providing a gateway to the area from the north.

The ‘Camden Wall’ confers to Chalk Farm Road a sense of continuity and calmness with its regular progression of openings, but it is also a distinct barrier with its non-active frontage. A strong change of character occurs behind the Stables Market gate, where the original industrial stables still remain. The market is enclosed and separated from the public realm by the impenetrable wall.

The railway bridge, crossing diagonally across Chalk Farm Road, is not a simple barrier. It creates a visual break, emphasised by the traffic island and one-way traffic system. In fact, the buildings aligned on this stretch of the street have a narrow pavement establishing a different relationship with the street.

The immediate setting of the subject site is the larger Stables Market at the heart of the area widely known as Camden Market. The complex comprises the industrial horse stables and tightly enclosed courts leading off one another; their plan form being influenced by the horse towpath and stabling, serving the vast railway goods yard and interchange traffic.

The redevelopment of the underused site after the decline of canal-related activities and the conversion of wharves for the craft markets in the 1970s, contributed greatly to the economic and physical regeneration of Camden and to the present character of the area.

The craft markets developed into one of London's top tourist attractions giving a new iconography to Camden. Today the place is mostly known for its famous market, restaurants, café and entertainment facilities but this was never part of any planned development policies.

This market attracts large numbers of Londoners and tourists because of the character, the goods on sale and the uniqueness of the location. Boat trips, walks along the canal, and watching the barges pass through the lock gates from the Dingwall's beer garden, are important parts of the attraction of the Camden Lock area. Sunday trading was permitted on this private site while disallowed in many places elsewhere, and this also contributed to its success.

2.4 Historical Background

This complex of multi-storey stables was developed by the London and North Western Railway Company (LNWR) from 1854. The horses stabled here supplied much of the power for the large LNWR goods yard at Chalk Farm.

'The heart of Stables Market was previously a part of the Camden Goods Yard and a large area was occupied by warehousing for W. A. Gilbey's wines and spirits from the mid-19th century. The remaining buildings on the site comprise the stables for railway horses known as Stanley Sidings [...], a later block of 1883-85, and the surviving bonded warehouse, Gilbey's No.2 Bond, built c.1885' (Regent's Canal Conservation Area Appraisal and Management Strategy, adopted 11 September 2008, pp.17). The four western ranges, which include the Chalk Farm Stable, the Tack Room, the Provender Store, and the Long Stable, form the triangular group A-D built between 1854 and 1856 as indicated on a site plan of 1856 (The National Archives, RAIL 410/2072).

A 22 acre site at Chalk Farm was acquired by the London and Birmingham Railway company soon after its formation, for a terminus and depot. When development began in 1835-37 it was as a goods depot, linked to the Thames by the Regent's Canal and subsequently to the docks by the North London Railway, built in 1850-1.

In the 1840s and 1850s substantial buildings were constructed around the edge of the site, including the Southern Goods Shed, built in 1845 and rebuilt after a fire in 1857, and a goods shed north of the canal, replaced by the Interchange Warehouse in 1900-5. The Chalk Farm stables were linked to both of these buildings by underground tunnels.

Horses were required for a wide range of haulage duties in the

yard as well as for distributing goods outside; others were needed for shunting locomotives. Early provision for the horses was apparently in makeshift accommodation or below ground in the vaults of the goods station. By 1849 some horses were being stabled in the south eastern corner of the goods yard, and it seems likely that the expansion of this part of the yard in 1855 led to the construction of the stables at the triangle site.

The first phase of stabling, the four western ranges forming the triangular group A-D in the modern site plan, was built between 1854 and 1856, as indicated as indicated on a site plan of 1856 (The National Archives, RAIL 410/2072). They were designed by the LNWR staff on the Stafford office and had a capacity of 148 horses. The ranges were mainly one and a half storeys, with ground floor stabling and haylofts above.

In the early 1880's the whole site underwent a phase of expansion and alteration with additional storeys added to the western ranges between 1880-3. A new stable block, known as the Horse Hospital, was also built at this time to accommodate a further 92 horses.

To the north of the Horse Hospital is a boundary wall that abuts Chalk Farm Road. This was built in 1854-6 as a retaining wall to raise the level Camden Goods Depot. The wall retains infill and an adjacent roadway finished with granite setts. The roadway slopes up towards the west end where the horse ramp begins and curves around the Horse Hospital. Materials of the boundary wall include multi-coloured stock brick and stone used for the coping and sub-coping.

The site was vacated in 1973, and many of the buildings were demolished, tracks lifted, and various parcels of the land were sold into different ownerships. After 1973 the sidings and Camden Lock were used for various light industrial and storage uses

including garaging. The market activities started at this time in a rather ad hoc fashion, commencing with small stalls located externally to the stable buildings. Gradually shop units and canopies were added to the buildings and by the 1980s it was a fully-fledged market place. (Royal Commission on the Historical Monuments of England; Historic Building Report; Former LNWR Stables, Chalk Farm Road, Camden, London NW1; September 1995. Crown Copyright.)

2.5 The Horse Hospital Building

The Horse Hospital building which lies to the northwest of the stables yard was originally constructed in 1883.

It has one and two storeys, stepping uphill westwards and northwards. The list description describes the stables as '*the outstanding architectural survival from the Camden Good Yard*', forming a group with the block of stables to the south-east and to the east of Bonded Warehouses.

The original 1883 section of this building - the western range - is five bays wide delineated by pilaster strips with two sets of two windows in each bay. It was constructed by the London and North-Western Railway's Engineer's Department as stables for 92 horses, with a curved ramp (horse creep) at the western end leading to the first floor level of stables. Now-vanished smaller curved ramp running at a right angle to the building may have been removed when the block was extended c.1895, also by the L&NW Engineer's Department. This extension can be seen when comparing the 1891 Goad Fire Insurance Plan and 1916 OS Map (see Appendix 1).

Original plans and elevations for the 1883 building by the London

DESIGN AND ACCESS AND HERITAGE STATEMENT

and Northwest railway are shown in Appendix 3. These show both loose boxes and stables. A small harness room was located at the far eastern end and ventilation shafts appear along the length of the building.

The later section of the building was added at the eastern end and comprises five bays with 7 windows to the north and 9 to the south. Built in the same style and materials, the two buildings appear as one.

The building contains features demonstrating its original use that are of special interest, namely the cast-iron columns and capitals supporting timber roof trusses, complete and surviving timber and iron partitions for stabling with mangers and troughs, the stone sets in two of the rooms and the horse ramp running up the side of the building.

A boundary brick wall, running near parallel to the Horse Hospital to the north, pre-dates the Horse Hospital and was built between 1854-6 as a retaining wall in order to allow the raising of the level of the Camden Goods Depot.

Pevsner names the architect as H. Woodhouse. However, archival research did not uncover any information about him.

The Horse Hospital was not included in the trades and the Street Index sections of London Directories from 1884 onwards. Prior to 1890 the south side of Chalk Farm Road is not included, after this the London & North-Western Railway (&NWR) Goods Depot contained several businesses. The main type being coal merchants and brewers although by the 1940s these were not so prevalent and by the 1970s motor related businesses began to dominate.

In 1985 eight of thirteen businesses listed as being in the railway Yard were motor related. The others included a rehearsal studio

and a builder's and also Old Stables indoor markets. The Directories show that ownership of Camden Goods Yard change from L&NWR to British Railways (London Midland Region) by 1950.

Until 2007, the Horse Hospital was on the Buildings at Risk register but was subsequently removed following both external and internal repair works. More recently, the Horse Hospital has been used for retail and restaurant purposes with Proud gallery above.



Figure 5: 1992 photograph of the south elevation looking towards Unit 92. Photograph from the National Monuments Record in the Historic England Archive in Swindon, taken by Derek Kendall of the former Royal Commission on the Historic Monuments of England (RCHME), on 08/10/1992 (Crown Copyright).



Figure 6: Horse Hospital - south and east elevation of Eastern ranges.



Figure 7: Units 93 and 94 (Eastern range – South elevation)



Figure 8: Units 93/94 - Unauthorised food stall and metal awnings on both units



Figure 9: Unit 93 – shop display case and painted glazing at the windows



Figure 10: Unit 87 (West elevation)



Figure 11: Unit 87 (South elevation) – metal straps fixed across window

3 ASSESSMENT OF SIGNIFICANCE

3.1 Introduction

As recommended by NPPF (March 2012) proposals for the alteration or redevelopment of listed building or buildings within a Conservation Area should be considered and be based on an understanding of the site's significance.

This section provides an assessment of the significance of the Horse Hospital in relation to the conservation area, in order to identify and to promote the protection and enhancement of significant and character defining features of the heritage asset, through the implementation of the appropriate proposals for remodelling and alterations of the subject building.

Paragraph 128 of NPPF states that 'In determining applications local planning authorities should require an applicant to describe the significance of any heritage assets affected, including any contribution made by their setting. The level of detail should also be proportionate to the assets' importance and no more than is sufficient to understand the potential impact of the proposal on that significance'.

A significance assessment has been provided to ascertain historical development of the property and its contribution to the conservation area. It outlines the findings of the background research, based upon visual inspection of the building and its setting, and primary and secondary sources of local history and architecture, including maps, drawings and reports.

3.2 Criteria

Significance is determined on the basis of statutory designation and professional judgement. Our approach for determining significance builds upon our professional experience and the guidelines contained in two main national documents: the DCMS 'Principles of Selection for Listing Buildings' (March 2010) and in the English Heritage "Conservation Principles" (2008).

The first document states that the special interest of a building is determined based on its Architectural and Historic Interest, assessed through the principles of Age and Rarity, Aesthetic Merits, Selectivity and National Interest.

Historic England's criteria outlined in 'Conservation Principles, Policies and Guidance,' which partially overlap with the Statutory Criteria, have also been considered and encompass the following values:

Evidential Value – relating to the potential of a place to yield primary evidence about past human activity;

Historical Value – relating to ways in which the present can be connected through a place to past people, events and aspects of life;

Aesthetic Value – relating to the ways in which people derive sensory and intellectual stimulation from a place;

Communal Value – relating to the meanings of place for the people who relate to it, and whose collective experience or memory it holds.

3.3 Assessment Methodology and the Grading System

In assessing the significance of the building and its setting, consideration has been given to:

- Intrinsic architectural merit (architectural design, plan form, decoration, craftsmanship, building type and technological innovation or virtuosity);
- Completeness in terms of external characteristics, internal features and plan form; any alterations to the early or period features or layout were considered detrimental to the completeness of the building and therefore to its significance;
- Contribution to the character of the area due to its value as a landmark, or as particular good example of local traditions, or for the space that it defines in term of mass and scale;
- The extent to which the building illustrates important aspects of the nation's social, economic, cultural or military history and/or close historical associations with important people or events.

The grading system used in order to establish and record the significance of the building's elements is defined as follows:

HIGH: Parts or elements of special interest that are fundamental to the design concept of the building and/or parts that play a major role in its 'historical time line'; Alteration or removal of features of this level will be strongly resisted.

MEDIUM: Parts or elements of special interest that are specific to

the vocabulary of the building and/or parts that play a considerable role in its 'historical time line'; Efforts should be made to retain features on this level, although some degree of flexibility in terms of alteration would be possible.

LOW: Elements of some or little special architectural or historic interest, but that contribute to the vocabulary of the building as a whole and its historical time line; A greater degree of alteration or removal would be possible than for items of high or medium significance, though a low value does not necessarily mean a feature is expendable.

NEUTRAL: Parts or elements which have little or no inherent cultural value but which does not actually detract from the character or appearance of the building or site. Alteration should be possible to these features.

DETRIMENTAL: Elements or features which actually detract from the character or appearance of the building or site. Efforts should be made to remove these features.

3.4 Significance of the Horse Hospital Building

3.4.1 Evidential Value

There are numerous surviving features throughout the building providing evidence of the original function of the building, although some disturbed or altered by subsequent changes of use and alteration. The legibility of the former use is, however, clear.

The great extent of historic fabric preserved contributes to the special interest and character of the Horse Hospital and to that of

the wider group in general. **Evidential value is therefore considered high.**

3.4.2 Historical Value

The historical value of the Horse Hospital is recognised by its statutory Grade II* listing, as an important part of a distinctive group of former stables.

In this case the historic value is closely associated with the evidential value, providing a significant example of stables construction of their historic period despite the numerous alterations suffered throughout the years. **Historical value is therefore considered medium to high.**

3.4.3 Aesthetic Value

The Horse Hospital, like the other Stables Market former stable buildings is essentially a utilitarian building, but it does, unlike the other buildings, exhibit a certain aesthetic intent in its detailing which sets it somewhat apart from its neighbours.

This quality is essentially defined by the treatment of its elevations and the arrangement of red brick dentil courses, segmental window heads, an oculus window to the west elevation and the cast iron pilasters framing openings to the ground floor level south elevation.

Indeed, it is this external aesthetic quality together with the remaining interior original stable fixtures and fittings which have allowed the buildings designation as grade II*. The building is an exemplary Mid-Victorian stable building. **Aesthetic value is therefore considered medium to high.**

3.4.4 Communal Value

The Horse Hospital and other listed buildings in the Stable Market have a strong identity and sense of place nurtured by the former historical industrial use.

The original purpose of the stabling has been superseded. There are no possible horse-related activities that may be carried out within the site, and there have not been since the 1950's/60's.

The market use, established since the late 1970's/80's, is the reason why this area of Camden achieved worldwide recognition and attracts over 100.000 visitors per week. Furthermore, a poll carried out by NOP World in late 2003, shows that 95% of visitors agreed that the Camden markets are a valuable tourist attraction and 89% agreed the markets are a valuable amenity to the local community as well as visitors (London Borough of Camden, the role the markets play in the vitality & viability of Camden Town, 2006).

The communal values of the site can be associated to the later but firmly established market function, and as proved by the studies and polls carried out since its inception. The fact that the buildings are still in use brings together past and present common uses by the community, reaffirming its communal value.

Communal value is therefore considered high.

4 PROPOSED WORKS

The units are currently used as shops (units 93 and 87 partly), sui generis, which is ancillary to Proud (unit 87 partly) and restaurant/food stall (unit 94). Units 87 (part of 1882 Western Range) and 93/94 (part of the Eastern range) at the Horse Hospital ground floor (Fig. 6), are proposed to be converted into single units and refurbished to facilitate their use as restaurants (A3).




Figure 12: Horse Hospital - Units 87 and 93/94 highlighted in red

As mentioned before, the Horse Hospital is not on the Heritage at Risk Register, but is included in the 'Schedule of Unauthorised Works' (prepared by the Council in June 2013) and particularly items 86-87, 95-96, 115-117, 120-121 and 123-125 from the chapter 3 "The Horse Hospital" are relevant to the current

proposal (addressed in detail in the chapter '5.4 Schedule of unauthorised works').

The conservation-led approach intends to:

- Rectify previous detrimental modifications and reinstate traditional and appropriate architectural features and elements where possible, which will enhance the significance of the building;
- Preserve and enhance the building's setting in connection with the Stables Market of which it forms part and the character and appearance of the conservation area, by careful consideration of any alterations or modifications, however small;
- Concentrate the introduction of new services/features, etc, in areas of lesser significance and in such a way to minimise their impact.

The proposed design has been determined following a site inspection and analysis of the building development and the historic door operations, and developed in line with our established design rationale for the Stables Market buildings.

4.1 Units 93/94

The units 93/94 comprise two interconnecting rooms each with access door arrangements to the south elevation. The units will receive an internal fitting out together with the replacement of the existing external flush timber doors and the provision of new drainage and extract servicing.

The new external doors will reinstate a historic stable door arrangement, where at unit 93 top and bottom door leafs are fixed to open as a single door and at unit 94 bottom door leaf is fixed, while top leaf open only as take-away window.

The new timber doors will be of a traditional framed, ledged and braced construction and follow the pattern of door types previously established and approved for the other Stables Market former stable buildings. There will be no adverse impact on historic fabric – on the contrary, existing building fabric around the door openings will be fully restored including the sandstone hinge/lock blocks and the brick plinths.

In addition, the proposal includes the installation of a glazed steel framed door and screen inset internally in the lobby of unit 93, behind the external timber doors as detailed on the design drawings accompanying this application. The purpose of the inset glazed steel framed door/screen is to better regulate the environmental conditions within the unit (temperature and heat loss) and to function as a security and restaurant's front door because the lobby is shared with the first floor tenant as their emergency exit which means the external timber door need to stay unlocked.

We consider these doors will be perceived as a recessed and modest modern addition behind the principle brick elevation and therefore the character and appearance of the listed building will be preserved whilst allowing for the proposed use of the unit.

The new external timber doors will not necessitate any significant intervention into the masonry wall reveals and the interior steel framed and glazed door and screen in the lobby of unit 93 will have a minimal abutment interface with the historic envelope.

The fit out will comprise the installation of a new kitchen and a bar. These new elements are conceived as contemporary free

standing elements within the volume of the space, not built-in. All the internal columns and brickwork will be left exposed and untouched, in order to maintain the open spatial characteristic of the units. The proposed work is also considered reversible.

The design of the internal fittings and the framed and glazed door and screen will ensure they are perceived clearly as modern interventions within the historic envelope. In this way they will not impede or obscure the fundamental historic character of the space. The new inset framed and glazed door and screen will appear discrete when viewed from the outside and be hidden when the unit is not open for business.

A new drain, serving the kitchen facilities, is proposed to run below floor level to an externally located inspection chamber.

The air supply intake will be via a metal louver fitted within the existing timber fanlight frame over the external door (with ducts run across lobby).

A new mechanical ducted extract system serving the kitchen will be located internally and routed at high level and vertically through the roof to terminate at roof ridge level via a new 'lantern' like roof ventilation turret, instead of inappropriate existing ductwork penetrating the roof.

The use of the roof ventilator in this manner is considered a discrete solution and one that matches the existing historic lanterns on the Horse Hospital (Fig 17 – Appendix 3).

4.2 Unit 87

The unit 87 comprises a main ground floor bay and attached former boiler house and store room (all part of 1882 Western Range). Storage under ramp is also utilised as a store. All the room are interconnected and with access door arrangements to

the south and west elevation.

The main bay is currently divided in three units used as shops and the attached rooms are used as an office.

As units 93/94 the unit 87 will receive an internal fitting out together with the minor internal and external alterations, for example the replacement of the existing modern replacement varnished timber door (item 96 in the 'Schedule of Unauthorised Works') and the provision of new drainage and extract servicing. The frontage replacement to the main ground floor bay is part of the applications 2016/3812/L and 2016/3606/P, registered 08/07/2016.

The new external doors will be of a traditional framed, ledged and braced construction and follow the pattern of door types previously established and approved for the other Stables Market former stable buildings.

The new external timber doors will not necessitate any significant intervention into the masonry wall reveals and there will be no adverse impact on historic fabric – on the contrary, existing building fabric around the door openings will be fully restored including the sandstone hinge/lock blocks and the brick plinths.

The fit out will, also, comprise the installation of a new kitchen located in the store room at the back of the former boiler house.

A new mechanical ducted extract system serving the kitchen will be located internally and routed at high level and vertically through the roof of the former boiler house to terminate at roof ridge level via a new 'lantern' like roof ventilation turret.

The design is considered to appropriately enable the continued viable use of the unit as a restaurant while contributing to the improvement of the building's character and appearance and the better revealing of its historic significance.

The air supply intake will be via a discrete metal louvre fitted within the existing frame of the fanlight over the external door.

For further details please refer to M&E drawings and report prepared by Michael Jones & Associates.

All the internal columns and brickwork will be left exposed and untouched, in order to maintain the open spatial characteristic of the units. The proposed work is also considered reversible. All the existing metal windows are to be overhauled and repaired as necessary.

Furthermore, it is proposed that all historic interior fitting and fixtures are retained in situ where existing and all new fittings are to be easily removable and reversible, so to avoid any adverse impact on the historic building fabric.

5 IMPACT ASSESSMENT

5.1 Introduction

This report aims to appraise the impact of the proposal on the special interest of the heritage asset at the Horse Hospital. Furthermore, the assessment considers the impact of the proposed works on the Grade II* listed building and The Regent's Canal Conservation Area; and on the setting of the designated and non-designated heritage assets within and surrounding the site.

The impact assessment on the special interest of the heritage asset and the conservation area also takes into account whether the proposal causes substantial or less than substantial harm by

altering or eroding the authenticity and the heritage values identified on the assets.

The following impact assessment has to be read with regard to the foregoing significance appraisal which has determined that **the special interest of the heritage asset is considered to be high**, particularly the earlier western range and its setting within the Stables Market.

5.2 Impact Assessment Criteria

For the purpose of assessing the likely impact of the proposed development on the heritage assets, established criteria have been employed.

The impact of the proposals can be grouped into three categories: **neutral, beneficial or adverse**.

Within the three categories there are four different levels that can be given to identify the intensity of impact:

- **"negligible"** –impacts considered to cause no material change;
- **"minor"** - impacts considered to make a small difference to one's ability to understand and appreciate the heritage value of an asset.
- **"moderate"** - impacts considered to make an appreciable difference to the ability to understand or appreciate the heritage value of an asset.
- **"substantial"** - impacts considered to cause a fundamental change in the appreciation of the asset.

5.3 Impact Assessment on the Heritage Asset

The impact assessment on the heritage asset and the conservation area takes into account whether the proposal causes substantial, less than substantial or no harm by altering or eroding the authenticity and the heritage values of the heritage asset and the conservation area as a whole.

The heritage objective of the proposal has been to ensure that works better reveal the special interest and significance of the listed building with the minimum possible impact on the historic fabric and the character and appearance of the heritage asset.

The impact of the proposed development is considered as follows:

Beside the rectifying the unauthorised works (item by item tabulated below) the only other external manifestations of the proposed works are the new external doors and the new 'lantern' like roof ventilation turrets located on the roof ridge of unit 94 and unit 87 (former boiler house).

The new external timber doors are of a traditional framed, ledged and braced construction and follow the pattern of door types previously established and approved for the other Stables Market former stable buildings. As they will not necessitate any significant intervention into the masonry wall reveals it is considered that there will be no adverse impact on the historic fabric and they will have a beneficial impact on the building character and appearance.

The new 'lantern' like roof ventilation turrets are considered to be a discrete solution that will enable the continued use of the building and one that matches the existing historic lanterns on the Horse Hospital (1882 Western Range) (Fig 17 – Appendix 3).

DESIGN AND ACCESS AND HERITAGE STATEMENT

There will be no adverse impact on the historic fabric – on the contrary, the unauthorised works listed in the Council's schedule of unauthorised works from 2013 will be removed and rectified by reinstating historic details. The existing building fabric will be fully restored including the brickwork, windows and the cast-iron elements.

It is considered that the proposed works to Units 87 and 93/94 will significantly enhance the historic character and appearance of the building, and have a beneficial impact on the historic building in both the short and long term.

The overall design is considered to appropriately enable a continued viable use of the units while contributing to the improvement of the building's character and appearance and better revealing its historic significance.

We contend the proposed works will not detract from the character and appearance of the heritage asset and the conservation area as a whole but, will, represent considerable enhancement.

It is therefore considered that the overall impact on the heritage assets will be **beneficial/minor**.

5.4 'Schedule of Unauthorised Works' - Impact Assessment item by item

'Schedule of Unauthorised Works' (prepared by the Council in June 2013)					
3 "The Horse Hospital" - Items 86-87, 95-96, 115-117, 120-121 and 123-126 are relevant to the current proposal.					
Item No.	Location and Description of Breach	Comment and Recommended Remedial Action	Breach Rating	Proposed Works	Impact
East Elevation (Forming Part of 1897 Central Range) – Unit 92					
86	Timber framed shop goods display case fitted against wall; mounted on brick cladded timber framed plinth with overall height approx. 2.5m (Fig 8)	Dismantle and remove. Make good damage to brickwork caused by fixings	Significant harm	As recommended	beneficial/moderate
87	Fire extinguisher storage box fixed to brickwork (Fig 8)	Application for retrospective LBC required for its retention.	Unauthorised	Dismantle and remove. Make good damage to brickwork caused by fixings	beneficial/moderate
South Elevation (To the former Boiler House attached to the 1882 Western Range) – Unit 87					
95	Metal straps fixed across window and fanlight (Fig 11)	Remove and make good damage to framework.	Significant harm	As recommended	beneficial/minor
96	Modern replacement varnished timber door (Fig 10)	Check record drawings and photographs for evidence of previous or original door to inform on appropriate follow up action	Significant harm	Reinstate a historic framed, ledged and braced door	beneficial/moderate

DESIGN AND ACCESS AND HERITAGE STATEMENT

'Schedule of Unauthorised Works' (prepared by the Council in June 2013)					
3 "The Horse Hospital" - Items 86-87, 95-96, 115-117, 120-121 and 123-126 are relevant to the current proposal.					
Item No.	Location and Description of Breach	Comment and Recommended Remedial Action	Breach Rating	Proposed Works	Impact
South Elevation (Forming part of Eastern Range) – Unit 93					
115	Metal framed projecting awning and fixtures fixed to brickwork spanning full width of elevation above ground floor window heads (Fig 6-7)	Dismantle and remove. Make good damage to brickwork caused by fixings.	Significant harm	As recommended	beneficial/ substantial
116	Metal flashing inserted into brickwork across full width of elevation between ground and first floor levels (Fig 6-7)	Carefully remove as part of the awning removal. Repoint brick, bed-joints in flush lime mortar.	Significant harm	As recommended	beneficial/ moderate
117	Advertising poster panel fitted across ground floor window (Fig 6-7)	Remove and make good damage to framework caused by fixings	Significant harm	As recommended	beneficial/ minor
120	Glazing to 3 no. windows painted over (Fig 8)	Carefully remove / strip paint from glass	Significant harm	As recommended	beneficial/ minor
121	Replacement flush timber door with square headed frame installed into arched door opening (Fig 6)	Check record drawings and photographs for evidence of previous or original door to inform on appropriate follow up action	Significant harm	Reinstate a historic framed, ledged and braced stable door	beneficial/ moderate
South Elevation (Forming Part of East Range Single Storey Rear Addition) – Unit 94					
123	Advertisement panels and other similar displays fixed over entire brick elevation and windows (Fig 5-6)	Remove and make good damage to brickwork caused by fixings	Significant harm	As recommended	beneficial/ minor

DESIGN AND ACCESS AND HERITAGE STATEMENT

'Schedule of Unauthorised Works' (prepared by the Council in June 2013)					
3 "The Horse Hospital" - Items 86-87, 95-96, 115-117, 120-121 and 123-126 are relevant to the current proposal.					
Item No.	Location and Description of Breach	Comment and Recommended Remedial Action	Breach Rating	Proposed Works	Impact
124	Metal framed projecting awning fixed to brickwork and spanning full width of elevation at window head level	Remove and make good damage to brickwork / arch caused by fixings	Significant harm	As recommended	beneficial/ substantial
West Elevation (Gable end of 1882 Western Range) – Unit 87					
125	Metal framed projecting awning spanning half-width of elevation at ground floor level.	Remove and make good damage to brickwork caused by fixings. Free standing parasols would suffice for purpose	Significant harm	As recommended	beneficial/ minor

6 NPPF CONSIDERATIONS

The NPPF does not contain an express presumption in favour of the conservation of designated heritage assets, but the presumption in favour of sustainable development. It is also a presumption in favour of development that meets the objectives and policies of the NPPF, which has the conservation of heritage assets as one of its 12 core principles.

'Change is at the heart of sustainable development. The three dimensions of sustainability: economic, social and environmental, are not static; neither is the built environment. Buildings need to change in order to adapt to climate change and move towards a low carbon economy.' (NPPF Paragraph 7).

This statement deals principally with Section 12 of the NPPF, "Conserving and enhancing the historic environment", however Heritage considerations and issues are prevalent throughout the framework.

Paragraph 128 states that *'In determining applications local planning authorities should require an applicant to describe the significance of any heritage assets affected, including any contributions made by their setting. The level of detail should be proportionate to the assets' importance and no more than is sufficient to understand the potential impact of the proposal on that significance'.*

Furthermore, **Paragraph 129** states that *'Local planning authorities should identify and assess the particular significance of any heritage asset that may be affected by a proposal (including by development affecting the setting of a heritage asset) taking account of the available evidence and any necessary expertise. They should take this assessment into*

account when considering the impact of a proposal on a heritage asset, to avoid or minimise conflict between the heritage asset's conservation and any aspect of the proposal'.

As recommended in **Paragraphs 128** and **129**, an assessment of the significance of the heritage asset has been provided earlier in this report.

This report aims at fulfilling the National Policy requirement for provision of proportionate information which will enable the assessment of the likely impacts of proposed development on the special historic and architectural interest of the Horse Hospital by the Local Planning Authority. The significance assessment was based on historic research and consultation of relevant historic records and was examined according to the criteria set out in English Heritage's 'Conservation Principles'.

It is contended the significance of the heritage asset will be preserved and enhanced in compliance with the NPPF requirements.

Paragraph 131 states: *'In determining applications, local planning authorities should take account of:*

The desirability of sustaining and enhancing the significance of heritage assets and putting them to viable uses consistent with their conservation;

The positive contribution that conservation of heritage assets can make to sustainable communities including their economic vitality; and

The desire of new development making a positive contribution to local character and distinctiveness'.

As recommended above, through ensuring the economic vitality the proposal will aid in safeguarding the continued use and long

term preservation of the building, while making a positive contribution to local character by rectifying harmful unauthorised works and reinstating the historic features. It is therefore concluded that the significance of the heritage asset will be preserved and enhanced in compliance with the NPPF requirements.

'Conservation' is defined in the NPPF as: *'the process of maintaining and managing change ... in a way that sustains and, where appropriate, enhances its significance'*. It is considered that proposals will contribute to the achievement of this objective.

Paragraph 134 states: *'Where a development proposal will lead to less than substantial harm to the significance of a designated heritage asset, this harm should be weighed against the public benefits of the proposal, including its optimum viable use'*.

The proposed works to Units 87 and 93/94 of the Horse Hospital will enhance the listed building character and appearance and that of the Stables Market complex in general. We contend there is, in fact, **no harm** caused by the proposed works. The established market use of the former stables is not challenged by the proposals; the removal/remedy of the unauthorised works, along the proposed minor alterations, is a tangible enhancement that should be weighed against the very limited intervention in building fabric.

7 LOCAL PLANNING POLICY

Camden Local Development Framework, Camden Core Strategy, 2010 -2025, Adopted Version, November 2010.

The Camden Core Strategy Policy CS14 – 'Promoting high quality places and conserving our heritage', sets out the requirements to safeguard Camden's heritage. The overall strategy is to sustainably manage growth in Camden in a way that conserves and enhances the heritage and valued places that give the borough its unique character.

Camden Planning Guidance provides advice and information on how the Local Authority applies its planning policies. The guidance is consistent with the Core Strategy and the Development Policies, and forms a Supplementary Planning Document (SPD) which is an additional "material consideration" in planning decisions.

CPG 1 – 'Design'; *deals with heritage issues in Section 3. This section sets out further guidance on Core Strategy Policy CS14 – 'Promoting high quality places and conserving our heritage' and Development Policy DP25 – 'Conserving Camden's Heritage'.*

Paragraph 3.22 refers to the statutory requirement, when assessing applications for listed building consent, to have special regard to the desirability of preserving the building or its setting or any features of special architectural or historic interest which it possesses.

It is considered that the proposal not only preserves but enhances the character of the historic environment through minor interior and exterior alterations and the full provision of new mechanical & electrical services, discretely positioned as to not impact on the character and appearance of the listed building.

Paragraph 3.23 expands on the desirability to retain original or historic features and to carry out repairs in matching materials. The proposals should seek to respond to the special historic and architectural constraints of the listed building, rather than significantly change them.

As stated above, the proposals actively seek to enhance the historic character of the building, and retain surviving historic features.

The works will be carried out using traditional materials and techniques to match the existing and thus strengthen the historic integrity of the listed building.

Development Policy DP25 – ‘Conserving Camden’s Heritage’.

The proposals are considered to preserve and enhance the character and appearance of the conservation area. There is no harm to the special interest of the building or the setting, indeed the heritage assets significance will be better revealed on account of the works.

Development Policy DP12 – ‘Supporting strong centres and managing the impact of food, drink, entertainment and other town centre uses’.

The proposal complements the existing market and town centre by introducing compatible uses and flexible spaces to the ground floor bays.

8 CONCLUSION

The Horse Hospital is the only Grade II* listed building among the former stables buildings on the site. The building is open to the public and in continuous use. The building has been subject to change over time to accommodate new uses and in order to remain sustainable, welcoming and pleasing, will doubtless continue to evolve. The proposed scheme is driven by a need not only to conserve and enhance the building, but also to ensure a sustainable solution that safeguards the current and future use of the building and wider market.

Ground floor units 87 (forming part of 1882 Western Range) and 93/94 (forming part of Eastern Range) are proposed to be converted into restaurants incorporating minor interior and exterior alterations and the full provision of new mechanical & electrical services.

All units are proposed to be refurbished to allow for their operation in a viable and sustainable manner, thus enhancing the historical character and architectural importance of the heritage asset and safeguarding its long term conservation.

The proposal complies with policy at the heart of the NPPF in respect of sustaining and enhancing not just the historic fabric but the significance of the wider Regent’s Canal Conservation Area and the heritage assets within and in the vicinity of the site.

The NPPF contains an express presumption in favour of sustainable development which should be taken into account when making planning decisions. Change is at the heart of sustainable development. The three dimensions of sustainability: economic, social and environmental, are not static; neither is the built environment. Buildings are required to change in order to adapt to climate change and move towards a lower carbon

economy (NPPF Para 7).

For the above reasons, it is considered the proposal is acceptable given the context of the setting of the heritage asset and the immediate surroundings and the conservation area. It is therefore concluded that the proposed works satisfy the relevant clauses of the NPPF as detailed above and is consistent with the spirit of local policies and national conservation principles.

APPENDIX 1: HISTORIC MAPS




Figure 13: 1891 - Insurance Plan of London Vol. xi: sheet 406




Figure 14: 1893-1895 OS Map




Figure 15: 1916 OS Map

APPENDIX 2: LISTED BUILDING DESCRIPTION

Name: HORSE HOSPITAL WITH RAMPS AND BOUNDARY WALL AT NORTH OF SITE

List entry Number: 1258100

Location: STABLES YARD, STABLES MARKET, CHALK FARM ROAD

Grade: II*

Date first listed: 30-Sep-1981

Date of most recent amendment: 28-Jan-2013

List entry Description

Summary of Building

Stables. Built 1882-3 for the London and North-Western Railway. Designed by the London and North Western Railway (LNWR) Engineer's Department. Extended 1897. C20 conversion to market use.

Reasons for Designation

The Horse Hospital, Stables Yard is listed at Grade II* for the following principal reasons:

* Architectural interest and intactness: a fine example of a C19 industrial stabling complete with horse ramps and interior fittings, including stalls, mangers and hay racks;

* Historic interest and group value: an important component of the Camden Goods Depot, one of the most complete groups of C19 railway buildings and associated canal structures in England.

History

The Camden Goods Depot was originally constructed as the London terminus for goods traffic on the London and Birmingham Railway (L&BR), the capital's first inter-city main line railway and the largest civil engineering project yet attempted in the country. The site was chosen by Robert Stephenson (1803-59), the company's engineer, since it allowed interconnection for freight with the London docks via the Regent's Canal, built 1812-1820.

Work started on a 25-acre site north of the canal purchased from Lord Southampton in January 1837 and the goods depot opened to traffic in 1839. The site included the stationary winding engine house for pulling trains up the inline from Euston to Camden (listed at Grade II*); a locomotive house; 18 coke ovens for making smokeless fuel for locomotives; two goods sheds and stabling for 50 horses; stores and a wagon repair shop. There were also cattle pens and offices. The sidings, the locomotive shed and No.1 Goods Shed were all constructed on brick vaults. Further goods sheds and stabling was subsequently built for the public carriers, such as Pickford & Co, who had rights to the distribution of goods on the L&BR until 1846 when the L&BR decided to carry out the carriage of goods through their own agents – the same year L&BR merged with other lines to become the London and North-Western Railway (LNWR). The Pickford goods shed was built in 1841 (enlarged in 1845) by William Cubitt (1791-1863) on the south side of the canal and linked to the goods yard by a second wooden railway bridge and was the first such rail, road and canal interchange building. In 1846-8 due to the rapid growth in passenger and goods traffic and the increase in locomotive size, the Goods Depot was overhauled to the designs of the Resident Engineer, Robert Dockray (1811-71).

New structures were built, including two engine houses, notably that for goods engines (now the Roundhouse – listed at Grade II*) to the north of the main line tracks, and one for passenger engines to the south (demolished in 1966). There was also a construction shop for repairs to the north of No. 1 Goods Shed and other structures including a new railway bridge to the former Pickford & Co warehouse.

In 1854-6 another major upgrading of the site was undertaken following the construction of the rail link to the London docks in 1851, and further increases in goods traffic which required a larger marshalling yard. The North London Railway (NLR) lines were repositioned to the

north of the site and the recently built construction shop dismantled (leaving its vaults) to make way for this. Sidings were extended to the edge of the canal either side of the interchange basin which was realigned and enlarged to its present size. As a result of these changes in layout a new stables yard was constructed between the NLR tracks and the Hampstead Road. This contained four new stable ranges with a horse tunnel (the Eastern Horse Tunnel) linking them to the marshalling yards to the south. At the same time further stables were built on the western side of the mainline tracks off Gloucester Road (now Gloucester Avenue) and linked to the goods depot by the Western Horse Tunnel.

Further changes to the site took place in the later C19 including the construction of the LNWR goods shed in 1864, then the largest in the country (enlarged in 1931 and subsequently demolished). The goods depot closed around 1980.

The surviving elements of Camden Goods Yard, along with the Roundhouse, stationary winding engine house, Primrose Hill Tunnel Eastern Portals (also listed at Grade II*) and Regent's Canal represent a particularly important concentration of C19 transport and industrial buildings illustrating the development of canal and rail goods shipment.

The stables and 'Horse Hospital' Victorian railway goods depots required large numbers of horses for the transfer of goods and shunting of wagons. At its peak, around 700-800 horses were used at the Camden Goods Depot and by the early 1900s the LNWR provided accommodation for something like 6,000 horses nationally.

Stabling for 50 horses at the original 1839 goods depot was provided in the vaults below the railway sidings. By 1849, increased goods traffic meant that 427 horses were employed on the site. As part of the 1846-7 remodelling, four stable blocks, with stalls for 168 horses, were built between the sidings and Chalk Farm Road and let to tenants, whilst other horses were stabled in vaults below the Construction Shop and the Pickford's warehouse on the east side of the canal. In 1854-6, the further remodelling of the depot resulted in the demolition of the original free-standing stable blocks and the construction of the present blocks to the south-east. The four blocks are estimated to have stabled 162 horses and Stables Yard was linked to the rest of the depot by the Eastern Horse Tunnel. The Horse Hospital, as it came to be known, was built to the north-west of the other stables in 1882-3 and extended to the south-east in 1897. The first phase accommodated 92 horses with 40 more in the second phase. Major additional stabling had also been provided in about 1855 on the southwest side of Gloucester Road and more stable ranges on the north side in 1876. Both were linked to the Western Horse Tunnel, the

second group by the existing horse stairs. The first group was demolished in the 1960s (to make way for Waterside Place) and the second group in 2000. The Horse Hospital has been converted to use as shops with a music venue on the upper floor.

Details

EXTERIOR The building consists of two adjoining ranges, the larger western range dating to 1882-3 and the eastern to 1897, built on a narrow sloping site along the boundary wall to Chalk Farm Road. The building is of yellow stock brick laid in English bond and a pitched slate roof with two sets of wooden ventilation louvers on the ridge of the western range. Details are in red brick consisting of floor bands, dentilled cornices, segmental window heads and oculi to the end gables of the western range (that to the eastern gable obscured by the later range). The two-storey southern elevation is stepped back to mark the building phases. The first phase comprises five bays and had accommodation for 92 horses using both storeys. The second phase comprises three two-storey stable bays (with the easternmost bay stepped back) and a single-storey mess with a hipped roof on the eastern end. This accommodated a further 40 horses.

The bays of the western range are divided by brick pilaster strips into panels of plain brickwork, relieved by pairs of small segmental-headed windows set high up under a red brick dentil cornice. The ground-floor bays have pairs of cast-iron pilasters with classical detailing either side of wide openings and supporting cast-iron girders. The openings were originally flanked by large multi-pane wooden windows but this arrangement survives intact only in the central bay, others having been altered to incorporate varying modern shop fronts, some retaining the original upper windows. The large openings indicate that the building was probably originally intended to be used as cart sheds rather than solely as stabling. Due to the slope of the land, the northern elevation is expressed externally as a single-storey, detailed in the same manner as the upper storey of the south elevation. Two window openings towards the centre of the elevation have been converted into doorways opening onto a modern entrance platform. The upper storey of the west gable end has a central doorway flanked by paired windows and opening onto a raised brick platform reached from the horse ramp which curves round the west end of the building. At ground floor level is a small lean-to with sloping slate roof, originally the boiler house.

The eastern range is simpler with the side elevations having a continuous run of upper storey windows of the same pattern as the west range. This arrangement was repeated, with larger windows, on the ground floor but some windows have been converted into doors including a large carriage entrance. The northern elevation has low windows on the ground floor due to the slope of the land and a large

arched entrance with blue engineering brick quoins at the west end. This was originally entered via a short horse ramp from the setted roadway on the embankment running along the north of the building but has now been re-modelled as steps.

INTERIOR The 1883 range has cast-iron columns with bell capitals, supporting brick jack arching on the ground floor and timber roof trusses on the upper floor. The original brick-paved floors survive on both floors. The western section of the first floor retains twelve horse stalls with iron doorposts and timber boxes below the iron grilles and rails. Some stalls retain their mangers and hay racks and the remains of the wooden ventilation shafts. The stalls were used for the resting of tired or lame horses and their existence probably accounts for the building becoming known as the 'Horse Hospital' although it was unlikely to have been used for veterinary purposes. No stable fittings survive on the ground floor.

The interior of the 1897 range is plainer with I-section stanchions supporting the brick jack arching. No stable fittings survive in this range.

SUBSIDIARY FEATURES The high boundary wall to Chalk Farm Road, north of the Horse Hospital, was built in 1854-6 to retain the fill deposited to raise the level of the Camden Goods Depot. The wall is of multi-coloured stock brick laid in English bond with broad brick piers and stone coping. The infill between the wall and the horse hospital is topped by a sloping roadway with stone setts and kerbs of stone sleeper blocks from the early days of the railway (the modern stalls which line the northern side of the roadway are not of special interest). At the west end of the building it joins the horse ramp which curves round the western end of the Horse Hospital and gave additional access to its upper storey. The horse ramp has brick retaining walls with stone copings and a stoned setted ramp. The curve to the east is a later realignment.

Selected Sources

Books and journals

Biddle, G, Britain's Historic Railway Buildings , (2003), 13

Cherry, B, Pevsner, N, The Buildings of England: London 4, North, (1999), 365-366

Other

Peter Darley, Stables Complex and Underground Features in Former Camden Goods Depot , 2010,

National Grid Reference: TQ2850984260

APPENDIX 3: ORIGINAL DESIGN DRAWINGS




Figure 16: 1883 original plans.




Figure 17: 1883 original elevations & sections.

APPENDIX 4: Samples of 'Black steel framed glazed doors and screens'

