



HELPING HAND BRACKETS/RAILS  
AT 600mm CTRS BY OTHERS

EPDM MEMBRANE SEAL BY OTHERS  
MUST BE BUTYL TAPED & SEALED FULLY AROUND  
HELPING HAND RAILS TO AVOID WATER INGRESS

GUTTER BY GREEN  
WALL CONTRACTOR

3mm THK P.P.C ALUMINIUM FACETTED  
FEATURE FLASHINGS.  
FOR LENGTHS & RADIUS  
PLEASE REFER TO DRG GA-050

TOP FLASHING REF 6050 TO 6056

002  
500

BOTTOM FLASHING REF 6057 TO 6063

FEATURE FINS - REFER TO ELEVATION  
FOR EXACT REQUIREMENTS. (REF.T.B.C)

JAMES TAYLOR EYETECH MESH.  
JAMES TAYLOR TO SUPPLY DETAILS

LEVEL 1  
F.S.S.L.  
+31.785

METSEK BUILD UP & INTERNAL  
FLASHING BY OTHERS.

DRAWING STATUS	ACTION
A - No further comments	
B - Accepted for procurement and manufacture, subject to comments being incorporated, drawings to be resubmitted	
C - Resubmit incorporating comments prior to proceeding	
Signed:	
On behalf of:	
Date:	

Rev	Date	Init.	Notes
E			
D			
C	06.06.16	GAH	REVISED TO SUIT COMMENTS
B	03.06.16	GAH	FLASHING FIXING LOCATION REVISED
A	20.01.16	GAH	First issue

Project  
MTV Courtyard Infill, Camden

Title  
Green Wall Elevation & Plan

Scale	Date	Drawn By	Status
1:5 @ A3	12.01.16	GAH	FOR APPROVAL

Contract No	Revision
CN2737	GA-500

**Anglian**  
Architectural

Registered Office: Anglian Architectural Ltd. Unit 1 Mill Lane,  
Waterford Ind Est, Gt. Massingham, Norfolk. PE32 2HT  
Tel: 01485-520860 Fax: 01485-520861  
Email: design@angarch.com or sales@angarch.com  
Registered in England and Wales company no. 4346652  
VAT No. 792 777 468