

London Borough of Barnet, Planning Services, Barnet House, 10th Floor, 1255 High Road, Whetstone, London, N20 0EJ

Tel: 0208 359 3000

Email: planning.enquiry@barnet.gov.uk


Application for tree works: works to trees subject to a tree preservation order (TPO) and/or notification of proposed works to trees in a conservation area. Town and Country Planning Act 1990

'ublication of applications on planning authority websites.

Tease note that the information provided on this application form and in supporting documents may be published on the Authority's website, you require any further clarification, please contact the Authority's planning department.

tle: Sir	First Name: Richard	Surname: Bowlby	
mpany name]	
eet address:	Boundary House	<u>-</u>	
	Wyldes close	Telephone number:	
		Mobile number:	
vn/City:	London	Fax number:	
intry:		- Email addrace:	*********
tcode:	NW11 7JB		M.40.4******
VOIL an adei	nt acting on behalf of the applicant?	Yes ● No	
rees Loca	ation		
ase provide t	he address of the site where the tree(s) stands (full	Description:	
ase provide t ress if possil	he address of the site where the tree(s) stands (full	Description:	T. A. CHENTAL MARKET
ase provide t ress if possil use:	the address of the site where the tree(s) stands (full ble):	Description:	
ase provide t ress if possil use: use name:	the address of the site where the tree(s) stands (full ble): Suffix:	Description:	
ase provide t ress if possil use: use name:	the address of the site where the tree(s) stands (full ble): Suffix: Boundary House	Description:	Assa
ase provide t ress if possil ise: ise name:	he address of the site where the tree(s) stands (full ble): Suffix: Boundary House Wyldes Close	Description:	
ase provide t ress if possil use: use name: eet address:	he address of the site where the tree(s) stands (full ble): Suffix: Boundary House Wyldes Close	Description:	and Station
Trees Local passes provide to dress if possil puse; puse name; reet address; wwn/City; pstcode;	the address of the site where the tree(s) stands (full ble): Suffix: Boundary House Wyldes Close Golders Green	Description:	***************************************
ase provide to the state of possible set address: wn/City stcode: ne location is scribe as cleated to 18 High Ordnance Su	the address of the site where the tree(s) stands (full ole): Suffix: Boundary House Wyldes Close Golders Green LONDON NW11 7JB unclear or there is not a full postal address, either arry as possible where it is (for example, "Land to rear Street" or "Woodland adjoining Elm Road") or provide invey grid reference:	Description:	
ase provide to tress if possil use: use name: eet address: wn/City stcode: he location is scribe as clear 12 to 18 High	the address of the site where the tree(s) stands (full ble): Suffix: Boundary House Wyldes Close Golders Green LONDON NW11 7JB unclear or there is not a full postal address, either arrly as possible where it is (for example, 'Land to rear Street' or 'Woodland adjoining Elm Road') or provide	Description:	

-	nt the owner of the tree(s)?	0
5. What Are	You Applying For?	
Are you seekir	ng consent for works to a tree(s) subject to a TPO?	😍 Yes 👙 No
Are you wishin	ng to carry out works to tree(s) in a conservation area?	Yes No
6. Tree Pres	servation Order Details	
If you know wh	nich TPO protects the tree(s) enter its title or number below	
3	ncil hold the TPO for this Oak	
7 Identificat	tion Of Tree(s) And Description Of Works	
protected by a	the following information below: tree species (and the number used on the sketch	t al
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the South	TPO you must also provide reasons for the work and, where trees are being felled in quantity, species, position and size) or reasons for not wanting to replant, fell because of excessive shading and low amenity value. Replant with 1 standard ensity of the mature Oak tree situated on the right hand side boundary of the rear g in West corner of Boundary House (it is the only tree on the property). Crown thinning the property is the property.	d, please give your proposals for planting replacement ash in the same place. garden 7.5 meters from South boundary and 5 meters ing approximately 15% including the removal of dec
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the South wood, lifting o	TPO you must also provide reasons for the work and, where trees are being felled j quantity, species, position and size) or reasons for not wanting to replant, fell because of excessive shading and low amenity value. Replant with 1 standard	d, please give your proposals for planting replacement ash in the same place. garden 7.5 meters from South boundary and 5 meters ing approximately 15% including the removal of decreptions out-buildings and Boundary House ensure
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the South wood, lifting o	TPO you must also provide reasons for the work and, where trees are being felled it quantity, species, position and size) or reasons for not wanting to replant. fell because of excessive shading and low amenity value. Replant with 1 standard ensity of the mature Oak tree situated on the right hand side boundary of the rear given by the property. Crown thinniful tower branches, and necessary shortening of long lateral branches overhanging in the property.	d, please give your proposals for planting replacement ash in the same place. garden 7.5 meters from South boundary and 5 meters ing approximately 15% including the removal of dearn peighbors out-buildings and Roundary House ensure
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the South wood, lifting of the height and	TPO you must also provide reasons for the work and, where trees are being felled a quantity, species, position and size) or reasons for not wanting to replant, fell because of excessive shading and low amenity value. Replant with 1 standard ensity of the mature Oak tree situated on the right hand side boundary of the rear ging the west corner of Boundary House (it is the only tree on the property). Crown thinnif lower branches, and necessary shortening of long lateral branches overhanging it basic shape is retained. It is important to prune branches at convenient growth property.	d, please give your proposals for planting replacement ash in the same place. garden 7.5 meters from South boundary and 5 meters ing approximately 15% including the removal of dearn peighbors out-buildings and Soundary House ensure
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the South wood, lifting of the height and	TPO you must also provide reasons for the work and, where trees are being felled it quantity, species, position and size) or reasons for not wanting to replant. fell because of excessive shading and low amenity value. Replant with 1 standard ensity of the mature Oak tree situated on the right hand side boundary of the rear given by the property. Crown thinniful tower branches, and necessary shortening of long lateral branches overhanging in the property.	d, please give your proposals for planting replacement ash in the same place. garden 7.5 meters from South boundary and 5 meters ing approximately 15% including the removal of dearn peighbors out-buildings and Roundary House ensure
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the South wood, lifting of the height and the height and the trees. A sketch plan clis also advised to the salso advised to the salso advised to the trees.	TPO you must also provide reasons for the work and, where trees are being felled a quantity, species, position and size) or reasons for not wanting to replant, fell because of excessive shading and low amenity value. Replant with 1 standard ensity of the mature Oak tree situated on the right hand side boundary of the rear ging the west corner of Boundary House (it is the only tree on the property). Crown thinnif lower branches, and necessary shortening of long lateral branches overhanging it basic shape is retained. It is important to prune branches at convenient growth property.	d, please give your proposals for planting replacement ash in the same place. parden 7.5 meters from South boundary and 5 metering approximately 15% including the removal of dearneighbors out-buildings and Boundary House ensure that the same all round reductions or pollarding.
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the Sould wood, lifting of the height and the h	IPO you must also provide reasons for the work and, where trees are being felled a quantity, species, position and size) or reasons for not wanting to replant. If ell because of excessive shading and low amenity value. Replant with 1 standard ensity of the mature Oak tree situated on the right hand side boundary of the rear gh. West corner of Boundary House (it is the only tree on the property). Crown thinning I lower branches, and necessary shortening of long lateral branches overhanging it doasic shape is retained. It is important to prune branches at convenient growth possible of the provided when apply the position of trees listed in Question 7 must be provided when apply when notifying the LPA of works to trees in a conservation area (see guidance notifying the LPA of works to trees in a conservation area (see guidance notifying the LPA of works to trees in a conservation area (see guidance notifying the LPA of works to trees in a conservation area (see guidance notifying the LPA of works to trees in a conservation area (see guidance notified to the conservation ar	d, please give your proposals for planting replacement ash in the same place. parden 7.5 meters from South boundary and 5 metering approximately 15% including the removal of determing approximately 15% including the removal of determining and boundary House ensuring the same of the proposed from the proposed for the proposed from the
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the South wood, lifting of the height and the height and the salso advised advice given on For works to treecessary evided in Condition of If YES	IPO you must also provide reasons for the work and, where trees are being felled a quantity, species, position and size) or reasons for not wanting to replant. If the	d, please give your proposals for planting replacement ash in the same place. garden 7.5 meters from South boundary and 5 meters in approximately 15% including the removal of deineighbors out-buildings and Boundary House ensurints rather than all round reductions or pollarding. The plying for works to trees covered by a TPO. A sketcles). It would also be helpful if you provided details ring. If so, your application must be accompanied by
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the Sould wood, lifting of the height and the h	IPO you must also provide reasons for the work and, where trees are being felled a quantity, species, position and size) or reasons for not wanting to replant. If the because of excessive shading and low amenity value. Replant with 1 standard ensity of the mature Oak tree situated on the right hand side boundary of the rear ging the West corner of Boundary House (it is the only tree on the property). Crown thinning to lower branches, and necessary shortening of long lateral branches overhanging it doas't shape is retained. It is important to prune branches at convenient growth property showing the position of trees listed in Question 7 must be provided when application and the property of the tree in a conservation area (see guidance notes is by an LPA officer. The covered by a TPO whether the reasons for carrying out the proposed works include any of the following ence to support your proposals. (See guidance notes for further details) If the tree(s) - e.g., it is diseased or you have fears that it might break or fall: So, you are required to provide written arboricultural advice or other ostic information from an appropriate expert. It is property - e.g., subsidence or damage to drains or drives.	d, please give your proposals for planting replacement ash in the same place. parden 7.5 meters from South boundary and 5 metering approximately 15% including the removal of determing approximately 15% including the removal of determining and boundary House ensuring the same of the proposed from the proposed for the proposed from the
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the Sould wood, lifting of the height and the h	a quantity, species, position and size) or reasons for not wanting to replant. If ell because of excessive shading and low amenity value. Replant with 1 standard in the west corner of Boundary House (it is the only tree on the property). Crown thinnif tower branches, and necessary shortening of long lateral branches overhanging in the basic shape is retained. It is important to prune branches at convenient growth property in the provided when apply in the provided when apply when notifying the LPA of works to trees in a conservation area (see guidance not site by an LPA officer. The secovered by a TPO whether the reasons for carrying out the proposed works include any of the following the tree(s) - e.g. it is diseased or you have fears that it might break or fall: 5, you are required to provide written arboricultural advice or other ostic information from an appropriate expert.	d, please give your proposals for planting replacement ash in the same place. garden 7.5 meters from South boundary and 5 metering approximately 15% including the removal of determing approximately 15% including the removal of determining and Boundary House ensurable than all round reductions or pollarding. The plying for works to trees covered by a TPO. A sketce lest in the same plying for works to trees covered by a TPO. A sketce lest in the same plying for works to trees covered by a TPO. A sketce lest in the same plying for works to trees covered by a TPO. A sketce lest in the same place in th
protected by a trees (including E.g. Oak (T3) - Mature Oak. Reduce the de from the Soud the height and the heig	IPO you must also provide reasons for the work and, where trees are being felled a quantity, species, position and size) or reasons for not wanting to replant. If the because of excessive shading and low amenity value. Replant with 1 standard reasons for the property in the rear goal of the mature Oak tree situated on the right hand side boundary of the rear goal of the west corner of Boundary House (it is the only tree on the property). Crown thinning the west corner of Boundary House (it is the only tree on the property). Crown thinning the west corner of Boundary House (it is the only tree on the property). Crown thinning the west corner of Boundary House (it is the only tree on the property). Crown thinning the west covered by a size of the property of the property of the property of the property of the following the position of trees listed in Question 7 must be provided when apprehending the LPA officer. The property of the property of the proposed works include any of the following the property of the proposed works include any of the following the property of the proposed works include any of the following the property of the proposed works include any of the following the property of the proposed works include any of the following the property of the proposed works include any of the following the property of the proposed works include any of the following the property of the proposed works include on the property of the proposed works include on the property of the proposed works include or other obtained to provide written arboricultural advice or other obtained to provide written arboricultural advice or other obtained to provide for: Subsidence A report by an engineer or surveyor, to include a description of damage, vegetal	d, please give your proposals for planting replacement ash in the same place. garden 7.5 meters from South boundary and 5 metering approximately 15% including the removal of determing approximately 15% including the removal of determining and Boundary House ensurements after than all round reductions or pollarding. The polying for works to trees covered by a TPO. A sketce less. It would also be helpful if you provided details fing. If so, your application must be accompanied by the second proposals.




ANTHONY GEORGE & ASSOCIATES LTD



The Old Brick House Village Road, Dorney Windsor SL4 6QJ

Arboricultural Consultants Landscape Architects mobile: 07836 583388 tel: 01628 604224

Mrs Ruth Bull Assistant Estate Manager Hampstead Garden Suburb Trust 862 Finchley Road London NW11 6AB



26 July 2016

Dear Mrs Bull,

Boundary House, Hampstead way, London NW11 Tree surgery

I refer to my site inspection on the 21st July regarding a request made by Mrs Grace Kay of Wyldes, North End to carry out certain work after discussions with Sir Richard Bowlby, the following tree surgery is agreed, and should therefore be granted by the Trust.

1 Reduce the density of the mature Oak tree situated on the right hand side boundary of the rear garden adjacent to the garage belonging to Mrs Kay, by crown thinning approximately 15% including the removal of dead wood, lifting of low branches, and the necessary shortening of long lateral branches overhanging Mrs Kay's garden, ensuring the height and basic shape is retained. It is important to prune branches at convenient growth points, rather than an all round reduction or pollarding which is **not** permitted.

Yours sincerely,

Anthony George

Anthony George & Associates Ltd.

ANTHONY GEORGE DIP.LA, MLI, FRSA

Member of the Royal Forestry Society
Associate Member of the Arboricultural Association
Professional member of the International Society of Arboriculture

-HAMPSTEAD - GARDEN - SVBVRB - TRYST=

862 Finchley Road Hampstead Garden Suburh London NW11 6AB Telephone: 020 8455 1066 and 020 8458 8085 ~ email: mail@hgstrust.org ~ www.hgstrust.org ~ Twitter: @HGSTrust

Mr & Mrs Alex Kay Wyldes North End Hampstead Garden Suburb NW3 7HS

16 June 2016

Dear Mr & Mrs Alex Kay

Wyldes North End - Tree Surgery

I enclose a copy of a report by the Trust's Arboricultural Consultants, Anthony George & Associates Ltd, following a site inspection at the above property. Accordingly, the Trust now gives consent for the work specified in the report dated 14 June 2016 which is self-explanatory.

I suggest you inform your neighbours of your plans before beginning any work to the trees

I am also enclosing a list of the Trust's approved tree surgeons which you may find helpful. I would remind you that consent from the London Borough of Barnet is also required. Please contact Planning - Trees and Environment Team, Development Management & Building Control Service, London Borough of Barnet, Barnet House 1255 High Road, London N20 0EJ. E-mail: planningtrees@barnet.gov.uk. Tel: 0208 359 2000/3000.

Yours sincerely

Ruth Bull Assistant Estate Manager

Note: Any consent does not constitute a warranty or representation by the Trust that the subject matter of this application complies with any bye-law or statutory requirement and will not give rise to any liability to any third parties by the Trust. These matters are the responsibility of the applicant.

The Trust makes no warranty as to the location or ownership of trees, including where the Trust is the freeholder or a neighbouring owner. Applicants for consent need to make their own enquiries as to ownership of trees. If the Trust is the freeholder or a neighbouring owner, queries should be directed to the Trust's Estate Manager.

The Hampstead Garden Suburb Trust Ltd. Registered in England No. 928520 - Registered Charity No. 1050098