



FOR DRAINAGE IN THIS ARE PLEASE REFER TO DRAWING 615-C-011

- NOTES**
- ENGENUITI SHALL HAVE NO RESPONSIBILITY FOR ANY USE MADE OF THIS DOCUMENT OTHER THAN FOR THAT WHICH IT WAS PREPARED AND ISSUED.
- ALL DIMENSIONS SHOULD BE CHECKED ON SITE.
- DO NOT SCALE FROM THIS DRAWING.
- ANY DRAWING ERRORS OR DIVERGENCES SHOULD BE BROUGHT TO THE ATTENTION OF ENGENUITI IMMEDIATELY.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE ENGENUITI SPECIFICATION, AS WELL AS ALL THE RELEVANT ARCHITECT'S AND OTHER CONSULTANT'S DRAWINGS AND SPECIFICATIONS.
- ALL SURFACE WATER DRAINAGE PIPES ARE 1500 AND RUN AT 1:60 U.N.O.
- ALL FOUL WATER DRAINAGE PIPES ARE 1000 AND RUN AT 1:40 U.N.O.
- CAVITY DRAIN TO CONNECT TO FOUL DRAINAGE NETWORK AS PER WATERPROOFING SPECIALIST DESIGN AND DETAIL KEY:
- PROPOSED FW MH EXTERNAL
 - EXISTING CWMH EXTERNAL
 - PROPOSED SW PUMP AND SUMP
 - PROPOSED FW PUMP AND SUMP
 - CAVITY DRAIN SUMP
 - PROPOSED FW IC INTERNAL
 - PROPOSED SW YG
 - PROPOSED SW IC EXTERNAL
 - PROPOSED CW MH EXTERNAL
 - PROPOSED ATTENUATION TANK
 - PROPOSED FOUL WATER (INT)
 - PROPOSED SURFACE WATER (INT)
 - PROPOSED FOUL WATER (EXT)
 - PROPOSED SURFACE WATER (EXT)
 - PROPOSED SURFACE WATER RISING MAIN
 - PROPOSED FOUL WATER RISING MAIN
 - PROPOSED COMBINED WATER (EXT)
 - EXISTING COMBINED WATER (EXT)
- * PRECISE LOCATION OF DRAINAGE PROVISIONS ARE TO BE SET-OUT FROM ARCHITECTS

P 1	ISSUED FOR INFORMATION	LB / SC	13/05/16
REV	DESCRIPTION	BY	CHK DATE
KEY PLAN			

CLIENT
ELSWORTHY SJW LIMITED

DRAFT

engenuiti

2 MALTINGS PLACE
TOWER BRIDGE ROAD
LONDON SE1 3JB
UNITED KINGDOM
+44 (0)20 7089 5760
www.engenuiti.com

PROJECT TITLE
18-20 ELSWORTHY ROAD
LONDON NW3 3DJ

DRAWING TITLE
PROPOSED LOWER GROUND FLOOR DRAINAGE

SCALES @ A1
1 : 50

DATE
27/05/16

PROJECT NUMBER
615

DRAWING No.
C-010

REVISION
P 1