



NOTES

ENGENUITI SHALL HAVE NO RESPONSIBILITY FOR ANY USE MADE OF THIS DOCUMENT OTHER THAN FOR THAT WHICH IT WAS PREPARED AND ISSUED.

ALL DIMENSIONS SHOULD BE CHECKED ON SITE.

DO NOT SCALE FROM THIS DRAWING.

ANY DRAWING ERRORS OR DIVERGENCES SHOULD BE BROUGHT TO THE ATTENTION OF ENGENUITI IMMEDIATELY.

THIS DRAWING IS TO BE READ IN CONJUNCTION WITH THE ENGENUITI SPECIFICATION, AS WELL AS ALL THE RELEVANT ARCHITECT'S AND OTHER CONSULTANT'S DRAWINGS AND SPECIFICATIONS.

ALL SURFACE WATER DRAINAGE PIPES ARE 1500 AND RUN AT 1:60 U.N.O.

ALL FOUL WATER DRAINAGE PIPES ARE 1000 AND RUN AT 1:40 U.N.O.

CAVITY DRAIN TO CONNECT TO FOUL DRAINAGE NETWORK AS PER WATERPROOFING SPECIALIST DESIGN AND DETAIL KEY.

- PROPOSED FW MH EXTERNAL
- PROPOSED CW MH EXTERNAL
- EXISTING CWMH EXTERNAL
- PROPOSED SW MH EXTERNAL
- PROPOSED SW PUMP AND SUMP
- PROPOSED FW PUMP AND SUMP
- CAVITY DRAIN SUMP
- PROPOSED FW IC INTERNAL
- PROPOSED SW IC EXTERNAL
- PROPOSED SW YG
- PROPOSED CW MH EXTERNAL
- PROPOSED ATTENUATION TANK
- PROPOSED FOUL WATER (INT)
- PROPOSED SURFACE WATER (INT)
- PROPOSED FOUL WATER (EXT)
- PROPOSED SURFACE WATER (EXT)
- PROPOSED SURFACE WATER RISING MAIN
- PROPOSED FOUL WATER RISING MAIN
- PROPOSED COMBINED WATER (EXT)
- EXISTING COMBINED WATER (EXT)

* PRECISE LOCATION OF DRAINAGE PROVISIONS ARE TO BE SET-OUT FROM ARCHITECTS

P 1	ISSUED FOR INFORMATION	LB / SC	13/06/16
REV	DESCRIPTION	BY	CHK DATE
KEY PLAN			

CLIENT
ELSWORTHY SJW LIMITED

DRAFT

engenuiti

2 MALTINGS PLACE
TOWER BRIDGE ROAD
LONDON SE1 3J8
UNITED KINGDOM
+44 (0)20 7089 5760
www.engenuiti.com

PROJECT TITLE
18-20 ELSWORTHY ROAD
LONDON NW3 3DJ

DRAWING TITLE
BELOW GROUND DRAINAGE
GROUND FLOOR

PROJECT NUMBER
615

DRAWING No.
C-011

SCALES @ A1
1 : 50
DATE
27/05/16
REVISION
P 1