

















CLIENT SIAW PROJECT NAME 59 Redington Road
 PROJECT NUMBER 16-248 PROJECT LOCATION London, NW3 7RP
 DATE STARTED 4/8/16 COMPLETED 4/8/16 CO-ORDINATES 525596 mE, 186001 mN
 DRILLING CONTRACTOR Dynamic Sampling UK GROUND ELEVATION _____ HOLE SIZE _____
 DRILLING METHOD Windowless Sampler LOGGED BY Ruby Westnedge CHECKED BY BD

DEPTH (m)	SAMPLE TYPE NUMBER	BLOW COUNTS (SPTN VALUE)	TESTS	GRAPHIC LOG	MATERIAL DESCRIPTION & REMARKS	WELL DIAGRAM
0.10	J	()			Dark brown clayey SILT with rootlets rare coarse gravel of various lithologies (TOPSOIL)	
1.50	SPT	1-1-2-2 (6)			Soft light brown mottled sandy gravelly CLAY. Gravel is fine to coarse of various lithologies with occasional brick and concrete. [MADEGROUND]	
2.40	SPT	1-2-1-1 (5)			Soft dark brown black sandy CLAY with rare fine to coarse gravel of various lithologies	
2.40	SPT	1-2-1-1 (5)			Soft light brown mottled sandy CLAY with rare cobble	
3.60	SPT	1-0-1-1 (3)			Soft mottled grey yellow sandy CLAY	
4.00	SPT	2-2-2-3 (9)			NO RECOVERY	
5.40	SPT	2-2-2-2 (8)			Firm light mottled grey brown slightly sandy CLAY	
6.45	SPT	2-2-3-4 (11)				

Bottom of borehole at 6.45 metres.

NOTES Water seepage at 4.50m

GENERAL BH / TP / WELL 59 REDINGTON ROAD GP J GINT STD A4 ASTM LAB GDT 4/10/16

SAMPLE TYPE KEY U = Undisturbed D = Disturbed B = Bulk J = Jar VA = Shear Vane SPT = Standard Penetration Test

CLIENT SIAW PROJECT NAME 59 Redington Road
 PROJECT NUMBER 16-248 PROJECT LOCATION London, NW3 7RP
 DATE STARTED 4/8/16 COMPLETED 4/8/16 CO-ORDINATES 525609 mE, 186005 mN
 DRILLING CONTRACTOR Dynamic Sampling UK GROUND ELEVATION _____ HOLE SIZE _____
 DRILLING METHOD Windowless Sampler LOGGED BY Ruby Westnedge CHECKED BY BD

DEPTH (m)	SAMPLE TYPE NUMBER	BLOW COUNTS (SPTN VALUE)	TESTS	GRAPHIC LOG	MATERIAL DESCRIPTION & REMARKS	WELL DIAGRAM
0.05	J	()			Dark brown clayey SILT with rootlets rare coarse gravel of various lithologies (TOPSOIL) Soft to firm light brown mottled grey sandy CLAY with rootlets and medium to coarse gravel	
1						
2	SPT	2-2-2-2 (8)				
2.20					Firm reddish brown sandy CLAY with rare fine to medium gravel	
3	SPT	2-3-3-3 (11)				
3.60					Firm grey sandy CLAY	
4	SPT	4-4-5-5 (18)				
4.50						
5	SPT	3-3-3-3 (12)				
5.00					Firm light mottled grey slightly sandy CLAY with light yellow orange sand pockets	
6	SPT	3-4-3-4 (14)				
6.45	SPT	4-5-5-5 (19)				

Bottom of borehole at 6.45 metres.

NOTES Water seepage at 4.50m

SAMPLE TYPE KEY U = Undisturbed D = Disturbed B = Bulk J = Jar VA = Shear Vane SPT = Standard Penetration Test

GENERAL BH / TP / WELL 59 REDINGTON ROAD GP.J GINT STD A4 ASTM LAB.GDT 4/10/16