



INVESTORS IN PEOPLE

The original of this drawing was produced in colour - a monochrome copy should not be relied upon.

BS 5837:2012 TREE RETENTION CATEGORIES

Category A
Trees of high quality and value; in such a condition as to be able to make substantial contribution (a minimum of 40 years is suggested)

Category B
Trees of moderate quality and value; those in such a condition as to make a significant contribution (a minimum of 20 years is suggested)

Category C
Trees of low quality and value; currently in adequate condition to remain until new planting could be established (a minimum of 10 years is suggested), or young trees with a stem diameter below 150mm.

Category U
Those in such a condition that the tree cannot realistically be retained as living trees in the context of the current land use for longer than 10 years.

Boundary line

Trees to be removed shown shaded

Position of protective fencing and tree protection zones.

Area of existing hard standing to be retained and act as ground protection, if removed temporary ground protection to be installed.

Manually excavate first 600mm of soil and clearly prune exposed roots using a sharp sterile secateurs or hand saw.

For Tree Protection Specification please see drawing 150213-P-15.

REVISIONS	
22/07/16	Base Drawing
22/07/16	Proposed and Basement and Ground Floor

Title
Removals and Tree Protection Plan

Client
Abigail Katovsky

Project
11 Glenilla Road, London NW3 4AJ

Date June 2016	Drawn by DA	Checked by HR
Drawing No 150213-P-12	Rev -	Scale 1:250@A3

DO NOT SCALE Use only figured dimensions

TIM MOYA ASSOCIATES
ARBOCULTURE • LANDSCAPE • ECOLOGY

The Barn, Felthores Park
Chalk Lane
Hatlow
Essex CM17 0PF
Tel: 0845 094 3268
www.timmoassoc.co.uk