







BUILDING DESIGN PARTNERSHIP LTD SHALL HAVE NO RESPONSIBILITY FOR ANY USE MADE OF THIS DOCUMENT OTHER THAN FOR THAT WHICH IT WAS PREPARED AND ISSUED.
 ALL DIMENSIONS SHOULD BE CHECKED ON SITE.
 DO NOT SCALE FROM THIS DRAWING.
 ANY DRAWING ERRORS OR DIVERGENCES SHOULD BE BROUGHT TO THE ATTENTION OF BUILDING DESIGN PARTNERSHIP LTD AT THE ADDRESS SHOWN BELOW.

-  Site Boundary (GIA)
-  Area for which the application is being made
-  Extent of Hampstead Green Footway resurfacing
-  Landscape construction within LBC land
-  Extent of Rowland Hill Street junction remodelling

Rev A / For Section 106 Agreement
 Suggested footway material amended YL MS 13.07.2015
 First Issue / For Section 106 Agreement KM MS 13.03.2015

16 Brewhouse Yard
 Clerkenwell
 London, EC1V 4LJ
 United Kingdom
 T +44 (0)20 7812 8000
 F +44 (0)20 7812 8399
 www.bdp.com



PEARS BUILDING
 PROJECT NUMBER: P2005878
 HAMPSTEAD GREEN FOOTWAY RESURFACING PROPOSALS
 SCALE: 1:200@A1
 DATE: 13.03.15
 DRAWING NO: (91)LP004
 VERSION: A

SUGGESTED PROPOSAL FOR HAMPSTEAD GREEN FOOTWAY

WHOLE FOOTWAY RESURFACED AS HIGHLIGHTED BELOW:
 EXISTING RAILINGS AND LIGHTING ALONG FOOTWAY RETAINED
 RESURFACING TO EXISTING LEVELS
 DRAINAGE POINTS RE-USED WHERE APPLICABLE

SUGGESTED MATERIAL:

GRANITE SETTS 200mm x 100mm x 100mm thick
 BUFF AND BEIGE TONES, FINE PICKED FINISH TO TOPS, SAWN SIDES

LAI D STRETCHER BOND PERPENDICULAR TO NEW WALLS

RECOMMEND TO LAY ON A RIGID CONSTRUCTION TO LONDON BOROUGH OF CAMDEN SPECIFICATION



ROWLAND HILL STREET JUNCTION

GRANITE SETTS 200mm x 100mm x 100mm thick

LAI D STRETCHER BOND PERPENDICULAR TO VEHICLE MOVEMENT
 FINE PICKED FINISH TO TOPS, SAWN SIDES
 30% DARK GREY, 40% MID GREY, 30% LIGHT GREY

RECOMMEND TO LAY ON A RIGID CONSTRUCTION WITH APPROPRIATE SUB BASE, CONCRETE FOUNDATION, MORTAR BED AND JOINTING

