

NOTE:
GRIDLINES ARE SET OUT ON EXISTING BUILDING
STRUCTURE LINES

PROPOSED THIRD FLOOR
 1,081.5 ft² B1 OFFICE *G/A*

980 ft² B1 OFFICE *N/A*

RAISED FLOOR
 Existing accessible raised floor panels and pedestals to be retained. Install new panels and pedestals to match to suit new internal arrangement. Allow for new black neoprene foam strip.

Throughout: Remove any loose dirt by dry vacuum cleaning. Remove any adhering dirt with a single-disc cleaning machine or polishing vacuum cleaner (e.g. TASKI Omnisystem) and then work it in with a Red cleaner pad. If the pad starts to smudge, turn it or replace it by a new one. Having cleaned the surface, re-polishing, if required, is possible using a single-disc cleaning machine or polishing vacuum cleaner and polishing pad (White or Yellow).

Existing brick wall finish to be exposed by removing the soft partitioning & drylining around the entire perimeter wall. Exact condition of the brick and type of treatment to be identified and agreed following the soft strip works

Existing trench heater in floor channel to be maintained

Main Stair Details
527-AS.13-15

Existing building core including: Staff facilities, stair, service risers and lifts are to be renewed

Main Core Details
527-AS.17-19


Existing brick wall finish to be exposed by removing the soft partitioning & drylining around the entire perimeter wall. Exact condition of the brick and type of treatment to be identified and agreed following the soft strip works

Secondary Escape Stair Details
527-AS.27-28

Existing escape stair to be extended to upper floors directly above the existing stair core. New support structure in accordance with structural engineer's details and specifications. Stair enclosure to be drylined with stud and plasterboard partition

Exposed steel columns to be maintained. Renew intumescent paint finish in accordance with paint manufacturer application guidelines and care instructions in RAL 9011 (Graphite Black)

PROPOSED THIRD FLOOR PLAN



NOTE:

- The proposed extension area is subject to;
- Statutory approval by local authorities;
 - Assessment of impact on rights of light;
 - Assessment of impact on daylight and sunlight;
 - Assessment of impact on fire strategy;
 - Assessment of existing structural loading capacity;
 - Assessment of building services;

PLANNING

rev.	date	notes

This drawing is the copyright of gpad london ltd. Not to be reproduced, retained or disclosed to any unauthorised person either wholly or in part without written permission. Do not scale off this drawing. All indicated dimensions to be checked and verified on site by the contractor before commencement of any fabrication drawings or work whatsoever on site. Report any discrepancies to the Architect immediately. Drawings to be read in conjunction with relevant drawings and specification.

PROJECT SEVEN DIALS WAREHOUSE LONDON WC2			
CLIENT PEC NEALE LTD			
SCALE 1:100 @ A1	DATE Oct 16	DWG BY SF / DS	REV.
CHKD.	DWG NO. 527-GA.03	© gpad london ltd.	

DRAWING TITLE PROPOSED THIRD FLOOR PLAN	
 architecture & interior design	
T: 020 7549 2133 F: 020 7549 2144 E: info@gpadlondonltd.com W: www.gpadlondonltd.com	Unit 1 9a Dallington Street Clerkenwell London EC1V 0BQ