

Text & Logo To Be 5mm Opaque Acrylic With Brass Locators To Reverse. To Be Powdercoated White

Existing Pilasters To Be Retained & Painted Black

Existing Door & Timber Clad To Be Painted Black

Glazing To Meet BD6262, For Type & Thickness & Must Meet The Requirements Of N2 & Part M Of The Building Regulations Approved Documents With Reference To Manifestations

Shop front sash work to be from 100mm x 50mm aluminium extrusions to BS1474 with pocket glazing to jambs and top, and clip in bead to sill section internally. Powder coated White RAL9010 Satin with black rubber glazing gaskets.

Proposed Trough Light To Be Powdercoated Black RAL 9017. Luminance Levels To Be 600cd/m

Fascia Panel To Be Timber Painted Black RAL 9017


Existing Door Canopy To Be Removed

Doors to be double swing on concealed overhead closers, with retention at 90 degrees to support Superdrug Stores plc 'open door' policy. Door & Door frame colour to match shop front. Doors are to be constructed from minimum 50mm x 45mm stiles with minimum wall thickness of 3mm and glazed with laminated safety glass to BS6262.


Doors to be fitted with flush mounted bolts to one leaf and 2No. Kaba high security deadlocks with euro profile cylinders fitted with internal turnbuckle and keyed to pass. 5No. sets of keys are to be provided with certification to that effect.

Existing Pilasters To Be Retained & Painted Black

Proposed Elevation
Scale 1:20



Existing Section
Scale 1:20



Proposed Section
Scale 1:20

- The contractor must verify all dimensions on site before any works are undertaken, discrepancies are to be reported to the project architect/designer for clarification.
- All works will be carried out in accordance with the SUPERDRUG NFOS document & are to comply with the tenants fit out guidelines following landlords approval.
- HVAC, M&E layouts are indicative & must be verified with the relevant contractor before commencement of work.
- All works to be carried out in accordance with the fire strategy and fire cert application schedule produced by the landlord team issued at tender.
- The existing/proposed sprinkler system is to be assessed by contractor to ensure the system is in compliance with building regs part B.
- This drawing remains the property of ASWATSON/SUPERDRUG & may not be reproduced in any way without prior consent.

- SCHEDULE OF RISKS**
Standard risks and hazards normally associated with the types of work detailed on this drawing, include:
- Electrocution: M&E installation/alterations.
 - Working at height: Falls from scaffolds, platforms & ladders. Falling materials.
 - Noise: Use of power tools & demolition equipment.
 - Dust: Use of power tools & demolition equipment.
 - Suffocation: Fume inhalation from installation/alterations to incoming services, working with hazardous materials/solvents.
 - Trip hazards: Loose cables & materials.
 - Working in close proximity to the public.
 - Risks associated with structural works will be assessed by a structural engineer.
 - It is assumed that all works on this drawing will be carried out by a competent contractor working, where appropriate to an approved method statement.

REV	DATE	INITIALS	REVISION NOTE
L1	14.05.16	RDS	L1 PRODUCED
L2	10.10.16	RDS	L2 PRODUCED
L2A	12.10.16	RDS	L2A PRODUCED

DRAWING TITLE
EXISTING & PROPOSED ELEVATIONS

DRAWING NUMBER	REVISION
SD-FARRINGTON-L2A-DWG	-

SCALE	DATE	DRAWN	CHECKED
A1 - AS SHOWN	12.10.16	RDS	-

PROJECT
47 FARRINGTON ROAD
ISLINGTON
LONDON EC1M 3JB

STATUS
L2A

FOR APPROVAL

The 400 Store
Aswatsyn Lane, 400 Store
Islington
London N1 2JH

ASWATSON
Tel: 01783 224618
Email: info@aswatsyn.co.uk
Web: www.aswatsyn.co.uk

Superdrug

rds
Retail Design Solutions (Consultancy) Ltd