

Tree Report

46 Parkhill road NW3

Species.....**Cherry Blossom**

Cultivar..... Height (m).....**5m** Crown spread
(m).....**2.5m**.....

DBH...../

Inspected by....Alex Mcgauley..... Date of inspection 27/10/2015 General
Weather.....Good.....

Location on premises, GPS, etc.....Rear Garden.....

Type of site, residential, commercial, footpath, open space, roadside.....**Residential**

Age.....**6-8 years**..... Exposure.....Good.....
Shelter.....**Average**.....

Area surrounding tree, built up, protected etc, anything recently removed
.....**There is a building in front of the tree and a fence just behind the**
.....

Any utilities near tree, manhole covers, power poles, telegraph poles, street lighting.....**No**
.....

Overall tree (step back)

Anything under tree Y / N greenhouse, pond etc.etc

Any history/cuts / damage Y / N...**No**.....

Anything attached/connected/around the tree Y /N
.....**No**.....

Soil condition compacted, etc.....Good

Roots

Kinked or girdling roots NA Signs of wounding Y / N Basal flare NO

Fungi present No Any other root growth constraints/objects.....**No**
.....

Trunk

Loose bark **No** Splits or cracks No Physical damage No

Any fungi present Y/ N Other comments on trunk, ie brackets present, location etc, signs of
damage, twisting.....No.....
.....

Canopy & Stems

(deadwood may not be present)

Weak forks **NO** Deadwood present % in canopy.....0%.. deadwood on ground.....

Comments.....**The tree is in perfectly good health**

Epicormic growth present **NO** Hazardous branches **NO**.....

If so location, height, direction.....

Vigour **Good** Below average average above average Good

Canopy density Thin average Dense

Signs of dieback Y / N.....No.....

Crown class (amongst peer trees) Dominant Co-dominant Intermediate Suppressed

Healthy looking leaves Y / N**NA**.....evidence of infestation Y / N

Healthy looking fruit Y / N.....**NA**.....evidence of P & D Y / N

Anything living in tree, furry, feathery or other Y / N.....No.....

Recommendations based on visual inspection, if any required

.....**The tree is requested to be felled t ground level and the removal of the stump this is to build a small office at the rear of the garden**

Risk Factor ...0%.....

- 1. nice
- 2. caution required
- 3. monitoring required
- 4. hazardous
- 5. dangerous tree, view to immediate remedial care

Address of inspected tree.

House number or name.....Flat 4 46

Street.....Park Hill Road

Town.....London

County.....

Post code...NW3

Contact number.....07799790123.....

