


- D. Revision Notes:**
- D.1 Demolition of wall to allow for new floor.
  - D.2 Existing door fixed shut.
  - D.3 The addition of new door providing access into new reception room.
  - D.4 From this room is now a reception room for Flat 03.
  - D.5 Existing fireplace to be exposed and restored.
  - D.6 Proposed living area now bedroom II.
  - D.7 The addition of demountable gallery with partition and obscurity glazing.
  - D.8 Proposed kitchen now proposed family bathroom.
  - D.9 Proposed shower room now an ensuite to bedroom.
  - D.10 Glass partition removed.
  - D.11 Kitchen moved adjacent to reception room.
  - D.12 Addition of albrick (275x140mm).



- Demolition Key:**
- Existing structure / ground
  - Proposed removal of existing structure (in section)
  - Proposed removal of existing structure/finishes (in elevation)
  - Proposed removal of existing structure (in section)
  - Hatch denotes removal of existing concrete slab.
  - Hatch denotes proposed removal of existing structure (in elevation)
- Proposed finishes legend**
- Proposed straight-joint hardwood floor finish on specified floor build-ups
  - Proposed floor finish on specified floor build-ups
  - Portland stone
  - Timber decking
  - Natural stone floor tiles
  - Proposed slate roof finish (existing and new roof structure)
- General Notes:**
- Refer to the Door and Window Schedules for a detailed summary of each door and window.
  - All existing floor finishes and existing ply to be carefully removed.
  - Existing floorboards to be carefully removed and reused where possible.
  - New finishes/jobs are to be installed to the top of the existing joists in order to level. See Structural Engineer's Information, Low profile UPH throughout.
  - New drainage and concrete slab to be laid at basement level.
  - Existing slate roof finish to be carefully removed and stored and new roof felt installed. Existing slates to be placed, new slates to match existing to replace any damaged slates. Loosework to be removed and replaced on a like-for-like basis.
  - Joists are to be inspected and strengthened where required to support increased loads. See Structural Engineer's details.
  - Existing internal walls are to be skimmed and prepared to take new wall finishes as required. All defective existing plaster to be removed and replaced.
  - All existing panelling, mouldings and cornices to have existing paint finish removed for new paint decoration.
  - Existing structural timber beams to be exposed and treated with wood preservative. Ends to be wrapped in DPC and rotten timber to be replaced.

- Proposed legend notes**
- Existing skirting to be refurbished and redecorated.
  - Existing window replaced with double glazed, timber framed sash window.
  - Non-original fireplace to be removed and replaced with traditionally-detailed fireplace.
  - Non-original skirting/trunking to be removed.
  - Traditionally detailed, compliant, timber substitute to replace existing.
  - Existing sash windows refurbished and fitted with secondary glazing internally.
  - New, broompan bicycles & £250 bicycle voucher to be supplied to each flat.
  - New, double-glazed, timber framed sash windows. Refer to Detail & Access Statement.
  - New lift.
  - Damaged window sills replaced on a like-for-like basis.
  - Lightwell to be lowered by 100mm.
  - New, painted metal stair to accommodate level change.
  - Existing rear envelope retained. New, copper roof, installed near existing.
  - Proposed bin store.
  - New, double-glazed, anodised aluminium, restricted tilt, framed windows, with etched glass louvers fitted externally.
  - New, fixed, double-glazed, anodised aluminium framed glazing panels.
  - New double-glazed, walk-on rooflight.
  - New double-glazed, conservation rooflight.
  - Partial demolition of existing roof, new ridge proposed, matching height and width of existing.
  - New, automatic-opening vent to communal stair.
  - Terrace to the roof of proposed rear entrance, with timber decking and new planting and wrap-around glass balustrade.
  - No, proposed condenser in attenuated enclosure.
  - Proposed condenser in attenuated enclosure.
  - Reinstated stair to basement level, with compliant, traditionally-detailed, balustrade.
  - New, single glazed, timber framed window to match existing, fitted with secondary glazing internally.
  - Existing fireplace to be protected and covered.
  - Reconfiguration of existing stair.
  - New dummy window.
  - New double-glazed, traditionally detailed French door.
  - Lining to party wall.
  - Proposed head dormer arrangement to flow through with existing windows. Redesign of existing non-original dormer windows.
  - Terrace to flat 03, with new planting and Yorkstone paving.
  - Existing joists to be trimmed out.
  - Single, surviving cast-iron spindle to ground floor stair to be preserved and maintained.
  - Single, surviving cast-iron spindle to be exposed and treated with wood preservative. Ends to be wrapped in DPC and rotten timber to be replaced, matching existing.
  - Stone to be removed, retained and new membrane installed. Existing slates to be re-laid and any new slates to match existing.
  - Facade refurbishment.
  - Existing facade to be re-ventilated and redecorated.
  - Etched glass partition.
  - New Railings.
  - Fixed & obscure proposed windows.
  - Etched glass partition
  - Paint to be removed from Brickwork and redecorated as required.

Rev D	01.11.16	Issued for planning submission
Rev C	12.09.16	Issued for planning submission
Rev B	07.07.16	Issued for planning submission
Rev A	03.12.15	Issued for planning submission

# PLANNING

14029

Client: **GFZ Developments Ltd.**

Date: **October 2015**

Scale: **1:100 @ A3 / 1:50 @ A1**

Project: **7 Warwick Court**

Drawing Title: **Demolition & Proposed First Floor Plan**

Drawing No. **P\_03** Rev. **D**

Drawn	Approved	Signed
DI	MW	AB

**Marek Wojciechowski Architects Ltd.**

66-68 Margaret Street W1W 8SR T. 020 7580 9336 www.mw-a.co.uk

Copyright Marek Wojciechowski Architects Limited. No implied license exists. This drawing should not be used to calculate areas for the purposes of valuation. All dimensions to be checked on site by the contractor and such dimensions to be their responsibility. Do not scale drawings. All work must comply with relevant British Standards and Building Regulations requirements. Drawing errors and omissions to be reported to the architect.

0 0.5m 1m 2m 3m 4m 5m