



- Notes:**
- Setting out dimensions across the stair and lift are critical. Lighting scheme tbc, fittings are indicative. Not all studs are shown, generally end studs are indicated and intermediate studs to be interpolated.
  - Lift: provide connection for intercom.
  - 750 x 200 forced fresh air vertical supply duct from below to transfer to plenum from grill in facade TBC
  - Extent of brickwork tbc on site
  - Line of assumed basement masonry
  - HW timber stair, continuous string, note critical dims on winders.
  - Cafe window and all door frames (see elevation) natural timber framing, iroko- provide samples of Iroko
  - Painted steel balustrade
  - Painted steel handrail - 300mm past top step tbc with Bdg Regs
  - DG2 Frameless glazed door on floor spring
  - 01 804/5
  - Ventilation duct to WCs
  - Intercom
  - DG1 Solid timber painted door Iroko T&G
  - SVP below vents at LL
  - Ventilation duct to gas cupboard

Check on site that electrical fuse/duct cupboard can be reduced to this line to allow full width for lift.

Lift shaft installation space required 1180 x 1590 clear void. Lift pit 60mm depth required to same dim.

15mm Pyrostop glass screen 1400w x 2400h, glazing details to 30mins insulation and 30mins integrity fire rating

Partition to achieve 30mins fire resistance High gloss finish colour tbc

Beams SB2 below  
Beam SB1 below

DG4 FD30S 60mm tbc solid core flush faced door with glazed vision panel - held open on maglock wired into fire alarm, to release on alarm sounding High gloss finish colour tbc

\*\*\*RELOCATE SECURITY PANELS

ELECTRICAL DUCT RISER 750 X 200

G7 Entrance Café

G6 Entrance Offices

Graphics vinyl to wall tbc

**Poetry Society Offices and Poetry Café - Ground Floor Entrance**

**Mills Power**

- REVISIONS:
- A 25.07.16 DRAFT ISSUED FOR PRICING
  - B 28.07.16 ISSUED FOR PRICING
  - C 28.07.16 REVISED FIRE RATING OF SCREEN - REDUCED FROM 60 MINS TO 30 MINS
  - C 12.10.16 M&E DRAFT
  - D 13.10.16 ISSUED FOR PLANNING DISCUSSION
  - E 01.11.16 ISSUED FOR PLANNING APPLICATION

NOTES:  
DO NOT SCALE FROM THIS DRAWING  
ALL DIMENSIONS TO BE VERIFIED ON SITE

ASSEMBLY

POETRY SOCIETY

1:20@ A3

049-702

www.millspower.com

10 Aumonier Mews London N2 9FA

07734 591972