






**CONSTRUCTION KEY**


-  existing retained
-  line over/under/behind
-  demolished
-  new construction
-  28mm thick drylining (incorporating Newton 503 mesh & 12.5mm plasterboard)

if existing joinery is beyond repair, casement windows to be replaced to match existing (painted timber and double glazed)

panelled door to be fire upgraded to FD30 fire resistance with Envirograf intumescent paint

ducting reduced in depth if possible

Selectaglaze secondary glazing system - see drawings 6214-FAC-D01 & D02




existing shelves and poles in cupboards to be retained or replaced to match existing

**NOTE:**

Existing, non fire-rated flush internal doors to be replaced with solid timber flush fire doors.

Defective, non-original sash windows to be replaced like-for-like but without horns and using stretched ovolo mouldings/glazing bars & hardwood cills.



	PROJECT 5 ARCHITECTURE LLP 8 Waterson Street London E2 8HL T: +44 (0)20 7739 9131 F: +44 (0)20 7739 3687 E: info@p5a.co.uk	job title <b>4 AMPTON PLACE, LONDON WC1X 0LZ</b>	scale <b>1:50 @ A3</b>	drawn SA	drawing no. <b>6214-AP4-P05</b>
	drawing <b>THIRD FLOOR PLAN - PROPOSED</b>	date OCT 2016	checked XX		