



NOTE
PROVISIONAL REPAIR ALLOWANCES SHOWN ON THIS DRAWING WILL BE CONFIRMED FOLLOWING REMOVAL OF RENDERED EXTERNAL WALL FINISHES AT EXISTING CRACK LOCATIONS AND INTERNAL DRY LINING. ENGINEER TO INSPECT EACH FLOOR IN TURN AND CONFIRM EXTENT OF REPAIRS REQUIRED.

NOTE
Existing cracked brickwork to be made good across cracked areas. Rake out opened up mortar joints, replace cracked bricks with new bricks and relay existing un-cracked bricks to make good masonry wall, all fully bonded and tied to existing masonry.

NOTE
Repair Strategy for Stone Portico to be confirmed following non-destructive radar survey of stone work to confirm extent and condition of iron cramps and ties.

NOTE
Allow for Thor Helical Reinforcement Bars, 1.0m long at 450mm centres (every sixth brick course) across cracked masonry walls as part of masonry repairs. Allowance for building as a whole noted on Upper Ground Floor Plan, drawing number 9100-DRG-03CH-UG001. Location of stitches to be confirmed following removal of render and brickwork can be viewed by engineer.

- General Notes**
1. Drawings shall be referred to for structural work only unless otherwise stated and read in conjunction with Architect's, Service Engineer's and Sub-Contractor's drawings.
 2. The Contractor shall check all levels and dimensions, any errors or omissions are to be reported at once to the Engineer.
 3. Existing layouts and levels based upon Murphy's surveys information received to date (February 2016)
 4. For Key and Member Schedules refer to drawing no. 9100-DRG-99YY-GN010.
 5. For General Notes refer to drawing no. 9100-DRG-99YY-GN002.
 6. Indicates cast-in pipe 100Ø unless noted otherwise.

NOTE
FOR BUILDERSWORK HOLES ASSOCIATED WITH NEW SERVICES REFER TO M & E DRAWINGS.

NOTE
ALL SERVICES SIZES AND POSITIONS ARE TO BE CONFIRMED BY THE ARCHITECT/M&E CONSULTANT PRIOR TO CONSTRUCTION. SETTING OUT TO BE ADDED ONCE CONFIRMED.

NOTE
REFER TO DRG NO. 9100-DRG-44CH-LG002 FOR RC DETAILS OF NEW 150 THK SUSPENDED SLAB.

REV	DATE	DESCRIPTION	BY	CHKD
C1	To Be Issued	Grid added. Section marks added. Issued For construction. Existing curved North wall revised to match existing.	HM	TP
D	30.09.16	Issued For Construction. RC Wall size reduced at slab step. Upstand added to North Elevation. Columns repositioned as per current Architects T1 issue drawings	DA	TP
C	20.06.16	Repair notes added. Key and lintel schedules removed. General notes revised. RC floor spans added. Proposed doors and lintel references added.	GVT	TP
B	24.03.16	Steel details added.	DA	TP
A	07.03.16	Text amended in notes.	TP	PCL
-	06.03.16	First Issue.	DA	TP

CONSTRUCTION



TITLE:
The Chapel Level LG Proposed Floor Plan

PROJECT:
**Project No. 11581
Kidderpore Avenue**

SCALE: A1@ 1:50 DATE: March '16 DRAWN: DA CHKD: TP

DRG NO. REV.
9100-DRG-03CH-LG001 C1

Tully De'Ath consultants
Engineering at its Best

T: 01342 828 000
E: info@tullydeath.com
W: www.tullydeath.com