

London Borough of Camden

TfL Bus Shelter Advertising Upgrade


Site Address

Parkway OS No.14 (Odeon Cinema), Camden Town, London NW1 7AA.

Bus Stop 0107/9523

JCDecaux Roadside






Site Address

Parkway OS No.14 (Odeon Cinema), Camden Town, London NW1 7AA.

Bus Stop 0107/9523



Site Address

Parkway OS No.14 (Odeon Cinema), Camden Town, London NW1 7AA.

Bus Stop 0107/9523

Site Images



Site Address

Parkway OS No.14 (Odeon Cinema), Camden Town, London NW1 7AA.

Bus Stop 0107/9523

Digital Totem 84" Forum Outdoor

Presentation

- Digital display in Forum design.
- Product specially designed for direct outdoor use in a wide range of environmental/temperature conditions and features.

General Product Information

Performance

- Excellent contrast and quality of image.
- Displays great quality fix images and video, thanks to its resolution 3840 x 2160 4K.
- Brightness up to 2500Cdm², the best performance available in the market for an LCD screen.

Robustness and Durability

- Product specially designed for direct outdoor use in a wide range of environmental/temperature conditions and features.
- Brightness level not affected by extreme temperatures and does not degrade over time like other technologies.
- Best in class product in term of visibility in direct sunshine. Improved reliability and life through expert thermal and solar management design.
- Bumpers option to protect the furniture.

Certifications

CE

Manageability

- Extensive monitoring capability through digital image verification that gives immediate feedback about display performance.
- Intelligent monitoring/control and maintenance features.

Modularity

- Available in Forum and iVision designs.
- Modular design for simple on-site service.

Vandalism

- Front-face in laminated 8mm tempered glass.
- Furniture opening guaranteed by the use of special keys.
- Screws and fixing gears are invisible.
- Furniture composed of unalterable materials.
- Encrypted transmission between JCDecaux NOC and the digital displays.
- High quality materials and coating.



Digital Totem 84" Forum Outdoor

Installation

Tested in factory before shipment.

Civil Engineer Approved

Transported full assembled, which minimize actions on site for the installation.

Sustainable Development

Power efficient: Lower power consumption thanks to dynamic dimming approximately 30-40% less. Minimizes the impact on the environment.

Digital furniture mainly integrated by long life and recyclable materials.

Screen

Technology	2 x LG LCD Screens
Pitch	0,831mm(V) x 0,831mm(H)
Resolution	1920 x 1080 at full HD
Brightness	Max 2500 cd/m ² Auto adjust to ambient levels

Angle of Visibility Horizontal	178°
--------------------------------	------

Angle of Visibility Vertical	178°
------------------------------	------

Display color	72%
---------------	-----

Backlight technology	White LED
----------------------	-----------

Number of colors	16,7 Million
------------------	--------------

Operating Conditions

Temperature	-10° c/+50° c
-------------	---------------

Humidity	20%-90%
----------	---------

Screen orientation	Portrait
--------------------	----------

Other	Direct sunlight
-------	-----------------

Lifespan

Lifespan Typical	5 years
------------------	---------

Daily maximum operating time	24h
------------------------------	-----

Electricity

Input Voltage	230v
---------------	------

Max Power	3400W
-----------	-------

Average Consumption	28,56kWh/day based on 15% nighttime and 55% daytime brightness
---------------------	--

Weight and Dimensions

Global	1338(W) x 2370 (H) x 350 (D) mm
--------	---------------------------------

Visible	1866mm(H)x1052mm(W)2142mm(Diagonal)
---------	-------------------------------------

Visible area	1.9m ²
--------------	-------------------

Screen aspect ratio	16/9
---------------------	------

Weight	approx 460kg
--------	--------------

Certificates

Certifications	CE.
----------------	-----

Comment

The Screen is best in class in terms of visibility in full sunshine. The technology includes the latest features to lower TCO through:

- Improved reliability and life span through expert thermal and solar management design
- Modular design
- Replaceable 8mm front glass
- Extensive monitoring capability via digital management verification on display performance and function

Elevation Drawings

The proposed advertising display will comprise a double sided digital display unit at one end of the bus shelter. The display structure will be freestanding but viewed as an integral part of the Transport for London shelter design.

