

CHAS. E. GOAD, LTD
CIVIL ENGINEERS








EXPLANATION OF SIGNS USED ON INSURANCE PLANS OF TOWNS & CITIES

56 CROUCH HILL
LONDON N. 4.










ABBREVIATIONS

- ASB. ASBESTOS
- CORR. CORRUGATED IRON
- D.I.D. DOUBLE IRON DOORS
- DRA. DRAPERY
- D. DWELLING
- ELECT. ELECTRICIAN
- (E.M.) ELECTRIC MOTORS
- (ENG.) STEAM ENGINE
- FURNE. FURNITURE
- GAR. GARAGE
- (G.E.) GAS ENGINE
- H.W. HARDWARE
- I.COLS. IRON COLUMNS OR STEEL STANCHIONS
- JWLY. JEWELLERY
- M.CL. METAL CLAD
- M.W. MANCHESTER WAREHOUSE
- m.l. MATCH (OR WOOD) LINED
- OIL OIL & COLOR
- (O.E.) OIL ENGINE
- P.H. PUBLIC HOUSE
- S. SHOP
- S.I.D. SINGLE IRON DOORS
- S.I.S. SINGLE IRON SHUTTERS
- TAI. TAILORS
- TENS. TENEMENTS
- W.G. WIRED GLASS
- W.N. WIRE NETTING OVER GLASS.












COLORS

-  BRICK, STONE OR CONCRETE
-  WOOD
-  AREAS CLEARED DUE TO ENEMY ACTION
-  SKYLIGHTS ON 1 & 2 STORY BUILDINGS
-  SKYLIGHTS ON HIGHER BUILDINGS
-  METAL BUILDINGS.
-  TIMBER PILED OR STACKED


WALLS

-  PARTY WALL 2 STORIES OR OVER, A PROBABLE FIRE CUT OFF.
-  ENTIRE WALL, BUT DOUBTFUL AS FIRE CUT OFF
-  DEFECTIVE WALL - IMPERFECT
-  WALL ABOVE, IRON COLS: UNDER
-  WALL SOME FLOORS ONLY (OR WOOD OR PLASTER PARTITION)
-  ABOVE ROOF 6' TO 1'-6"
-  — D9 — 1'-6" TO 2'-6"
-  MATCH OR WOOD LINED
-  WOOD CLAD WITH CORRUGATED IRON

OPENINGS

-  PASSAGE UNDER
-  ON ALL FLOORS
-  SOME FLOORS ONLY
-  ALL FLOORS (PROTECTED)
-  ALL FLOORS (SOME PROTECTED)
-  SOME FLOORS ONLY (PROTECTED)
-  ALL FLOORS (SOME PROTECTED)
-  ALL FLOORS (PROTECTED)
-  SOME FLOORS ONLY (PROTECTED)
-  WOOD LOADING DOOR
-  IRON LOADING DOOR



WINDOWS

-  ON ALL OR MOST FLOORS
-  MORE THAN USUAL
-  OVERLOOKING
-  NEARLY ALL GLASS
-  OPENINGS THRO' & WINDOWS OVER
-  ON SOME FLOORS ONLY
-  PROTECTED BY WIRED GLASS
-  PROTECTED BY SINGLE IRON SHUTTERS
-  PROTECTED BY DOUBLE IRON SHUTTERS.
-  WINDOWS IN FRONT & REAR OF BUILDINGS UNDERSTOOD
-  UNLESS OTHERWISE SHOWN







FLOORS

- 1.2.3.3½ &c ON BUILDINGS ARE NUMBER OF STORIES ABOVE GROUND
(3½=3 FLOORS & ATTIC)
- 2&2B MEANS 2 STORIES & 2 BASEMENTS EAST & SUB-BASEMENT.

SKYLIGHTS

- A LESS THAN 50 SQUARE FEET (SAY 10'x5', OR 7'x7')
- OPENINGS THROUGH 2 FLOORS UNDER (EACH STROKE DENOTES AN OPENING.)
-  WITH WELL HOLE THROUGH 3 FLOORS.
-  LANT. LANTERN LIGHT, SIDES ONLY GLASS. OR VENT. OR RAISED VENTILATOR

HOISTS & LIFTS

-  OPEN
-  OPEN TO STREET
-  OPEN (WOOD FLOORS TO FLOORS)
-  ENCLOSED BRICK OR FIRE RESISTING
-  ENCLOSED WOOD OR PLASTER
-  WIRED GLASS DOORS














IRON DOORS SHOWN AS EXPLAINED UNDER "OPENINGS"

ROOFS








- ASB ASBESTOS
- C CONCRETE
- CORR. CORRUGATED IRON
- T METAL
- P PATENT (FELT &c)
- O SLATE
- T TILE



SUNDRIES

-  STEAM BOILERS
-  BOILER SET IN BRICK
-  FACTORY CHIMNEYS
-  (ENG.) STEAM ENGINE
-  OVERHANGING WOOD CORNICE
-  FIRE ALARM BOX
-  — D° — ON KEY PLAN
-  HYDRANT
-  HYDRAULIC HYDRANT
-  PRIVATE HYDRANT OR STAND PIPE
-  DOUBLE HYDRANT
-  SALT WATER HYDRANT
-  SPRINKLER OR AUTO ALARM BELL

REFERENCE NUMBERS

-  NUMBERS PARALLEL WITH STREET ARE EXISTING STREET N^{OS}
-  WHERE TWO SETS OF STREET N^{OS} IN SAME BLOCK COINCIDE, ADDITIONAL ARBITRARY N^{OS} ARE GIVEN TO ONE SET (500 & UPWARDS)
-  WHERE BUILDINGS TO WHICH THEY APPLIED ARE DEMOLISHED, STREET & ARBITRARY N^{OS} ARE SHOWN & CROSSED THROUGH ON REVISION
-  — 48' — ARE STREET WIDTHS.
-  (37') ARE HEIGHTS OF GROUND ABOVE ORDNANCE DATUM
-  HEIGHT IN FEET OF ADJOINING BUILDINGS WHERE STORIES DIFFER IN HEIGHT
-  SIZES OF WATER MAINS SUPPLYING HYDRANTS





