



Notes

- TO BE READ IN CONJUNCTION WITH STRUCTURAL ENGINEER DRAWINGS
- TO BE READ IN CONJUNCTION WITH MECHANICAL ENGINEER DRAWINGS
- 1 HOUR FIRE RATING TO ALL STRUCTURAL ELEMENTS.
- 1 HOUR FIRE RATING TO ALL INTERNAL PARTITIONS, FLOORS AND CEILINGS BETWEEN DIFFERENT UNITS, FUNCTION ROOM AND PUB
- 30 MIN. FIRE RATING TO ALL INTERNAL PARTITIONS AND FLOORS
- ALL WORKS TO COMPLY WITH BUILDING REGULATIONS
- PUB AND FUNCTION ROOM FIRE DETECTION SYSTEM TO BE DESIGNED AND INSTALLED BY THE CONTRACTOR TO COMPLY WITH BUILDING CONTROL AND FIRE OFFICER APPROVAL
- FIRE DETECTION SYSTEM TO RESIDENTIAL STAIR AND AOV CONTROL TO COMPLY WITH BUILDING CONTROL AND FIRE OFFICER APPROVAL



- ⚡ FUSED SOCKET
- ⚡ 2-GANG SOCKET
- ⚡ 5 AMPERES SOCKET

- ⓐ 1 HOUR FIRE RATED ACOUSTIC DIMMABLE TO LIVING AREA RECESSED LOW ENERGY DOWNLIGHT -28W WITH OPAL INSERT
- ⓑ 1 HOUR FIRE RATED SURFACE MOUNTED LOW ENERGY DOWNLIGHT -28W WITH OPAL INSERT
- ⓒ 1 HOUR FIRE RATED IP65 RATED RECESSED LOW ENERGY DOWNLIGHT -28W WITH OPAL INSERT
- ⓓ BULKHEAD LIGHTING
- ⓔ IP RATED WALL MOUNTED EXTERIOR LIGHT
- ⓕ PENDANT DIMMABLE LIGHT FITTING.
- ⓖ IP65 RATED UNDER CABINET LIGHT

- ⚡ 1-WAY SWITCH
- ⚡ 2-WAY SWITCH
- ⚡ 3-WAY SWITCH
- ⚡ SWITCH WITH TIMER
- ⊕ SMOKE DETECTOR
- ⊕ HEAT DETECTOR
- ⊕ THERMOSTAT NEST
- ⊖ LOW NOISE BATHROOM EXTRACT WITH HUMIDISTAT CONTROL

1. EXISTING CEILING PAINTED
2. 2x12.5mm SUSPENDED SOUND BLOC CEILING WITH 3mm SKIM FINISH
- 1 HOUR FIRE RATED WITH 100mm MINERAL WOOL INSULATION

Revision	Date	Reason	Initial
/	18.02.16	DETAIL DESIGN	GM
A	07.06.16	DETAIL DESIGN	GM
B	14.06.16	DETAIL DESIGN	GM
C	06.09.16	DETAIL DESIGN	GM

Dimensions based on topographical survey by EPC commercial surveys Ltd
 All dimensions must be checked on site and not scaled from this drawing
 © Mark Fairhurst Ltd.

mark fairhurst ARCHITECTS

48A Union Street, London, SE1 1TD. T 020 7407 7070. E info@mark-fairhurst.co.uk
 Project: Cock Tavern, 23 Phoenix Road, London NW1 1HB
 Client: Flamestrike Ltd.

Drawing title: Proposed Second Floor RC Plan
 Scale: 1:100@A3, 1:50@A1 Date: 14.06.16 Drawn by: GM
 Project number: 1250 Drawing number: WD115
 Status: DETAIL DESIGN Revision: C