



All existing information to be confirmed by the Architect

The Contractor is to ensure all relevant permissions are obtained from the Statutory Authorities or Utility Bodies and Adjoining Owners prior to undertaking any piling works on the site

**PILE SCHEDULE**

Pile Group	Formation	Actions (kNm)	Tension	Max. (kNm)	Min. (kNm)	Card-off (kNm)	Comments
P1	450	75	-	-	-	14,765	
P2	550	75	-	-	-	14,765	
P3	450	125	-	-	-	14,765	
P4	450	150	-	-	-	14,765	
P5	450	150	-	-	-	14,765	
P6	400	150	-	-	-	12,510	
P7	450	150	-	-	-	12,510	
P8	450	150	-	-	-	12,510	
P9	350	150	-	-	-	12,510	
P10	300	150	-	-	-	12,510	
P11	450	150	150	-	-	12,510	
P12	500	200	-	-	-	12,510	
P13	450	125	-	-	-	14,765	
P14	600	150	-	-	-	14,765	
P15	500	150	-	-	-	14,765	
P16	600	250	-	-	-	14,765	
P17	600	250	-	-	-	14,765	
P18	600	250	-	-	-	14,765	
P19	575	150	-	-	-	14,765	
P20	550	175	-	-	-	14,765	
P21	850	250	-	-	-	14,765	
P22	850	250	-	-	-	14,765	
P23	500	200	-	-	-	14,765	
P24	850	250	-	-	-	14,765	
P25	500	200	-	-	-	12,510	
P26	250	150	-	-	-	12,510	
P27	250	150	-	-	-	12,510	
P28	250	150	-	-	-	12,510	
P29	475	150	-	-	-	14,765	
P30	500	125	-	-	-	12,510	
P31	475	125	-	-	-	12,510	
P32	475	125	-	-	-	12,510	
P33	800	200	-	-	-	2,130	120
P34	800	200	-	-	-	2,130	120
P35	575	200	-	-	-	14,765	12,510

**PILE GROUP VERTICAL LOAD**

Mark	Live Load (kNm)	Dead Load (kNm)	Uplift (kNm)	Card-off (kNm)
PG1	100	230	-	16,535; 16,471 & 14,065
PG2	200	985	-	16,535

**PILING COLUMN LOADS**

Pile	Py
P1	52
P2	52

01 21/06/17 NC ISSUED FOR TENDER  
 02 15/06/17 NC ISSUED FOR STAGED COMMENCEMENT  
 03 21/06/17 NC ISSUED FOR CONSTRUCTION

Rev: Date: Issued: Issued For:

**PRINQUER-JAMES**  
 10 Redhill Road, Wokingham, London, SW19 3SR  
 Phone/Fax: (020) 8949 4759  
 Email: mail@pj.com Website: www.pj.com

**EUROBUILD PROPERTIES CO. LTD.**  
 277A GRAY'S INN ROAD  
 LONDON

**GENERAL ARRANGEMENT OF PILING**

STATUS: TENDER  
 Scale: 1:100 @ A0  
 Drawn: NC Engineer: CC Checked: MJD:2015  
 Drawing No: L1706-S-17-005

Notes: