Schedule

Delivery Address

Customer Starwood Capital Europe LLC

Schedule Ref 9838

R

Rivermeade Signs

Contact

Date Required

Schedule Name

The Russell Hotel

Fire Safety Signage

Handler

Lindsey Wessel [t: 020 8896 6907 • e: lindsey_wessel@rivermeade.com]

We have taken every reasonable precaution to ensure the accuracy of this schedule and specification. However, it remains your sole responsibility to check and give approval. If we receive an order from you based on this schedule and specification with no alterations you will be deemed to have checked and given approval.

ref: 4	type: 4	qty: 2	location	on: A. Lov	er Groun	d Floor				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										

text Fire Exit ✓

spec Wall mounted non illuminated sign

150 x 450mm

Wall mounted fire exit signs, comprising 2mm thick aluminium. Stove enamelled safety green RAL 6024 and face screen printed opaque white. Reverse fitted VHB d/s tape.

ref: 4a	type:	4A	qty: 1	loca	tion: A. Lov	ver Grour	nd Floor				
	product		material	construct	height	width	thickness	colour	finish	illum	fixing
panel											
graphic											
ext							spec FO	H Non illuı	minated		
ef: 5	type:	5	qty: 2	loca	tion: A. Lov	ver Grour	nd Floor				
	product		material	construct	height	width	thickness	colour	finish	illum	fixing
oanel											
graphic											
ext	LG						spec				
ef: 6	type:	6	qty: 4	loca	tion: A. Lov	ver Grour	nd Floor				
	product		material	construct	height	width	thickness	colour	finish	illum	fixing
anel											
raphic											

text Refuge Point

spec 1.5m aluminium stove enamelled eggshell bronze silk screen printed white/blue. D/s tape fixing

ref: 7	type: 7	qty: 11	locati	on: A. Lov	ver Groun	d Floor				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	↑ Fire Exit					fac fac 45 Pri bra	ce panels note applied visited visites of the contraction of the contr	nounted onto a with Signtext p e internally illud b be mounted	ended from 2No. 20m	c panel bracing , I graphic, Green edge lighting formed bronze toned
ref: 8	type: 8	qty: 1	locati	on: A. Lov	ver Groun	d Floor				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	↓ Fire Exit					spec				
ref: 9	type: 10	qty: 4	locati	on: A. Lov	ver Groun	d Floor				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										

spec

 ψ Fire Exit

text

ref: 10	type: 11	qty: 6	locati	on: A. Low	er Groun	d Floor				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	↓ Fire Exit					spec				
ref: 4	type: 4	qty: 2	locati	on: B. Gro	und Floor	,				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	Fire Exit →					spec Wa	all mounted	non illuminate	ed sign	
						15	0 x 450mm			
						en	amelled sat	_	, comprising 2mm thic L 6024 and face scre /s tape.	
ref: 4a	type: 4A	qty: 1	locati	on: B. Gro	und Floor	,				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										

graphic

text

Fire Exit \rightarrow

spec FOH Non illuminated

pe:	6	material qty	v: 4	locat	height tion: B. Gro	width	spec thickness	colour	finish	illum	fixing
pe:	6						r	colour	finish	illum	fixing
pe:	6						r	colour	finish	illum	fixing
pe:	6						r	colour	finish	illum	fixing
pe:	6							colour	finish	illum	fixing
		material	co	onstruct	height	width	thickness	colour	finish	illum	fixing
Point							spec				
pe:	7	qty	r: 14	locat	tion: B. Gro	ound Floo	r				
		material	cc	onstruct	height	width	thickness	colour	finish	illum	fixing
У І											

Spec Suspended RSL illuminated fire exit sign - 1No. opal satin ice acrylic face panels mounted onto 3mm thick clear acrylic panel bracing, face applied with Signtext permanent grade vinyl graphic, Green 4533TF, to be internally illuminated using LED's edge lighting Prismex, all to be mounted into a machined and formed bronze toned brass housing. To be suspended from 2No. 20mm diameter tubular drop rods stoved eggshell black.

F&B wall mounted illuminated

ref: 8	type: 8	qty: 1	locatio	n: B. Gro	und Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	↓ Fire Exit					spec F&	B ceiling m	ounted illumin	ated	
ref: 10	type: 1	0 qty: 8	locatio	n: B. Gro	und Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	\downarrow Fire Exit					spec BC)H wall mou	inted illuminat	ed	
ref: 11	type: 1	1 qty: 1	locatio	n: B. Gro	und Floor					
ref: 11	type: 1	1 qty: 1	locatio construct	n: B. Gro	und Floor width	thickness	colour	finish	illum	fixing
ref: 11							colour	finish	illum	fixing
							colour	finish	illum	fixing
panel						thickness		finish		fixing
panel graphic	product	material	construct	height		spec BC				fixing
panel graphic text	product	material	construct	height	width	spec BC			ated	fixing
panel graphic text	product ↓ Fire Exit type: 1	material 2 qty: 2	locatio	height n: B. Gro	width	spec BC)H ceiling m	nounted illumin	ated	
panel graphic text ref: 12	product ↓ Fire Exit type: 1	material 2 qty: 2	locatio	height n: B. Gro	width	spec BC)H ceiling m	nounted illumin	ated	

ref: 13	type: 9	qty: 3	locatio	on: B. Gro	und Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	↓ Fire Exit					spec Ph	otolumines	cent panel		
ref: 2	type: 2	qty: 5	locatio	on: C. Firs	t Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	Fire action point					spec				
ref: 4	type: 4	qty: 4	location	on: C. Firs	t Floor					
ref: 4	type: 4		location construct	on: C. Firs	t Floor width	thickness	colour	finish	illum	fixing
ref: 4						thickness	colour	finish	illum	fixing
						thickness	colour	finish	illum	fixing
panel						thickness	colour	finish	illum	fixing
panel graphic	product		construct	height	width		colour	finish	illum	fixing
panel graphic text	product ∠ Fire Exit	material qty: 4	construct	height	width		colour	finish		fixing
panel graphic text	product ∠ Fire Exit type: 5	material qty: 4	locatio	height on: C. Firs	width	spec				
panel graphic text ref: 5	product ∠ Fire Exit type: 5	material qty: 4	locatio	height on: C. Firs	width	spec				

ref: 6	type: 6	qty: 3	locati	ion: C. Firs	t Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
oanel										
graphic										
ext	Refuge Point					spec				
ref: 2	type: 2	qty: 5	locati	ion: D. Sec	ond Floo	r				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
raphic										
ext	Fire action point					spec				
ef: 4	type: 4	qty: 4	locati	ion: D. Sec	ond Floo	r				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
raphic										
	∠ Fire Exit					spec				
ext	Z I IIE LXII					•				
	type: 5	qty: 4	locati	ion: D. Sec	ond Floo					
		qty: 4	locati	ion: D. Sec	ond Floo		colour	finish	illum	fixing
ef: 5	type: 5					r	colour	finish	illum	fixing
ef: 5	type: 5					r	colour	finish	illum	fixing

ref: 6	type: 6	qty: 3	locat	ion: D. Sec	ond Floo	r				
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
_j raphic										
ext	Refuge Point					spec				
ef: 2	type: 2	qty: 5	locat	ion: E. Thi	rd Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
raphic										
ext	Fire action point					spec				
ef: 4	type: 4	qty: 4	locat	ion: E. Thi	rd Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
raphic										
ext	∠ Fire Exit					spec				
ef: 5	type: 5	qty: 4	locat	ion: E. Thi	rd Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
anel raphic										

ef: 6	type: 6	qty: 3	locat	ion: E. Thiı	d Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
raphic										
xt	Refuge Point					spec				
ef: 2	type: 2	qty: 5	locat	ion: F. Fou	rth Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
aphic										
xt	Fire action point					spec				
ef: 4	type: 4	qty: 4	locat	ion: F. Fou	rth Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
nel										
aphic										
xt	∠ Fire Exit					spec				
	type: 5	qty: 4	locat	ion: F. Fou	rth Floor					
ef: 5	type. o	• •			ما المام أن ي	thickness	colour	finish	illum	fixing
ef: 5	product	material	construct	height	width	timottilooo				9
			construct	height	wiath					
ef: 5 anel			construct	height	width					

ef: 6	type: 6	qty: 3	locat	ion: F. Fourth	Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
raphic										
ext	Refuge Point					spec				
ef: 2	type: 2	qty: 5	locat	ion: G. Fifth F	loor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
raphic										
ext	Fire action point					spec				
ef: 4	type: 4	qty: 4	locat	ion: G. Fifth F	loor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
raphic										
ext	∠ Fire Exit					spec				
ef: 5	type: 5	qty: 4	locat	ion: G. Fifth F	loor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
raphic					i					

ref: 6	type: 6	qty: 3	loca	tion: G. Fifth	Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
jraphic										
ext	Refuge Point					spec				
ef: 2	type: 2	qty: 5	loca	tion: H. Sixth	Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
oanel										
graphic										
ext	Fire action point	'				spec				
ef: 4	type: 4	qty: 4	loca	tion: H. Sixth	Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
graphic										
ext	∠ Fire Exit					spec				
ef: 5	type: 5	qty: 4	loca	tion: H. Sixth	Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
anel										
graphic								1		l l

ref: 6	type: 6	qty: 3	loca	tion: H. Sixth	Floor						
	product	material	construct	height	width	thickness	colour	finish	illum	fixing	
oanel											
graphic											
ext	Refuge Point					spec					
ref: 2	type: 2	qty: 4	loca	tion: I. Seve	nth Flooi	r					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing	
panel											
graphic											
ext	Fire action point	*				spec					
ref: 4	type: 4	qty: 5	loca	tion: I. Seve	nth Flooi	r					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing	
oanel											
graphic											
text	∠ Fire Exit		spec								
ref: 5	type: 5	qty: 5	loca	tion: I. Seve	nth Flooi	r					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing	
oanel											
										ĺ	
graphic											

ref: 6	type: 6	qty: 2	locat	ion: I. Seve	enth Floor	•						
	product	material	construct	height	width	thickness	colour	finish	illum	fixing		
panel												
graphic												
ext	Refuge Point					spec						
ef: 2	type: 2	qty: 1	locat	ion: J. Eigl	nth Floor							
	product	material	construct	height	width	thickness	colour	finish	illum	fixing		
anel												
raphic												
ext	Fire action point					spec						
ef: 4	type: 4	qty: 3	locat	ion: J. Eigl	nth Floor							
	product	material	construct	height	width	thickness	colour	finish	illum	fixing		
anel												
raphic												
ext	∠ Fire Exit					spec						
			location: J. Eighth Floor									
ef: 5	type: 5	qty: 1	locat	ion: J. Eigl	nth Floor							
ef: 5	type: 5	qty: 1	locati construct	ion: J. Eigl height	nth Floor width	thickness	colour	finish	illum	fixing		
						thickness	colour	finish	illum	fixing		
ref: 5						thickness	colour	finish	illum	fixing		

ref: 6	type: 6	qty: 1	location	on: J. Eigl	hth Floor					
	product	material	construct	height	width	thickness	colour	finish	illum	fixing
panel										
graphic										
text	Refuge Point					spec				
ref: 1	type: 4A	qty: 1	locati	on: K. Mez	zanine					
ref: 1	type: 4A	qty: 1	location	on: K. Mez	zzanine width	thickness	colour	finish	illum	fixing
ref: 1						thickness	colour	finish	illum	fixing
						thickness	colour	finish	illum	fixing