




01 EXTERNAL GARDEN ENTRANCE GATE
ELEVATION SCALE, 1:10



03 EXTERNAL ENTRANCE GATE LEADING TO ACCESSIBLE ENTRANCE
ELEVATION SCALE, 1:10




02 EXTERNAL GARDEN ENTRANCE GATE
FLOOR PLAN SCALE, 1:10



04 EXTERNAL ENTRANCE GATE LEADING TO ACCESSIBLE ENTRANCE
FLOOR PLAN SCALE, 1:10

- © John Pardey Architects
- Do not Scale. Used figured dimensions only.
 - All dimensions to be checked on site.
 - All drawings to be read in conjunction with engineer's drawings. Any discrepancies between consultants drawings to be reported to the Architect before any work commences.
 - The Contractor's attention is drawn to the Health & Safety matters identified in the Health & Safety plan and on drawings as being potentially hazardous.
 - These items should not be considered as a full and final list.
 - The Work Package Contractor's normal Health & Safety obligations still apply when undertaking constructional operations both on and off site.



- NOTES
- HINGED SWING GATES AND FIXED ENTRANCE SCREENS FORMED FROM PPC GALVANIZED LOW CARBON STEEL, FULL PROFILE FILLET WELDED
- PPC COLOUR - BROWN/GREY RAL 7013
- ENTRANCE GATE SUPPORT POSTS BOLTED INTO CONCRETE SUB BASE. ALL FIXINGS TO BE CONCEALED
- MANUALLY OPERATED GATES TO COMPLY WITH THE PROVISIONS OF APPROVED DOCUMENT M VOLUME 2 PARAGRAPH 2.17
- POWERED ENTRANCE GATE PERFORMANCE SPECIFICATION**
- ALL GATES TO COMPLY WITH BS EN 15241-1 & EU MACHINERY DIRECTIVE 2006/42/EC
- GATE AUTOMATION TO BE DETERMINED BY SPECIALIST SUB CONTRACTOR
- GATES TO BE PROGRAMMED TO CLOSE AUTOMATICALLY AND TO INCLUDE SAFETY FEATURES AND TORQUE LIMIT SETTINGS TO PREVENT INJURY OR MAJOR DAMAGE TO PERSONS AND PROPERTY.
- SWING GATE OPERATOR TO HAVE MANUAL OVERRIDE IN THE EVENT OF POWER FAILURE
- GATES TO BE CAPABLE OF LOCKING IN BOTH THE OPEN AND CLOSED POSITION
- KEY FOB OPERATION

DRAWING REPRESENTS DESIGN INTENT ONLY. COMPATIBILITY OF HINGES & OPENING MECHANISMS ARE THE RESPONSIBILITY OF THE FABRICATOR.

rev	date	initials	description
PP01	20.01.17	GL	Discharge of planning condition

Drawing:
ENTRANCE GATE DETAILS
project:
LANCASTER GROVE
drawing no: **1409/8303** status code/ revision: **PP01**
status:
TENDER
scale @ A1: date:
1:10 **JAN 2017**



John Pardey Architects
Beck Farm Studio, St Leonard's Road
East End, Hampshire, SO41 5SR
+44 (0) 1590 626465
www.johnpardeyarchitects.com