

Daylight and Sunlight

Double Tree by Hilton Hotel, West End, London

Prepared by:

Katie Bone

Reference:

10029

Date:

20/02/2017



By Email

Planning London Borough of Camden 2nd Floor, 5 Pancras Square c/o Town hall Judd Street London WC1H 9JE DATE / REF

20/02/2017 KB/10029

ADDRESS

.

THE WHITEHOUSE BELVEDERE ROAD LONDON SE1 8GA

CONTACT

•

TEL 020 7202 1400 FAX 020 7202 1401 MAIL@GIA.UK.COM

WWW.GIA.UK.COM

Dear Sirs

Re: Double Tree by Hilton Hotel, West End, London

GIA have been instructed to review the potential daylight and sunlight implications to neighbouring properties as a result of a rear extension to the Double Tree by Hilton Hotel, in the West End, London (the "Proposed Development").

The results and advice contained within this letter are based upon the Morrison Design Proposed Development 3D scheme information received by GIA 16 November 2016. GIA have used a photogrammetry model of the area and site and floorplans obtained from public records.

Daylight/Sunlight

The technical analysis that forms the basis of this report has been predicated against the methodologies set out in the Building Research Establishment Guidelines entitled "Site Layout Planning for Daylight and Sunlight – A Guide to Good Practice (2011)" ("the BRE Guidelines"). The guidelines in question are exactly that – guidelines which provide a recommendation to inform site layout and design. They are not mandatory, nor do they from part of planning policy. They should be interpreted flexibly according to the specific constraints of a given site.

The BRE Guidelines provide two methodologies for daylight assessment of neighbouring properties, namely:

- Vertical Sky Component (VSC); and,
- No Sky Line (NSL).

There is one methodology for sunlight assessment, denoted as Annual Probable Sunlight Hours (APSH). Appendix 01 of this letter report elaborates on the mechanics of each of the above assessment criteria, explains the appropriateness of their use and the parameters of each specific recommendation.

Assumptions

- > A three dimensional photogrammetry computer model of the site was created using aerial photographs, measured survey and site photographs and forms the basis of the technical analyses in this letter report. Where we have used a base photogrammetric model, we will have endeavoured to verify the base level through the use of GPS and altometer equipment;
- ➤ Best estimates have been made as to the uses which are carried out legally within the adjoining properties and rooms in terms of commercial and residential usage. These have been estimated from external observation, VOA tax band searches (December 2016) and where possible from Local Authority Records;

- Where we have not acquired internal layouts we have made reasonable assumptions as to the internal layouts of the rooms behind the fenestration following external observation. Unless the building form dictates otherwise, we assume a standard 4.2m deep room for residential properties. It should be noted that the internal floor plans will only influence the secondary NSL analysis, as VSC and APSH are calculated at the window face;
- > Floor levels have been assumed for the adjoining properties. This dictates the level of the working plane which is relevant for the NSL assessment.

Results

GIA have undertaken daylight and sunlight analysis to establish possible impacts upon light to the following neighbouring properties. A copy of the technical results are enclosed and can be found in Appendix 02.

- Bristol House:
- Ormonde Mansions:
- > 31, 32, 43 and 44 Old Gloucester Street;
- > 33.34 and 35 Boswell Street:
- Falcon; and.
- Bevan House.

The results of the technical analyses indicate that all windows and rooms tested within these neighbouring properties pass the BRE criteria in relation to daylight tests (VSC and NSL), as they experience a less than 20% reduction in all cases. Additionally, all windows and rooms tested for sunlight (APSH), pass the BRE criteria in relation to the aforementioned 20% reduction.

We therefore conclude the Proposed Development to be acceptable in daylight and sunlight terms.

Summary

GIA have undertaken BRE compliant daylight and sunlight technical assessments to establish possible light alterations as a result of the Morrison Design Proposed Development. The results indicate that all windows and rooms tested fully comply with the BRE daylight and sunlight guidance for VSC, NSL and APSH.

In consideration of this, it is the opinion of this practice that the Proposed Development is acceptable in daylight and sunlight terms.

Please do not hesitate to contact us on the details below should you wish to discuss any points in further detail.

Yours sincerely For and on behalf of GIA

Katie Bone **Surveyor**

Katie.bone@gia.uk.com

Kasie Bare

Cc: Mark Kidd GIA



Appendix 01

Principles of Daylight and Sunlight



Background

The quality of amenity and open spaces is often stipulated within planning policy for protection or enhancement and is often a concern for adjoining properties and other interested parties.

Historically the department of environment provided guidance with the issues, and in this country, this role has now been taken on by the Building Research Establishment (BRE), the British Standards Institutions (BSI) and the Chartered Institute of Building Services Engineers (CIBSE). Fortunately they have collaborated in many areas, to provide as much unified advice as possible in the form of industry best practice.

Many local planning authorities consider daylight and sunlight an important factor for determining planning applications. Policies refer to both the protection of daylight and sunlight amenity within existing properties as well as the creation of proposed dwellings with high levels of daylight and sunlight amenities.

In terms of considering what is material, local authorities typically refer to the BRE guidelines and apply their criteria set out within. The guidelines were originally produced in 1991, but superseded by the BRE guidelines (2011) site layout planning for daylight and sunlight.

Where developers are seeking to maximise their development value, it is often in the area of daylight and sunlight issues that they may seek to push the boundaries. Particularly in London, there is a priority on the creation of more housing thus resulting in the densification of urban areas. Local authorities vary in their attitude of how flexible they can be with the degree of impact on the daylight and sunlight amenity enjoyed by neighbouring owners and it is one factor among many planning aspects considered when determining an application. In city centres where high density is common, the protection of amenity is more challenging and there are many factors that need to be taken into account: each case has to be considered on its own merits.

The BRE Guidelines

The guidelines are typically referred to for daylight and sunlight amenity issues, however they were not intended to be used as an instrument of planning policy. In the introduction of 'Site Layout Planning for Daylight and Sunlight (2011)', section 1.6 (page 1), states that:-

"The guide is intended for building designers and their clients, consultants and planning officials. The advice given here is not mandatory and this document should not be seen as an instrument of planning policy. Its aim is to help rather than constrain the designer. Although it gives numerical guidelines, these should be interpreted flexibly because natural lighting is only one of many factors in site layout design (see Section 5). In special circumstances the developer or Planning Authority may wish to use different target values. For example, in an historic city centre, or in an area with modern high rise buildings, a higher degree of obstruction may be unavoidable if new developments are to match the height and proportions of existing buildings".

Again, the paragraph 2.2.3 (page 7) of the document states:-

"Note that numerical values given here are purely advisory. Different criteria may be used, based on the requirements for daylighting in an area viewed against other site layout constraints".



The numerical criteria suggested by the BRE are therefore designed to provide industry advice/guidance to plan/design with daylight in mind. Alternative values may be appropriate in certain circumstances such as highly dense urban areas around London, for e.g. the approach to creating alternative criteria is detailed within Appendix F of the BRE.

Measurement and Criteria for Daylight and Sunlight as set out in the BRE Guidelines

The BRE guidelines state that they are;

"intended for use for rooms in adjoining dwellings where daylight is required, including living rooms, kitchens and bedroom. Windows to bathrooms, toilets, garages need not be analysed."

They are therefore primarily designed to be used for residential properties however, the BRE guidelines continue to state that they may be applied to any existing non-residential buildings where there may be a reasonable expectation of daylight including; schools, hospitals, hostels, small workshop and some offices.

Daylight

In the first instance, if a proposed development falls beneath a 25 degree angle taken from the centre point of the lowest window, then the BRE suggests that no further analysis is required as there will be adequate sky light (i.e. sky visibility). This rule is applied when considering the scope of any assessments.

The BRE guidelines provide two methods for calculating daylight to existing surrounding properties:

- Vertical Sky Component (VSC)
- No Sky Line (NSL) also referred to as daylight distribution

A further method, the Average Daylight Factor (ADF) is provided for calculating daylight within proposed properties. However, it is sometimes applied as a supplementary assessment for exiting surrounding properties.

Each method is described below:

Vertical Sky Component

Methodology


This is defined in the BRE as:-

"Ratio of that part of illuminance, at a point on a given vertical plane that, is received directly from a CIE standard overcast sky, to illuminance on a horizontal plane due to an unobstructed hemisphere of this sky."

This statement means, in practice that if one had a totally unobstructed view of the sky, looking in a single direction, then just under 40% of the complete hemisphere would be visible. The measurement of this vertical sky component is undertaken using two indicators, namely a skylight indicator and a transparent direction finder.



Alternatively a further method of measuring the VSC, which is easier to understand both in concept and analysis, is often more precise and can deal with more complex instructions, is that of the Waldram diagram.



The point of reference is the same as for the skylight indicator, at the centre of the outward window face. Effectively a snap shot is taken from that point of the sky in front of the window, before and after the obstruction is put in place together with all the relevant obstructions to it, i.e. the buildings.



An unobstructed sky from that point of reference would give a vertical sky component of 39.6%, corresponding to 50% of the hemisphere, and therefore the purpose of the diagram is to discover how much sky remains once obstructions exist in front of that point.

Criteria

The BRE Handbook provides criteria for:

- (a) New Development
- (b) Existing Buildings
- (c) Adjoining Development Land

(a) New Development

Paragraph 2.1.21 of the BRE states that:

"Obstructions can limit access to light from the sky. This can be checked by measuring or calculating the angle of visible sky 'theta', angle of obstruction or Vertical Sky Component (VSC) at the centre of the lowest window where daylight is required. If VSC is:

- at least 27% ('theta' is greater than 65 degrees, obstruction angle less than 25 degrees) conventional window design will usually give reasonable results.
- between 15% and 27% ('theta' is between 45 degrees and 65 degrees, obstruction angle between 25 degrees and 45 degrees) special measures (larger windows, changes to room layout) are usually needed to provide adequate daylight.
- between 5% and 15% ('theta' is between 25 degrees and 45 degrees, obstruction angle between 45 degrees and 65 degrees) it is very difficult to provide adequate daylight unless very large windows are used.
- less than 5% ('theta' less than 25 degrees, obstruction angle more than 65 degrees) it is often impossible to achieve reasonable daylight, even if the whole window wall is glazed."

(b) Existing Buildings

Para 2.2.21 (page 11) of the BRE states:

"If any part of a new building or extension measured in a vertical section perpendicular to a main window wall of an existing building, from the centre of the lowest window, subtends an angle of more than 25 degree to the horizontal, then the diffuse daylighting of the existing building may be adversely affected. This will be the case if the vertical sky component measured at the centre of an existing main window is less than 27%, and less than 0.8 times its former value".

The VSC provides a quick and simple test which looks to give an early indication of the potential for light at the window face. However considered in isolation, it does not, in any fashion, indicate the quality of actual light within a space. It does not take into account the window size, the room size or room use. It helps by indicating that if there is an appreciable amount of sky visible from a given point there will be a reasonable potential for daylighting.



(c) Adjoining Development Land


Paragraph 2.3.10 of the BRE guidelines states:

"in broad general terms, a development site next to a proposed new building will retain the potential for good diffuse daylighting provided that on each common boundary:

- (a) no new building, measured in a vertical section perpendicular to the boundary, from a point 1.6m above ground level, subtends an angle of more than 43 degrees to the horizontal:
- (b) or, If (a) is not satisfied, then all points 1.6m above the boundary line are within 4m (measured along the boundary) of a point which has a VSC (looking towards the new building(s)) of 17% or more 2m above ground level are within 4m (measured sideways) of a point which has a vertical sky component of 27% or more.

Alternative VSC criteria as per Appendix F of the BRE guidelines

The 27% VSC target criteria is based upon a sub-urban type environment whereby a 25 degree line was taken from the centre point on a ground floor window as shown below:



However, in city centre locations and urban areas where density levels are increasing, these values may not be considered appropriate. The BRE guidelines provide that "different targets may be used based on the special requirements of the proposed development or its location" (paragraph F1).

Appendix F of the BRE suggests several approaches as to how alternative targets may be considered including:

- Consented scheme use of an extant planning permission to establish alternative benchmark criteria for VSC and APSH. It is not appropriate to treat a permitted scheme in the same manner as an existing building and allow a 20% reduction beyond this. If the levels of daylight and sunlight retained are similar to a previously consented scheme then it follows that these levels should be considered acceptable again, notwithstanding other planning considerations.
- Mirror massing to ensure a development matches the height and proportions of existing buildings, the VSC and APSH targets could be set to those of a mirror image of the same height and size, an equal distance away from the boundary (paragraph F5).
- Consider surrounding context and existing obstruction angles as well as spacing to height ratios.



In addition, due to the requirements for external amenity space within local planning policies, many residential buildings are served by balconies. Balconies can restrict the view of the sky dome whereby even the modest obstruction may result in a large relative impact on the VSC. The BRE guidelines therefore provide that an assessment can be carried out comparing the levels of VSC with and without the balconies in place for both the existing and proposed scenarios, to establish whether it is the presence of the balcony or the size of the new obstruction that is the main factor in the loss of light (paragraph 2.2.11).

No Sky Line

Methodology

The NSL method is a measure of the distribution of daylight at the working plane within a room. The 'working plane' means a horizontal 'desktop' plane 0.85m in height for residential properties. The NSL divides those areas of the working plane which can receive direct sky light from those which cannot. If a significant area of the working plane lies beyond the NSL (i.e. it receives no direct sky light), then the distribution of daylight in the room will be poor and supplementary electric lighting may be required.

It is similar to the VSC approach in that a reduction of 0.8 times in the area of sky visibility at the working plane may be deemed to be noticeable. It is however, very dependent upon knowing the actual room layouts or having a reasonable understanding of the likely layouts.

It is assessed by plotting the area of a room which can see the sky and which cannot, referred to as the NSL contour or daylight distribution contour. The contours assist in helping to understand the way the daylight is distributed within a room and the comparisons of existing and limitations of proposed circumstances within neighbouring properties. Like the VSC method, it relates to the amount of visible sky but does not consider the room use in its criteria, it is simply a test to assess the change in position of the No Sky Line, between the existing and proposed situation. It does take into account the number and size of windows to a room, but does not give any quantitative or qualitative assessment of the light in the rooms, only where sky can or cannot be seen.

Criteria

BS 8206 Part 2 (para 5.7) that the:

"uniformity of daylight is considered to be unsatisfactory if a significant part of the working plane (normally more than 20%) lies behind the no-sky line".

Therefore, it is implied that an NSL of at least 80% would be considered satisfactory in regards to deep rooms which are lit by windows on one side, the BRE Guidelines state (para, 2.2.10):

In regards to the alteration as a result of a proposed development or obstruction the BRE provide that the daylight may be adversely affected if "the area of the working plane in a room which can receive direct skylight is reduced to less than 0.8 times its former value.".



Average Daylight Factor

Methodology

The Average Daylight Factor (ADF) is defined within the 2011 BRE Guidelines as:

'a ratio of total daylight flux incident on a reference area to the total area of the reference area, expressed as a percentage of outdoor luminance on a horizontal plane, due to an unobstructed sky of assumed or known luminance distribution'.

Whilst the BRE guidelines provide this measure as a tool to understand daylight within proposed dwellings not existing dwellings, if room layouts are known it can provide a useful supplementary measure of daylight and is often requested by many local authorities.

The ADF method of assessment considers:

- The diffuse visible transmittance of the glazing to the room in question (i.e. how much light gets through the window glass). A transmittance value of 0.8% is assumed for single glazing and 0.65% for double glazed windows;
- The net glazed area of the window in question;
- The total area of the room surfaces (ceiling, walls, floor and windows); and
- The angle of visible sky reaching the window(s) in question

In addition, the ADF method makes allowance for the average reflectance of the internal surfaces of the room and of external obstruction (assumed to be 0.5 unless otherwise stated).

Criteria

The criteria for ADF is taken from the British Standard 8206 part II which gives the following criteria based on the room use:

- Bedroom 1% ADF
- Living room 1.5% ADF
- Kitchen 2% ADF

Where a room has multiple uses such as a living kitchen diner (LKD) or a studio apartment, the highest value is taken so in these cases the required ADF is 2%.

Sunlight

Methodology

The BS 8206 part 2 (section 5.2) states that:

"Provided that the entry of sunlight is properly controlled, it is generally welcome in most buildings in the UK. Dissatisfaction can arise as much from the permanent exclusion of sunlight as from its excess. The provision of sunlight is important in dwellings, particularly during winter months. Sunlight is especially valued in habitable rooms used for long periods during the day."



Sunlight is measured using a sun indicator which contains 100 spots, each representing 1% of Annual Probable Sunlight Hours (APSH). Where no obstruction exists the total APSH would amount to 1486 hours and therefore each spot equates to 14.86 hours of the total annual sunlight hours.

The number of spots is calculated for both the whole year and also during the winter period (21st September to 21st March) prior to an obstruction and after the obstruction is put in place. This provides a percentage of APSH for each of the time periods for each window assessed. The 2011 BRE Guidelines note that:

- "In housing, the main requirement for sunlight is in living rooms, where it is valued at any time of day, but especially in the afternoon."
- "all main living rooms of dwellings...should be checked if they have a window facing within 90° of due south. Kitchens and bedrooms are less important, although care should be taken not to block too much sun":
- "If the main living room to a dwelling has a main window facing within 90° of due north, but a secondary window facing within 90° of due south, sunlight to the secondary window should be checked."
- "...a south facing window will, in general, receive most sunlight, while a north facing one will receive it only on a handful of occasions. East and west facing windows will receive sunlight only at certain times of day".

When a room has multiple windows, not all may have a southerly orientation however, these windows may contribute to the levels of sunlight within a given room even if by 1-2% APSH. As well as the assessment on a window basis the BRE guidelines provide that an assessment can be undertaken on a room basis.

Whilst the emphasis of the BRE guidelines is in regards to living rooms, it is not always possible to determine the room uses within all of the properties assessed and therefore typically all windows or all rooms with windows facing within 90 degrees of due south and facing the site are assessed.

Criteria

The BRE provide that for existing buildings a window maybe adversely affected if a point at the centre of a window receives:

- Less than 25% of the APSH during the whole year, of which 5% APSH must be in the winter period; and
- Receives less than 0.8 times its former sunlight hours in either time period; and
- Has a reduction in sunlight for the whole year more than 4% APSH.

In terms of the assessment on a room basis the criteria applied is the same.

For proposed buildings the BRE provide (paragraph 3.1.15) that a dwelling or building which has a particular requirement for sunlight will appear reasonably sunlit provided:

• At least one main window faces within 90 degrees of due south; and



• Centre of one main living room window can receive 25% of APSH including 5% APSH in the winter months.

It continues that where groups of dwellings are planned the layout should aim to maximise the number of living rooms that meet the above recommendations.

Overshadowing

As well as daylight and sunlight amenity to neighbouring dwellings, planning policy often refers to the levels of overshadowing to amenity areas such as parks, public squares, playgrounds etc. The BRE guidelines provide two methods of calculation in regards to overshadowing which are as follows:

Sun Hours on Ground

Methodology

This method of overshadowing assessment uses the sun on ground indicator to determine the areas which receive direct sunlight and those which do not. This method applies to both new and existing areas of amenity space. The BRE Guidelines suggest that the Spring Equinox (21st March) is a suitable date for the assessment as this is the midpoint of the suns position throughout the year. Using specialist software, the path of the sun is tracked to determine where the sun would reach the ground and where it would not.

Criteria

The BRE guidelines recommend that at least half of an amenity space should receive at least two hours of direct sunlight on March 21st. In regards to existing spaces where the existing sunlit area is less than half of the area, the area which receives two hours of sunlight should not be reduced by more than 20% (it should retain 0.8 times its former value).

Transient Overshadowing

The BRE guidelines suggest that where large buildings are proposed which may affect a number of gardens or open spaces, it is useful to plot a shadow plan to illustrate the location of shadows at different times of the day and year. For the purpose of this assessment, shadow has been mapped at the following times of the year:

- 21st March (Spring equinox)
- 21st June (Summer solstice)
- 21st December (Winter solstice)

The September equinox is not assessed as this would provide the same results as those for March 21st.

For each of these dates the overshadowing is calculated at hourly intervals throughout the day however some images may not be present given the early sunset during the Winter period.

The BRE guidelines do not provide any criteria for transient overshadowing. Therefore the analysis provides a description of where additional shadow is cast as a result of a development with professional judgement to determine the effect comparing the shadow resulting from the proposed development against that of the existing site.



Light pollution and Solar Glare

Light pollution is defined as any light emitting from artificial sources into spaces where it is not wanted for example from offices into neighbouring residential properties where it could cause a nuisance. The ILP Guidance notes provide details of how to measure light pollution and criteria based on the urban density of the respective area to determine the acceptability of the light levels.


Solar glare is particularly important at pedestrian and road junctions as well as along railway lines where the glare can cause a temporary blinding to drivers or pedestrians. Glare can occur from reflective materials such as glazed areas or metal cladding on the facades. This assessment is therefore undertaken from viewpoints surrounding the site at junctions and positioned at the driver's eye level. Focal points are dictated by the location of signals or oncoming traffic.


Other Amenity Considerations

Daylight and sunlight is one factor among many under the heading of residential amenity considerations for any given development design or planning application; others include:

- outlook
- sense of enclosure
- privacy
- access to outdoor space e.g. balconies or communal garden/courtyard

Appendix 02 Drawings





IR06 - 24112015-Find Map

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

N.B. DO NOT SCALE OFF THIS DRAWING

ALL HEIGHTS AND DIMENSIONS GIVEN IN mm AOD


DOUBLETREE BY HILTON LONDON WEST END

CONSENTED SCHEME

DWN BY		CHK BY		
DC	NTS	SC	со	16.12.16
	REL No.			REV No.
10029	REL02	IS03	02	А



The Whitehouse Belvedere Road London SE1 8GA t 020 7202 1400 f 020 7202 1401 mail@gia.uk.com www.gia.uk.com



SOURCES OF INFORMATION
Site Survey
IR05 - 17112015 - Maltby Surveys
IR04 - 09102015 - Morrison Design Maltby Survey Info
IR08 - 301115 - Maltby Surveys
IR12 - 161207 - Camden Planning Drawings

Vertex model IR07 - 24112015 - Vertex Model

IR06 - 24112015-Find Map

Proposal IR11-161116-Revit Model Planning Core.rvt

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN (31A TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

N.B. DO NOT SCALE OFF THIS DRAWING

ALL HEIGHTS AND DIMENSIONS GIVEN IN mm AOD

DOUBLETREE BY HILTON LONDON WEST END

3D VIEW


CONSENTED SCHEME


DWN BY		CHK BY		
DC	NTS	SC	со	16.12.16
	REL No.	IS No.	DWG No.	REV No.
10029	REL02	IS03	03	А


LONDON . MANCHESTER



The Whitehouse Belvedere Road London SE1 8GA t 020 7202 1400 f 020 7202 1401 mail@gia.uk.com www.gia.uk.com







Site Survey IRO5 - 17112015 - Maltby Surveys IRO4 - 93102015 - Morrison Design Maltby Survey Info IRO8 - 301115 - Maltby Surveys IRI2 - 161207 - Camden Planning Drawings

Vertex model IR07 - 24112015 - Vertex Model

IR06 - 24112015-Find Map

Proposal IR11-161116-Revit Model

Planning Core.rvt

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

N.B. DO NOT SCALE OFF THIS DRAWING

ALL HEIGHTS AND DIMENSIONS GIVEN IN mm AOD

PROPOSED SCHEME SHOWN IN BLUE CONSENTED SCHEME SHOWN IN CYAN

DOUBLETREE BY HILTON LONDON WEST END

3D VIEW

PROPOSED SCENARIO RECEIVED 16.11.16

DWN BY	SCALE	CHK BY	STATUS	DATE
DC	NTS	SC	PR	16.12.16
	REL No.			
10029	REL02	IS03	06	Α



The Whitehouse Belvedere Road London SE1 8GA t 020 7202 1400 f 020 7202 1401 mail@gia.uk.com www.gia.uk.com

Appendix 03

Daylight and Sunlight Results

Vertical Sky Component (VSC)

Room	Window	Room Use	Existing	Proposed	Loss	%
Bristol House						
R1/F09	W1/F09	Unknown	11.5	11.3	0.2	1.7
R2/F09	W2/F09	Unknown	11.5	11.3	0.2	1.7
R3/F09	W3/F09	Unknown	11.2	11	0.2	1.8
R1/F10	W1/F10	Unknown	6.8	6.8	0	0.0
R2/F10	W2/F10	Unknown	16.8	16.7	0.1	0.6
R3/F10	W3/F10	Unknown	16.5	16.3	0.2	1.2
R3/F10	W4/F10	Unknown	16.1	15.9	0.2	1.2
D4/F10	WE /E10	Unknown	15.2	14.9	0.4	2.6
R4/F10	W5/F10		15.2	14.8		
R5/F10	W6/F10	Unknown	13.5	13.1	0.4	3.0
R1/F11	W1/F11	Bedroom	12.1	12.1	0	0.0
R2/F11	W2/F11	Unknown	3	3	0	0.0
R3/F11	W3/F11	Kitchen	23.4	23.4	0	0.0
R3/F11	W4/F11	Kitchen	22.2	22.2	0	0.0
R4/F11	W5/F11	Unknown	23	23	0	0.0
R5/F11	W6/F11	Unknown	22.7	22.6	0.1	0.4
R6/F11	W7/F11	Unknown	22.2	22.1	0.1	0.5
R6/F11	W8/F11	Unknown	21.6	21.5	0.1	0.5
R7/F11	W9/F11	Unknown	20.4	20.1	0.3	1.5
R8/F11	W10/F11	Unknown	18.3	17.8	0.5	2.7
R9/F11	W11/F11	Unknown	2.8	2.8	0	0.0
R9/F11	W12/F11	Unknown	4.1	4.1	0	0.0
					_	
R10/F11 R10/F11	W13/F11 W14/F11	Living Room Living Room	4.6 6.4	4.6 6.4	0 0	0.0 0.0
KIO/III	***************************************	Living Room	0.4	0.4	O	0.0
R11/F11	W15/F11	Bedroom	8.5	8.5	0	0.0
R12/F11	W16/F11	Bedroom	7.1	7.1	0	0.0
R13/F11	W17/F11	Kitchen	15.1	14.9	0.2	1.3
R13/F11	W18/F11	Kitchen	15.7	15.1	0.6	3.8
R13/F11	W19/F11	Kitchen	5.1	4.9	0.2	3.9
R13/F11	W20/F11	Kitchen	3.4	3.2	0.2	5.9
R14/F11	W21/F11	Unknown	2.5	2.5	0	0.0
R15/F11	W22/F11	Bedroom	11.5	10.8	0.7	6.1
R1/F12	W1/F12	Bedroom	14.7	14.7	0	0.0
R2/F12	W2/F12	Unknown	3.4	3.4	0	0.0
R3/F12	W3/F12	Kitchen	27.6	27.6	0	0.0
R3/F12	W4/F12	Kitchen	26.1	26.1	0	0.0

Vertical Sky Component							
Room	Window	Room Use	Existing	Proposed	Loss	%	
R4/F12	W5/F12	Unknown	27.4	27.4	0	0.0	
R5/F12	W6/F12	Unknown	26.9	26.9	0	0.0	
R6/F12	W7/F12	Unknown	26.4	26.4	0	0.0	
R6/F12	W8/F12	Unknown	25.8	25.7	0.1	0.4	
R7/F12	W9/F12	Unknown	24.5	24.4	0.1	0.4	
R8/F12	W10/F12	Unknown	22.4	22.2	0.2	0.9	
R9/F12	W11/F12	Unknown	5.1	5.1	0	0.0	
R9/F12	W12/F12	Unknown	6.9	6.9	0	0.0	
R10/F12	W13/F12	Living Room	8.4	8.4	0	0.0	
R10/F12	W14/F12	Living Room	10.6	10.6	0	0.0	
R11/F12	W15/F12	Bedroom	12.9	12.9	0	0.0	
R12/F12	W16/F12	Bedroom	10.6	10.6	0	0.0	
R13/F12	W17/F12	Kitchen	20.3	20.3	0	0.0	
R13/F12	W18/F12	Kitchen	20.9	20.7	0.2	1.0	
R13/F12	W19/F12	Kitchen	7.4	7.3	0.1	1.4	
R13/F12	W20/F12	Kitchen	4.5	4.4	0.1	2.2	
R14/F12	W21/F12	Unknown	3.1	3.1	0	0.0	
R15/F12	W22/F12	Bedroom	14.9	14.6	0.3	2.0	
R1/F13	W1/F13	Bedroom	20.3	20.3	0	0.0	
R2/F13	W2/F13	Unknown	4	4	0	0.0	
R3/F13	W3/F13	Kitchen	31.1	31.1	0	0.0	
R3/F13	W4/F13	Kitchen	29.8	29.8	0	0.0	
R4/F13	W5/F13	Unknown	30.7	30.7	0	0.0	
R4/F13	W6/F13	Unknown	30.6	30.6	0	0.0	
/				22.2	•		
R5/F13 R5/F13	W7/F13 W8/F13	Unknown Unknown	30.2 29.9	30.2 29.9	0 0	0.0 0.0	
R6/F13	W9/F13	Unknown	28.9	28.9	0	0.0	
R7/F13	W10/F13	Unknown	27.4	27.5	-0.1	-0.4	
17/113	W10/113	OHRHOWH			-0.1		
R8/F13	W11/F13	Unknown	13	13	0	0.0	
R8/F13	W12/F13	Unknown	12.6	12.6	0	0.0	
R9/F13	W13/F13	Living Room	15.3	15.4	-0.1	-0.7	
R9/F13	W14/F13	Living Room	18.5	18.5	0	0.0	
R10/F13	W15/F13	Bedroom	19.5	19.5	0	0.0	
R11/F13	W16/F13	Bedroom	14.9	14.9	0	0.0	
R12/F13	W17/F13	Kitchen	25.8	25.8	0	0.0	
R12/F13	W18/F13	Kitchen	25.8	25.8	0	0.0	
R12/F13	W19/F13	Kitchen	10.4	10.4	0	0.0	
R12/F13	W20/F13	Kitchen	5.9	5.9	0	0.0	

Vertical Sky Component							
Room	Window	Room Use	Existing	Proposed	Loss	%	
R13/F13	W21/F13	Unknown	3.8	3.8	0	0.0	
R14/F13	W22/F13	Bedroom	18.8	18.8	0	0.0	
R15/F13	W23/F13	Bedroom	14.5	14.5	0	0.0	
R16/F13	W24/F13	Bedroom	18.7	18.7	0	0.0	
R17/F13	W25/F13	Living Room	15.3	15.3	0	0.0	
:1/F14	W1/F14	Bedroom	28.6	28.6	0	0.0	
2/F14	W2/F14	Unknown	5.4	5.4	0	0.0	
		er. I	24	24	2		
3/F14	W3/F14	Kitchen	34	34	0	0.0	
3/F14	W4/F14	Kitchen	33.4	33.4	0	0.0	
4/F14	W5/F14	Bedroom	18.1	18.1	0	0.0	
5/F14	W6/F14	Bedroom	23.6	23.6	0	0.0	
6/F14	W7/F14	Living Room	19.9	19.9	0	0.0	
7/F14	W8/F14	Unknown	30.1	30.1	0	0.0	
8/F14	W10/F14	Unknown	17.8	17.8	0	0.0	
8/F14	W9/F14	Unknown	22.2	22.2	0	0.0	
9/F14	W11/F14	Living Room	20.2	20.2	0	0.0	
9/F14	W12/F14	Living Room	24.9	24.9	0	0.0	
10/F14	W13/F14	Bedroom	25.4	25.4	0	0.0	
11/F14	W14/F14	Bedroom	18.5	18.5	0	0.0	
·					·		
12/F14	W15/F14	Kitchen	30.8	30.8	0	0.0	
12/F14	W16/F14	Kitchen	30.9	30.9	0	0.0	
12/F14	W17/F14	Kitchen	15	15	0	0.0	
12/F14	W18/F14	Kitchen	8	8.1	-0.1	-1.3	
14/F14	W19/F14	Unknown	5.3	5.3	0	0.0	
15/F14	W20/F14	Bedroom	23.9	23.9	0	0.0	
1/F15	W1/F15	Bedroom	34.3	34.3	0	0.0	
2/F15	W2/F15	Unknown	14.3	14.3	0	0.0	
3/F15	W3/F15	Kitchen	36.7	36.7	0	0.0	
3/F15	W4/F15	Kitchen	36.8	36.8	0	0.0	
4/F15	W5/F15	Bedroom	25	25	0	0.0	
5/F15	W6/F15	Bedroom	30.9	30.9	0	0.0	
6/F15	W7/F15	Living Room	24.4	24.4	0	0.0	
7/F15	W8/F15	Unknown	32.5	32.5	0	0.0	
7/F15	W9/F15	Unknown	27.2	27.2	0	0.0	
8/F15	W10/F15	Living Room	29	29	0	0.0	
R8/F15	W11/F15	Living Room	33.4	33.4	0	0.0	

Vertical Sky Component								
Room	Window	Room Use	Existing	Proposed	Loss	%		
R9/F15	W12/F15	Bedroom	33.8	33.8	0	0.0		
R10/F15	W13/F15	Bedroom	25	25	0	0.0		
R11/F15	W14/F15	Kitchen	36.4	36.4	0	0.0		
R11/F15	W15/F15	Kitchen	36.2	36.2	0	0.0		
R11/F15	W16/F15	Kitchen	25	25	0	0.0		
R12/F15	W17/F15	Unknown	14.3	14.3	0	0.0		
R13/F15	W18/F15	Bedroom	32.7	32.7	0	0.0		
Ormonde Mans	ions							
R1/F19	W1/F19	Unknown	1.2	1.2	0	0.0		
R2/F19	W2/F19	Unknown	10	10	0	0.0		
R2/F19	w3/F19	Unknown	10.4	10.4	0	0.0		
R2/F19	W4/F19	Unknown	6.9	6.9	0	0.0		
R2/F19	W5/F19	Unknown	7	7	0	0.0		
R3/F19	W6/F19	Unknown	9.1	9.1	0	0.0		
R3/F19	W7/F19	Unknown	10.6	10.6	0	0.0		
R3/F19	W8/F19	Unknown	7.6	7.6	0	0.0		
R3/F19	W9/F19	Unknown	8.8	8.8	0	0.0		
1.07.1.23	,	o mano win	0.0	0.0	· ·	0.0		
R1/F20	W1/F20	Unknown	3.7	3.7	0	0.0		
R1/F20	W2/F20	Unknown	2.3	2.3	0	0.0		
R2/F20	W3/F20	Unknown	0.4	0.4	0	0.0		
R3/F20	W4/F20	Unknown	2.1	2.1	0	0.0		
R4/F20	W5/F20	Unknown	2.5	2.5	0	0.0		
R5/F20	W6/F20	Unknown	18.6	18.6	0	0.0		
R6/F20	W7/F20	Unknown	20.5	20.5	0	0.0		
R6/F20	W8/F20	Unknown	21.3	21.3	0	0.0		
R6/F20	W9/F20	Unknown	21.8	21.8	0	0.0		
R7/F20	W10/F20	Unknown	19.2	19.2	0	0.0		
R7/F20	W11/F20	Unknown	22.6	22.6	0	0.0		
R7/F20	W12/F20	Unknown	18.7	18.7	0	0.0		
R1/F21	W1/F21	Unknown	3.7	3.7	0	0.0		
R1/F21	W2/F21	Unknown	0.7	0.7	0	0.0		
R1/F21	W3/F21	Unknown	3.6	3.6	0	0.0		
R2/F21	W4/F21	Unknown	0.6	0.6	0	0.0		
R2/F21 R2/F21	W5/F21	Unknown	0.6	0.6	0	0.0		
R3/F21	W6/F21	Unknown	3.2	3.2	0	0.0		
R4/F21	W7/F21	Unknown	3.8	3.8	0	0.0		
R5/F21	W8/F21	Unknown	21.4	21.4	0	0.0		
R6/F21	W9/F21	Unknown	22.6	22.6	0	0.0		
R7/F21	W10/F21	Bedroom	24.3	24.3	0	0.0		
R7/F21	W11/F21	Bedroom	25.2	25.2	0	0.0		

Vertical Sky Component								
Room	Window	Room Use	Existing	Proposed	Loss	%		
R8/F21	W12/F21	Bedroom	25.9	25.9	0	0.0		
R9/F21	W13/F21	Bedroom	26.9	26.9	0	0.0		
R10/F21	W14/F21	Bedroom	27.4	27.4	0	0.0		
R10/F21	W15/F21	Bedroom	27.8	27.8	0	0.0		
R11/F21	W16/F21	Bedroom	28.3	28.3	0	0.0		
R11/F21	W17/F21	Bedroom	28.3	28.3	0	0.0		
R12/F21	W18/F21	Bedroom	28.5	28.5	0	0.0		
R13/F21	W19/F21	Bedroom	28.7	28.7	0	0.0		
R14/F21	W20/F21	Bedroom	28.6	28.6	0	0.0		
R14/F21	W21/F21	Bedroom	28.6	28.6	0	0.0		
R15/F21	W22/F21	Bedroom	28.2	28.2	0	0.0		
R16/F21	W23/F21	Bedroom	27.8	27.8	0	0.0		
R1/F22	W1/F22	Unknown	6.1	6.1	0	0.0		
R1/F22	W2/F22	Unknown	4.9	4.9	0	0.0		
R1/F22	W3/F22	Unknown	1.7	1.6	0.1	5.9		
R1/F22	W4/F22	Unknown	4.7	4.7	0	0.0		
R1/F22	W5/F22	Unknown	5.8	5.8	0	0.0		
R2/F22	W6/F22	Unknown	0.9	0.9	0	0.0		
R2/F22	W7/F22	Unknown	1.3	1.3	0	0.0		
R3/F22	W8/F22	Unknown	4.9	4.9	0	0.0		
R4/F22	W9/F22	Unknown	5.9	5.9	0	0.0		
R5/F22	W10/F22	Unknown	25.6	25.6	0	0.0		
R6/F22	W11/F22	Unknown	27.2	27.2	0	0.0		
R7/F22	W12/F22	Bedroom	28.7	28.7	0	0.0		
R7/F22	W13/F22	Bedroom	29.5	29.5	0	0.0		
R8/F22	W14/F22	Bedroom	30.4	30.4	0	0.0		
R9/F22	W15/F22	Bedroom	31.1	31.1	0	0.0		
D40/F33	W/4 C /E22	Dadasass	24.5	24.5	0	0.0		
R10/F22 R10/F22	W16/F22 W17/F22	Bedroom Bedroom	31.5 31.7	31.5 31.7	0 0	0.0 0.0		
	,. ==	200.00	51.7	52	ŭ	0.0		
R11/F22	W18/F22	Bedroom	31.9	31.9	0	0.0		
R11/F22	W19/F22	Bedroom	32	32	0	0.0		
R12/F22	W20/F22	Bedroom	32	32	0	0.0		
R13/F22	W21/F22	Bedroom	32	32	0	0.0		
R14/F22	W22/F22	Bedroom	32.2	32.2	0	0.0		
R14/F22	W23/F22	Bedroom	32.2	32.2	0	0.0		
R15/F22	W24/F22	Bedroom	32.2	32.2	0	0.0		
R16/F22	W25/F22	Bedroom	32.1	32.1	0	0.0		
R1/F23	W1/F23	Unknown	7.9	7.9	0	0.0		

Vertical Sky Component								
Room	Window	Room Use	Existing	Proposed	Loss	%		
R1/F23	W2/F23	Unknown	7.1	7.1	0	0.0		
R1/F23	W3/F23	Unknown	3.1	3.1	0	0.0		
R1/F23	W4/F23	Unknown	6.8	6.7	0.1	1.5		
R1/F23	W5/F23	Unknown	7.7	7.6	0.1	1.3		
K1/123	VV3/123	OTIKITOWIT	7.7	7.0	0.1	1.5		
R2/F23	W6/F23	Unknown	2.2	2.2	0	0.0		
R2/F23	W7/F23	Unknown	3	3	0	0.0		
R3/F23	W8/F23	Unknown	7.9	7.9	0	0.0		
R4/F23	W9/F23	Unknown	9.4	9.4	0	0.0		
R5/F23	W10/F23	Unknown	30.2	30.1	0.1	0.3		
R6/F23	W11/F23	Unknown	31.6	31.6	0	0.0		
D7/F33	W42/F22	Daduaan	22.0	22.0	0	0.0		
R7/F23	W12/F23	Bedroom	32.9	32.9	0	0.0		
R7/F23	W13/F23	Bedroom	33.6	33.6	0	0.0		
R8/F23	W14/F23	Bedroom	34.2	34.2	0	0.0		
R9/F23	W15/F23	Bedroom	34.7	34.7	0	0.0		
R10/F23	W16/F23	Bedroom	34.9	34.9	0	0.0		
R10/F23		Bedroom	34.9 35	35	0	0.0		
K1U/F25	W17/F23	Beuroom	35	33	U	0.0		
R11/F23	W18/F23	Bedroom	35.1	35.1	0	0.0		
R11/F23	W19/F23	Bedroom	35.2	35.1	0.1	0.3		
K11/123	W15/125	bearoom	33.2	33.1	0.1	0.5		
R12/F23	W20/F23	Bedroom	35.2	35.2	0	0.0		
R13/F23	W21/F23	Bedroom	35.3	35.3	0	0.0		
R14/F23	W22/F23	Bedroom	35.4	35.4	0	0.0		
R14/F23	W23/F23	Bedroom	35.5	35.5	0	0.0		
•	•							
R15/F23	W24/F23	Bedroom	35.6	35.6	0	0.0		
R16/F23	W25/F23	Bedroom	35.5	35.5	0	0.0		
R1/F24	W1/F24	Unknown	20.5	20.4	0.1	0.5		
R1/F24	W2/F24	Unknown	14.6	14.6	0	0.0		
R2/F24	W3/F24	Unknown	9.8	9.8	0	0.0		
R2/F24	W4/F24	Unknown	6.7	6.7	0	0.0		
R3/F24	W5/F24	Unknown	14	14	0	0.0		
R4/F24	W6/F24	Unknown	16	15.9	0.1	0.6		
R5/F24	W7/F24	Unknown	35	34.9	0.1	0.3		
R6/F24	W8/F24	Unknown	36.5	36.5	0	0.0		
R7/F24	W9/F24	Unknown	37.4	37.4	0	0.0		
R8/F24	W10/F24	Unknown	37.6	37.6	0	0.0		
R9/F24	W11/F24	Unknown	37.8	37.8	0	0.0		
R10/F24	W12/F24	Unknown	37.9	37.9	0	0.0		
32 Old Gloucest	ter Street							
				· ·				

		Vertica	al Sky Compone	ent		
Room	Window	Room Use	Existing	Proposed	Loss	%
R2/F30	W2/F30	KD	6	6	0	0.0
R2/F31	W2/F31	Bedroom	8.6	8.6	0	0.0
R2/F32	W2/F32	KD	15.1	15.1	0	0.0
Rear of 30&31 Ol	d Gloucester Street					
R1/F109	W1/F109	Unknown-Resi	8.4	8.4	0	0.0
R2/F109	W2/F109	Unknown-Resi	8.6	8.6	0	0.0
R1/F110	W1/F110	Unknown	10.6	10.6	0	0.0
R2/F110	W2/F110	Unknown	11.9	11.9	0	0.0
31 Old Glouceste	r Street					
R1/F40	W1/F40	Unknown	11	11	0	0.0
R2/F40	W2/F40	Unknown	11.6	11.6	0	0.0
R3/F40	W3/F40	Unknown	14.7	14.7	0	0.0
R1/F41	W1/F41	Unknown	14.1	14.1	0	0.0
R2/F41	W2/F41	Unknown	17.1	17.1	0	0.0
R3/F41	W3/F41	Unknown	20.1	20.1	0	0.0
R1/F42	W1/F42	Unknown	20.9	20.9	0	0.0
R2/F42	W2/F42	Unknown	21.2	21.2	0	0.0
R3/F42	W3/F42	Unknown	25.5	25.5	0	0.0
R1/F43	W1/F43	Unknown	28.8	28.8	0	0.0
43 Old Glouceste	r Street					
R2/F49	W2/F49	Bedroom	1.9	1.9	0	0.0
R1/F50	W1/F50	Kitchen	7.8	7.8	0	0.0
R1/F50	W2/F50	Kitchen	7.6	7.6	0	0.0
R3/F50	W6/F50	Bedroom	0.5	0.5	0	0.0
R3/F50 R3/F50	W7/F50 W8/F50	Bedroom Bedroom	15.7 14	15.7 14	0 0	0.0 0.0
R2/F51	W3/F51	Bedroom	10.7	10.7	0	0.0
R2/F52	W3/F52	Bedroom	15.3	15.3	0	0.0
D4 /555	1415 f===	- 1	40.0	10.0	-	2.2
R1/F53 R1/F53	W1/F53 W2/F53	Bedroom Bedroom	19.3 20.9	19.3 20.9	0 0	0.0 0.0
R3/F53	W6/F53	LD	7.9	7.9	0	0.0
R3/F53	W7/F53	LD	8	8	0	0.0
R3/F53	W8/F53	LD	8.3	8.3	0	0.0
44 Old Glouceste	r Street					

Vertical Sky Component							
Room	Window	Room Use	Existing	Proposed	Loss	%	
R2/F60 R2/F60	W2/F60 W3/F60	KD KD	8.9 8.1	7.8 7.1	1.1 1	12.4 12.3	
R4/F60	W5/F60	Living Room	7.6	7.1	0.5	6.6	
R1/F61	W1/F61	Kitchen	14.1	14	0.1	0.7	
R2/F61	W2/F61	Dining Room	9.8	9.5	0.3	3.1	
R1/F62	W1/F62	Kitchen	17.6	17.6	0	0.0	
R2/F62	W2/F62	Dining Room	14.9	14.7	0.2	1.3	
R1/F63	W1/F63	Kitchen	22.6	22.6	0	0.0	
Falcon							
R1/F69	W1/F69	Unknown	9.1	9.1	0	0.0	
R2/F69	W2/F69	Unknown	9.1	9.1	0	0.0	
R2/F69	W3/F69	Unknown	4.9	4.9	0	0.0	
R3/F69	W4/F69	Unknown	5.5	5.5	0	0.0	
R3/F69	W5/F69	Unknown	10.7	10.7	0	0.0	
R4/F69	W6/F69	Unknown	12	12	0	0.0	
R5/F69	W7/F69	Unknown	12.6	12.6	0	0.0	
R6/F69	W8/F69	Unknown	12.5	12.5	0	0.0	
R6/F69	W9/F69	Unknown	8.1	8.1	0	0.0	
R7/F69	W10/F69	Unknown	8.2	8.2	0	0.0	
R7/F69	W11/F69	Unknown	13	13	0	0.0	
R8/F69	W12/F69	Unknown	13.3	13.3	0	0.0	
R9/F69	W13/F69	Unknown	0	0	0	0.0	
R10/F69	W14/F69	Unknown	0	0	0	0.0	
R11/F69	W15/F69	Kitchen	0	0	0	0.0	
R11/F69	W16/F69	Kitchen	0	0	0	0.0	
R1/F70	W1/F70	Unknown	24.5	24.5	0	0.0	
R2/F70	W2/F70	Unknown	6.4	6.4	0	0.0	
R3/F70	W3/F70	Unknown	9.5	9.5	0	0.0	
R4/F70	W4/F70	Bedroom	11.9	11.9	0	0.0	
R5/F70	W5/F70	Living Room	12.2	12.2	0	0.0	
R5/F70	W6/F70	Living Room	2.1	2.1	0	0.0	
R6/F70	W7/F70	Living Room	2.7	2.7	0	0.0	
R6/F70	W8/F70	Living Room	14.6	14.6	0	0.0	
R7/F70	W9/F70	Bedroom	16	16	0	0.0	
R8/F70	W10/F70	Bedroom	16.7	16.7	0	0.0	
R9/F70	W11/F70	Living Room	16.7	16.7	0	0.0	

	Vertical Sky Component								
Room	Window	Room Use	Existing	Proposed	Loss	%			
R9/F70	W13/F70	Living Room	4.9	4.9	0	0.0			
R10/F70	W14/F70	Living Room	4.9	4.9	0	0.0			
R10/F70	W14/F70 W15/F70	Living Room	16.9	16.9	0	0.0			
		28	20.5	20.5	· ·	0.0			
R11/F70	W16/F70	Bedroom	17.2	17.2	0	0.0			
R12/F70	W17/F70	Unknown	0	0	0	0.0			
R13/F70	W18/F70	Unknown	0	0	0	0.0			
R14/F70	W19/F70	Kitchen	0	0	0	0.0			
R14/F70	W20/F70	Kitchen	0	0	0	0.0			
R1/F71	W1/F71	Unknown	27.4	27.4	0	0.0			
R2/F71	W2/F71	Unknown	9.3	9.3	0	0.0			
R3/F71	W3/F71	Unknown	11.9	11.9	0	0.0			
R4/F71	W4/F71	Bedroom	15	15	0	0.0			
R5/F71	W5/F71	Living Room	15.6	15.6	0	0.0			
R5/F71	W6/F71	Living Room	4.2	4.2	0	0.0			
R6/F71	W7/F71	Living Room	5.2	5.2	0	0.0			
R6/F71	W8/F71	Living Room	18.8	18.8	0	0.0			
R7/F71	W9/F71	Bedroom	20.3	20.3	0	0.0			
R8/F71	W10/F71	Bedroom	21	21	0	0.0			
R9/F71	W11/F71	Living Room	21	21	0	0.0			
R9/F71	W12/F71	Living Room	8.6	8.6	0	0.0			
R10/F71	W13/F71	Living Room	8.6	8.6	0	0.0			
R10/F71	W14/F71	Living Room	21.1	21.1	0	0.0			
0,	,	28			· ·	0.0			
R11/F71	W15/F71	Bedroom	21.4	21.4	0	0.0			
R12/F71	W16/F71	Unknown	0	0	0	0.0			
R13/F71	W17/F71	Unknown	0	0	0	0.0			
R14/F71	W18/F71	Kitchen	0	0	0	0.0			
R14/F71	W19/F71	Kitchen	0	0	0	0.0			
R1/F72	W1/F72	Unknown	30.6	30.6	0	0.0			
R2/F72	W2/F72	Unknown	12.4	12.4	0	0.0			
R3/F72	W3/F72	Unknown	14.8	14.8	0	0.0			
R4/F72	W4/F72	Bedroom	18.5	18.5	0	0.0			
R5/F72	W5/F72	Living Room	18.9	18.9	0	0.0			
R5/F72	W6/F72	Living Room	7	7	0	0.0			
D6/E72	\AJ7 /E73	Living Poom	0	0	0	0.0			
R6/F72 R6/F72	W7/F72 W8/F72	Living Room Living Room	8 22.4	8 22.4	0 0	0.0 0.0			
R7/F72	W9/F72	Bedroom	23.8	23.8	0	0.0			
•	-								

Vertical Sky Component									
Room	Window	Room Use	Existing	Proposed	Loss	%			
R8/F72	W10/F72	Bedroom	24.6	24.6	0	0.0			
R9/F72	W11/F72	Living Room	24.5	24.5	0	0.0			
R9/F72	W12/F72	Living Room	11.5	11.5	0	0.0			
	·	· ·							
R10/F72	W13/F72	Living Room	11.5	11.5	0	0.0			
R10/F72	W14/F72	Living Room	24.8	24.8	0	0.0			
R11/F72	W15/F72	Bedroom	25.1	25.1	0	0.0			
R12/F72	W16/F72	Unknown	0.1	0.1	0	0.0			
R13/F72	W17/F72	Unknown	0	0	0	0.0			
R14/F72	W18/F72	Kitchen	0	0	0	0.0			
R14/F72	W19/F72	Kitchen	0.1	0.1	0	0.0			
R1/F73	W1/F73	Unknown	33.6	33.6	0	0.0			
R2/F73	W2/F73	Unknown	16.3	16.3	0	0.0			
R3/F73	W3/F73	Unknown	18.1	18.1	0	0.0			
R4/F73	W4/F73	Bedroom	22.5	22.5	0	0.0			
DE /E33	ME (572	Linda - Baran	22.7	22.7	0	0.0			
R5/F73 R5/F73	W5/F73 W6/F73	Living Room Living Room	22.7 9.8	22.7 9.8	0 0	0.0 0.0			
R6/F73	W7/F73	Living Room	10.5	10.5	0	0.0			
R6/F73	W8/F73	Living Room	25	25	0	0.0			
R7/F73	W9/F73	Bedroom	26.3	26.3	0	0.0			
R8/F73	W10/F73	Bedroom	26.9	26.9	0	0.0			
R9/F73	W11/F73	Living Room	26.7	26.7	0	0.0			
R9/F73	W12/F73	Living Room	13.1	13.1	0	0.0			
R10/F73	W13/F73	Living Room	13.2	13.2	0	0.0			
R10/F73	W13/F73 W14/F73	Living Room	26.9	26.9	0	0.0			
		-							
R11/F73	W15/F73	Bedroom	27.2	27.2	0	0.0			
R12/F73	W16/F73	Unknown	0.2	0.2	0	0.0			
R13/F73	W17/F73	Unknown	0	0	0	0.0			
R14/F73	W18/F73	Kitchen	0	0	0	0.0			
R14/F73	W19/F73	Kitchen	0.3	0.3	0	0.0			
R1/F74	W1/F74	Unknown	36.1	36.1	0	0.0			
R2/F74	W2/F74	Unknown	20.1	20.1	0	0.0			
R3/F74	W3/F74	Unknown	21.8	21.8	0	0.0			
R4/F74	W4/F74	Bedroom	26.8	26.8	0	0.0			
R5/F74	W5/F74	Living Room	26.5	26.5	0	0.0			
R5/F74	W6/F74	Living Room	12.5	12.5	0	0.0			
R6/F74	W7/F74	Living Room	12.8	12.8	0	0.0			
R6/F74	W8/F74	Living Room	27.7	27.7	0	0.0			

Vertical Sky Component									
Room	Window	Room Use	Existing	Proposed	Loss	%			
R7/F74	W9/F74	Bedroom	28.8	28.8	0	0.0			
R8/F74	W10/F74	Bedroom	29.1	29.1	0	0.0			
R9/F74	W11/F74	Living Room	28.7	28.7	0	0.0			
R9/F74	W12/F74	Living Room	14.4	14.4	0	0.0			
R10/F74	W13/F74	Living Room	14.3	14.3	0	0.0			
R10/F74	W14/F74	Living Room	28.6	28.6	0	0.0			
R11/F74	W15/F74	Bedroom	28.9	28.9	0	0.0			
R12/F74	W16/F74	Unknown	0.4	0.4	0	0.0			
R13/F74	W17/F74	Unknown	0	0	0	0.0			
R14/F74	W18/F74	Kitchen	0	0	0	0.0			
R14/F74	W19/F74	Kitchen	0.6	0.6	0	0.0			
R1/F75	W1/F75	Unknown	37.7	37.7	0	0.0			
R2/F75	W2/F75	Unknown	24.3	24.3	0	0.0			
R3/F75	W3/F75	Unknown	25.9	25.9	0	0.0			
R4/F75	W4/F75	Bedroom	31.1	31.2	-0.1	-0.3			
R5/F75	W5/F75	Living Room	30.4	30.4	0	0.0			
R5/F75	W6/F75	Living Room	15.5	15.5	0	0.0			
R6/F75	W7/F75	Living Room	15.5	15.5	0	0.0			
R6/F75	W8/F75	Living Room	30.5	30.5	0	0.0			
R7/F75	W9/F75	Bedroom	31.2	31.2	0	0.0			
R8/F75	W10/F75	Bedroom	31.3	31.3	0	0.0			
R9/F75	W11/F75	Living Room	30.7	30.7	0	0.0			
R9/F75	W12/F75	Living Room	15.9	15.9	0	0.0			
R10/F75	W13/F75	Living Room	15.8	15.8	0	0.0			
R10/F75	W14/F75	Living Room	30.3	30.3	0	0.0			
R11/F75	W15/F75	Bedroom	30.5	30.5	0	0.0			
R12/F75	W16/F75	Unknown	0.7	0.7	0	0.0			
R13/F75	W17/F75	Unknown	0	0	0	0.0			
R14/F75	W18/F75	Kitchen	0	0	0	0.0			
R14/F75	W19/F75	Kitchen	0.9	0.9	0	0.0			
R1/F76	W1/F76	Unknown	38.6	38.6	0	0.0			
R2/F76	W2/F76	Unknown	34.1	34.1	0	0.0			
R3/F76	W3/F76	Bedroom	34.6	34.6	0	0.0			
R4/F76	W4/F76	Living Room	34.5	34.5	0	0.0			
R4/F76	W5/F76	Living Room	23.5	23.5	0	0.0			
R5/F76	W7/F76	Living Room	23.3	23.3	0	0.0			

		Vertica	al Sky Compone	ent		
Room	Window	Room Use	Existing	Proposed	Loss	%
R5/F76	W8/F76	Living Room	34.3	34.3	0	0.0
R6/F76	W9/F76	Bedroom	34	34	0	0.0
R7/F76	W10/F76	Bedroom	33.8	33.8	0	0.0
R8/F76	W11/F76	Living Room	33.8	33.8	0	0.0
R8/F76	W12/F76	Living Room	22.9	22.9	0	0.0
R9/F76	W13/F76	Living Room	22.6	22.6	0	0.0
R9/F76	W14/F76	Living Room	33.3	33.3	0	0.0
R10/F76	W15/F76	Bedroom	32.8	32.8	0	0.0
36-38&39 Bosw	rell Street					
R1/F79	W1/F79	LKD	4.1	4.1	0	0.0
R1/F79	W2/F79	LKD	12.7	12.7	0	0.0
R1/F79	W3/F79	LKD	2.4	2.4	0	0.0
R2/F79	W4/F79	LKD	12.8	12.8	0	0.0
R2/F79	W5/F79	LKD	4.6	4.6	0	0.0
R3/F79	W6/F79	LD	8.9	8.9	0	0.0
R3/F79	W7/F79	LD	13.9	13.9	0	0.0
R4/F79	W8/F79	Bedsit	9.8	9.8	0	0.0
R4/F79	W9/F79	Bedsit	9.4	9.4	0	0.0
R5/F79	W10/F79	Living Room	0.7	0.7	0	0.0
R5/F79	W11/F79	Living Room	5.7	5.7	0	0.0
R5/F79	W11/F79 W12/F79	Living Room	3.7	3.7	0	0.0
R1/F80	W1/F80	Unknown	5.6	5.5	0.1	1.8
R2/F80	W5/F80	Unknown	1.1	1.1	0	0.0
R2/F80	W6/F80	Unknown	3.4	3.4	0	0.0
R3/F80	W7/F80	Unknown	4.1	4.1	0	0.0
R4/F80	W10/F80	Unknown	0.7	0.7	0	0.0
R5/F80	W8/F80	Unknown	13.8	13.8	0	0.0
R5/F80	W9/F80	Unknown	10.3	10.3	0	0.0
R1/F81	W1/F81	Unknown	4.1	4.1	0	0.0
R1/F81	W2/F81	Unknown	2.9	2.9	0	0.0
R2/F81	W3/F81	Unknown	1.7	1.7	0	0.0
R3/F81	W4/F81	Unknown	0.7	0.7	0	0.0
R4/F81	W8/F81	Unknown	2	2	0	0.0
R4/F81	W9/F81	Unknown	3.8	3.8	0	0.0
R5/F81	W10/F81	Unknown	5.4	5.4	0	0.0
DC /F01	W44 /F04	Holmanna	15.2	15.3	0	0.0
R6/F81 R6/F81	W11/F81 W12/F81	Unknown Unknown	15.3 11.6	15.3 11.6	0 0	0.0 0.0
R7/F81	W13/F81	Unknown	1	1	0	0.0
R1/F82	W1/F82	Unknown	5.3	5.3	0	0.0

Room	Window	Room Use	Existing	Proposed	Loss	%							
R1/F82	W2/F82	Unknown			0	0.0							
R2/F82	W3/F82	Unknown	2.1	2.1	0	0.0							
R3/F82	W4/F82	Unknown	0.9	0.9	0	0.0							
K3/F0Z	VV4/F62	Olikilowii	0.9	0.9	U	0.0							
R4/F82	W8/F82	Unknown	2.9	2.9	0	0.0							
R4/F82	W9/F82	Unknown	5	5	0	0.0							
R5/F82	W10/F82	Unknown	6.8	6.8	0	0.0							
R6/F82	W11/F82	Unknown	17.1	17.1	0	0.0							
R6/F82	W12/F82	Unknown	13.1	13.1	0	0.0							
R7/F82	W13/F82	Unknown	2.1	2.1	0	0.0							
R1/F83	W1/F83	Unknown	8.8	8.8	0	0.0							
R1/F83	W2/F83	Unknown	6.9	6.9	0	0.0							
R2/F83	W3/F83	Unknown	3.4	3.4	0	0.0							
R3/F83	W4/F83	Unknown	1.8	1.8	0	0.0							
R4/F83	W8/F83	Unknown	5.1	5.1	0	0.0							
R4/F83	W9/F83	Unknown	8.2	8.2	0	0.0							
R5/F83	W10/F83	Unknown	10.3	10.3	0	0.0							
R6/F83	W11/F83	Unknown	5.7	5.7	0	0.0							
R1/F84	W1/F84	Unknown	7.7	7.7	0	0.0							
R1/F84	W2/F84	Unknown	5.6	5.6	0	0.0							
R2/F84	W3/F84	Unknown	2.7	2.7	0	0.0							
R3/F84	W4/F84	Unknown	1.4	1.4	0	0.0							
R4/F84	W8/F84	Unknown	3.9	3.9	0	0.0							
R4/F84	W9/F84	Unknown	6.4	6.4	0	0.0							
R5/F84	W10/F84	Unknown	9.2	9.2	0	0.0							
R6/F84	W13/F84	Unknown	8.6	8.6	0	0.0							
R7/F84	W14/F84	Unknown	7.3	7.3	0	0.0							
R8/F84	W15/F84	Unknown	5.9	5.9	0	0.0							
R1/F85	W1/F85	Kitchen	34.2	34.2	0	0.0							
R4/F85	W4/F85	Kitchen	31.6	31.6	0	0.0							
R5/F85	W5/F85	Unknown	32.1	32.1	0	0.0							
R6/F85	W6/F85	Unknown	31.1	31.1	0	0.0							
R7/F85	W7/F85	Unknown	30.2	30.2	0	0.0							
R8/F85	W8/F85	Unknown	28.6	28.6	0	0.0							
34&35 Boswell	Street												
R1/F90	W1/F90	Unknown	13.4	13.4	0	0.0							

		Vertic	al Sky Compone	ent		
Room	Window	Room Use	Existing	Proposed	Loss	%
R1/F90	W2/F90	Unknown	9.8	9.8	0	0.0
R1/F90	W6/F90	Unknown	22.1	22.1	0	0.0
R2/F90	W7/F90	Unknown	12.3	12.3	0	0.0
R3/F90	W4/F90	Unknown	8.7	8.7	0	0.0
R3/F90	W5/F90	Unknown	10	10	0	0.0
R1/F91	W1/F91	Unknown	17.3	17.3	0	0.0
R1/F91	W2/F91	Unknown	25.1	25.1	0	0.0
R1/F91	W3/F91	Unknown	15.5	15.5	0	0.0
R1/F91	W4/F91	Unknown	11.4	11.4	0	0.0
R2/F91	W8/F91	Unknown	15	15	0	0.0
R3/F91	W6/F91	Unknown	11.8	11.8	0	0.0
R3/F91	W7/F91	Unknown	13	13	0	0.0
R1/F92	W1/F92	Unknown	19.7	19.7	0	0.0
R1/F92	W2/F92	Unknown	17.7	17.7	0	0.0
R2/F92	W3/F92	Unknown	29.6	29.6	0	0.0
R2/F92	W4/F92	Unknown	29.6	29.6	0	0.0
R3/F92	W5/F92	Unknown	27.8	27.8	0	0.0
R1/F93	W1/F93	Unknown	29	29	0	0.0
R1/F93	W2/F93	Unknown	24.2	24.2	0	0.0
R2/F93	W3/F93	Unknown	32.6	32.6	0	0.0
R2/F93	W4/F93	Unknown	32.5	32.5	0	0.0
R3/F93	W5/F93	Unknown	30.8	30.8	0	0.0
33 Boswell Stre	et					
R1/F100	W1/F100	Unknown	12.2	12.2	0	0.0
R1/F101	W1/F101	Unknown	8.7	8.7	0	0.0
R2/F101	W2/F101	Unknown	17.7	17.7	0	0.0
R1/F102	W1/F102	Unknown	15.9	15.9	0	0.0
R2/F102	W2/F102	Unknown	26.5	26.5	0	0.0
R1/F103	W1/F103	Unknown	29.2	29.1	0.1	0.3
R1/F103	W3/F104	Unknown	28.3	28.3	0	0.0

No Skyline (NSL)

Room/ Floor	Room Use	Whole Room	Prev sq ft	New sq ft	Loss sq ft	%Loss	%Prev	%New
Bristol House								
R1/F09	Unknown	105.63	41.99	41.33	0.66	1.57	39.76	39.13
R2/F09	Unknown	81.04	24.96	24.96	0.00	0.00	30.80	30.80
R3/F09 R1/F10	Unknown Unknown	75.56 172.04	28.45 145.04	28.42 145.04	0.03 0.00	0.10 0.00	37.65 84.30	37.62 84.30
R2/F10 R2/F10	Unknown	112.62	109.64	109.62	0.02	0.00	97.35	97.34
R3/F10	Unknown	152.90	150.25	150.22	0.03	0.02	98.27	98.25
R4/F10	Unknown	105.52	98.55	98.52	0.03	0.03	93.39	93.37
R5/F10	Unknown	109.71	90.25	89.77	0.48	0.53	82.26	81.83
R1/F11	Bedroom	113.01	92.11	92.11	0.00	0.00	81.51	81.51
R2/F11	Unknown	68.63	51.13	51.13	0.00	0.00	74.49	74.49
R3/F11 R4/F11	Kitchen Unknown	280.37 85.72	276.94 84.30	276.94 84.29	0.00 0.00	0.00 0.01	98.78 98.34	98.78 98.33
R5/F11	Unknown	49.45	48.91	48.91	0.00	0.00	98.90	98.90
R6/F11	Unknown	127.14	126.05	126.05	0.00	0.00	99.14	99.14
R7/F11	Unknown	105.52	98.66	98.66	0.00	0.00	93.50	93.50
R8/F11	Unknown	109.71	87.69	87.32	0.36	0.42	79.93	79.59
R9/F11	Unknown	121.81	93.32	93.32	0.00	0.00	76.62	76.62
R10/F11	Living Room	233.33	109.47	109.48	0.00	0.00	46.92	46.92
R11/F11	Bedroom	99.84	71.40	71.40	0.00	0.00	71.52	71.52
R12/F11 R13/F11	Bedroom Kitchen	192.49 269.11	105.88 197.03	105.97 196.86	-0.09 0.17	-0.08 0.09	55.01 73.22	55.05 73.15
R13/F11 R14/F11	Unknown	65.40	51.13	51.13	0.17	0.09	73.22 78.18	73.15 78.18
R15/F11	Bedroom	70.18	57.64	57.63	0.01	0.02	82.13	82.11
R1/F12	Bedroom	113.01	101.55	101.55	0.00	0.00	89.87	89.87
R2/F12	Unknown	68.63	51.78	51.78	0.00	0.00	75.45	75.45
R3/F12	Kitchen	280.37	278.07	278.07	0.00	0.00	99.18	99.18
R4/F12	Unknown	85.72	84.43	84.43	0.00	0.00	98.49	98.49
R5/F12	Unknown	49.45	49.03	49.03	0.00	0.00	99.15	99.15
R6/F12	Unknown	127.14	126.06	126.06	0.00	0.00	99.15	99.15
R7/F12 R8/F12	Unknown Unknown	105.52 109.71	103.09 95.38	103.09 95.36	0.00 0.02	0.00 0.02	97.69 86.94	97.69 86.92
R9/F12	Unknown	121.81	107.96	107.96	0.02	0.02	88.64	88.64
R10/F12	Living Room	233.33	158.64	158.64	0.00	0.00	67.99	67.99
R11/F12	Bedroom	99.84	85.76	85.76	0.00	0.00	85.90	85.90
R12/F12	Bedroom	192.49	142.63	142.63	0.00	0.00	74.10	74.10
R13/F12	Kitchen	269.11	241.12	241.13	-0.01	0.00	89.60	89.60
R14/F12	Unknown	65.40	51.85	51.85	0.00	0.00	79.28	79.28
R15/F12	Bedroom	70.18	60.31	60.32	0.00	0.00	85.94	85.94
R1/F13 R2/F13	Bedroom Unknown	113.01 68.63	108.61 52.25	108.61 52.25	0.00 0.00	0.00 0.00	96.11 76.14	96.11
R3/F13	Kitchen	280.37	278.00	278.00	0.00	0.00	99.16	76.14 99.16
R4/F13	Unknown	111.29	74.64	74.64	0.00	0.00	67.07	67.07
R5/F13	Unknown	103.24	87.67	87.67	0.00	0.00	84.92	84.92
R6/F13	Unknown	84.24	60.60	60.60	0.00	0.00	71.94	71.94
R7/F13	Unknown	87.51	61.92	61.92	0.00	0.00	70.75	70.75
R8/F13	Unknown	121.81	118.52	118.52	0.00	0.00	97.30	97.30
R9/F13	Living Room	233.33	223.62	223.62	0.00	0.00	95.84	95.84
R10/F13 R11/F13	Bedroom Bedroom	99.84 192.49	95.90 175.62	95.90 175.62	0.00 0.00	0.00 0.00	96.06 91.24	96.06 91.24
R12/F13 R12/F13	Kitchen	269.11	260.26	260.26	0.00	0.00	96.71	96.71
R13/F13	Unknown	65.40	52.09	52.09	0.00	0.00	79.64	79.64
R14/F13	Bedroom	70.18	61.90	61.90	0.00	0.00	88.19	88.19
R15/F13	Bedroom	159.44	129.11	129.11	0.00	0.00	80.98	80.98
R16/F13	Bedroom	80.92	78.78	78.78	0.00	0.00	97.36	97.36
R17/F13	Living Room	112.45	98.18	98.18	0.00	0.00	87.31	87.31
R1/F14	Bedroom	113.01	110.34	110.34	0.00	0.00	97.64	97.64
R2/F14	Unknown	68.63 280.37	54.80 277.98	54.80	0.00	0.00	79.84	79.84
R3/F14 R4/F14	Kitchen Bedroom	159.44	131.21	277.98 131.21	0.00 0.00	0.00 0.00	99.15 82.29	99.15 82.29
R5/F14	Bedroom	80.92	79.09	79.09	0.00	0.00	97.73	97.73
R6/F14	Living Room	112.45	99.34	99.34	0.00	0.00	88.34	88.34
R7/F14	Unknown	24.22	23.59	23.59	0.00	0.00	97.39	97.39
R8/F14	Unknown	121.81	119.94	119.94	0.00	0.00	98.47	98.47
R9/F14	Living Room	233.33	225.46	225.46	0.00	0.00	96.63	96.63
R10/F14	Bedroom	99.84	97.01	97.01	0.00	0.00	97.17	97.17
R11/F14	Bedroom	192.49	177.06	177.06	0.00	0.00	91.98	91.98
R12/F14	Kitchen	269.11	266.57	266.57	0.00	0.00	99.05	99.05
R14/F14 R15/F14	Unknown Bedroom	65.40 70.18	54.63 64.43	54.63 64.43	0.00 0.00	0.00 0.00	83.53 91.81	83.53 91.81
R1/F15	Bedroom	113.01	110.50	110.50	0.00	0.00	91.81	91.81
R2/F15	Unknown	68.63	66.69	66.69	0.00	0.00	97.17	97.17
R3/F15	Kitchen	280.37	276.23	276.23	0.00	0.00	98.53	98.53
R4/F15	Bedroom	159.44	137.03	137.03	0.00	0.00	85.95	85.95
R5/F15	Bedroom	80.92	79.40	79.40	0.00	0.00	98.12	98.12

Room/	Room Use	Whole	Prev	New	Loss	%Loss	%Prev	%New
Floor		Room	sq ft	sq ft	sq ft			
R6/F15	Living Room	112.45	94.93	94.93	0.00	0.00	84.42	84.42
R7/F15 R8/F15	Unknown	121.81 233.33	118.81 229.00	118.81 229.00	0.00 0.00	0.00 0.00	97.54 98.15	97.54 98.15
R9/F15	Living Room Bedroom	99.84	97.50	97.50	0.00	0.00	97.66	97.66
R10/F15	Bedroom	192.49	180.06	180.06	0.00	0.00	93.54	93.54
R11/F15	Kitchen	269.11	265.66	265.66	0.00	0.00	98.72	98.72
R12/F15	Unknown	65.40	63.86	63.86	0.00	0.00	97.63	97.63
R13/F15	Bedroom	70.18	66.58	66.58	0.00	0.00	94.86	94.86
Ormonde Mansio	ons							
R1/F19	Unknown Unknown	104.22	4.24	4.24	0.00	0.00	4.07	4.07
R2/F19 R3/F19	Unknown	268.25 270.38	209.59 188.13	209.59 188.13	0.00 0.00	0.00 0.00	78.13 69.58	78.13 69.58
R1/F20	Unknown	37.91	15.39	15.31	0.08	0.50	40.60	40.39
R2/F20	Unknown	49.06	5.47	5.47	0.00	0.00	11.16	11.16
R3/F20	Unknown	104.22	7.34	7.14	0.19	2.65	7.04	6.85
R4/F20	Unknown	104.31	8.23	8.10	0.13	1.58	7.89	7.77
R5/F20 R6/F20	Unknown Unknown	171.32 268.25	157.06 249.29	157.06 249.29	0.00 0.00	0.00 0.00	91.68 92.93	91.68 92.93
R7/F20	Unknown	270.38	269.52	269.52	0.00	0.00	92.93	92.93
R1/F21	Unknown	37.91	15.55	15.48	0.07	0.45	41.02	40.83
R2/F21	Unknown	49.06	6.14	6.14	0.00	0.00	12.52	12.52
R3/F21	Unknown	104.22	11.24	11.03	0.21	1.84	10.79	10.59
R4/F21	Unknown	104.31	12.94	12.70	0.24	1.88	12.41	12.18
R5/F21	Unknown	108.09	100.19	99.80	0.39	0.39	92.69	92.33
R6/F21 R7/F21	Unknown Bedroom	60.39 169.11	54.20 163.94	54.21 163.94	0.00 0.00	-0.01 0.00	89.76 96.94	89.77 96.94
R8/F21	Bedroom	95.17	90.80	90.80	0.00	0.00	95.40	95.40
R9/F21	Bedroom	104.37	100.42	100.42	0.00	0.00	96.22	96.22
R10/F21	Bedroom	161.61	158.69	158.69	0.00	0.00	98.20	98.20
R11/F21	Bedroom	173.00	170.98	170.98	0.00	0.00	98.83	98.83
R12/F21	Bedroom	92.95	90.34	90.34 89.87	0.00	0.00	97.19	97.19
R13/F21 R14/F21	Bedroom Bedroom	93.46 170.74	89.87 167.87	89.87 167.87	0.00 0.00	0.00 0.00	96.16 98.32	96.16 98.32
R15/F21	Bedroom	89.70	87.02	87.02	0.00	0.00	97.02	97.02
R16/F21	Bedroom	114.52	111.40	111.40	0.00	0.00	97.27	97.27
R1/F22	Unknown	37.91	20.45	20.29	0.16	0.78	53.94	53.52
R2/F22	Unknown	49.06	12.22	12.22	0.00	0.00	24.92	24.92
R3/F22 R4/F22	Unknown Unknown	104.22 104.31	16.09 19.62	15.99 19.15	0.10 0.47	0.60 2.41	15.43 18.81	15.34 18.36
R5/F22	Unknown	108.09	103.52	103.52	0.00	0.00	95.77	95.77
R6/F22	Unknown	60.39	59.12	59.12	0.00	0.00	97.90	97.90
R7/F22	Bedroom	169.11	166.74	166.74	0.00	0.00	98.60	98.60
R8/F22	Bedroom	95.17	92.83	92.83	0.00	0.00	97.54	97.54
R9/F22	Bedroom	104.37	101.43	101.43	0.00	0.00	97.18	97.18
R10/F22 R11/F22	Bedroom Bedroom	161.61 173.00	159.94 170.97	159.94 170.97	0.00 0.00	0.00 0.00	98.97 98.83	98.97 98.83
R12/F22	Bedroom	92.95	90.40	90.40	0.00	0.00	97.25	97.25
R13/F22	Bedroom	93.46	90.79	90.79	0.00	0.00	97.13	97.13
R14/F22	Bedroom	170.74	167.89	167.89	0.00	0.00	98.33	98.33
R15/F22	Bedroom	89.70	87.36	87.36	0.00	0.00	97.40	97.40
R16/F22	Bedroom	114.52	111.46	111.46	0.00	0.00	97.32	97.32
R1/F23 R2/F23	Unknown Unknown	37.91 49.06	21.56 21.14	21.56 21.14	0.00 0.00	0.00 0.00	56.88 43.09	56.88 43.09
R3/F23	Unknown	104.22	28.38	28.38	0.00	0.00	27.23	27.23
R4/F23	Unknown	104.31	33.50	33.42	0.07	0.22	32.11	32.04
R5/F23	Unknown	108.07	105.50	105.50	0.00	0.00	97.62	97.62
R6/F23	Unknown	60.39	59.10	59.10	0.00	0.00	97.87	97.87
R7/F23	Bedroom	173.75	171.25 92.76	171.25	0.00 0.00	0.00	98.56 97.46	98.56 97.46
R8/F23 R9/F23	Bedroom Bedroom	95.17 104.53	92.76 101.54	92.76 101.54	0.00	0.00 0.00	97.46 97.14	97.46 97.14
R10/F23	Bedroom	157.75	156.08	156.08	0.00	0.00	98.94	98.94
R11/F23	Bedroom	173.00	170.98	170.98	0.00	0.00	98.83	98.83
R12/F23	Bedroom	92.95	90.41	90.41	0.00	0.00	97.26	97.26
R13/F23	Bedroom	93.46	90.80	90.80	0.00	0.00	97.15	97.15
R14/F23	Bedroom	170.74	167.94	167.94	0.00	0.00	98.36	98.36
R15/F23 R16/F23	Bedroom Bedroom	89.70 114.52	87.33 111.62	87.33 111.62	0.00 0.00	0.00 0.00	97.36 97.47	97.36 97.47
R1/F24	Unknown	37.91	34.89	34.89	0.00	0.00	92.04	92.04
R2/F24	Unknown	49.06	46.66	46.66	0.00	0.00	95.12	95.12
R3/F24	Unknown	104.22	61.73	61.73	0.00	0.00	59.24	59.24
R4/F24	Unknown	104.31	68.70	68.70	0.00	0.00	65.86	65.86
R5/F24	Unknown	143.06	127.33	127.28	0.05	0.04	89.01	88.97
R6/F24 R7/F24	Unknown Unknown	146.16 229.61	140.35 206.82	140.35 206.82	0.00 0.00	0.00 0.00	96.02 90.07	96.02 90.07
R7/F24 R8/F24	Unknown	233.06	209.01	209.01	0.00	0.00	90.07 89.68	90.07 89.68
,. 27	OHRHOWH	233.00	203.01	203.01	0.00	0.00	33.00	55.00

Room/		Whole	Prev	New	Loss			
Floor	Room Use	Room	sq ft	sq ft	sq ft	%Loss	%Prev	%New
R9/F24 R10/F24	Unknown Unknown	239.17 187.55	211.26 174.78	211.26 174.78	0.00 0.00	0.00 0.00	88.33 93.19	88.33 93.19
32 Old Glouceste								
R2/F30	KD	112.12	20.03	20.03	0.00	0.00	17.87	17.87
R2/F31	Bedroom	85.59	44.38	44.38	0.00	0.00	51.85	51.85
R2/F32	KD	127.84	63.54	63.54	0.00	0.00	49.70	49.70
Rear of 30&31 Ol	d Gloucester Street							
R1/F109	Unknown-Resi	86.86	19.26	19.26	0.00	0.00	22.17	22.17
R2/F109 R1/F110	Unknown-Resi Unknown	85.65 88.22	15.49 26.30	15.49 26.30	0.00 0.00	0.00 0.00	18.08 29.81	18.08 29.81
R2/F110	Unknown	87.01	24.91	24.91	0.00	0.00	28.62	28.62
31 Old Glouceste	r Street							
R1/F40	Unknown	86.65	32.24	32.24	0.00	0.00	37.21	37.21
R2/F40	Unknown	127.04	31.64	31.64	0.00	0.00	24.90	24.90
R3/F40	Unknown	12.25	12.12	12.12	0.00	0.00	98.98	98.98
R1/F41	Unknown	86.65	55.45	55.45	0.00	0.00	63.99	63.99
R2/F41	Unknown	127.04	57.57	57.57	0.00	0.00	45.32	45.32
R3/F41	Unknown	12.25	12.13	12.13	0.00	0.00	99.00	99.00
R1/F42 R2/F42	Unknown Unknown	86.65 127.04	83.89 62.25	83.89 62.25	0.00 0.00	0.00 0.00	96.82 49.00	96.82 49.00
R3/F42	Unknown	12.25	12.18	12.18	0.00	0.00	99.46	99.46
R1/F43	Unknown	86.65	84.86	84.86	0.00	0.00	97.94	97.94
43 Old Glouceste	r Street							
R2/F49	Bedroom	136.01	18.94	18.94	0.00	0.00	13.92	13.92
R1/F50	Kitchen	52.73	49.99	49.99	0.00	0.00	94.80	94.80
R3/F50	Bedroom	329.63	228.47	220.82	7.65	3.35	69.31	66.99
R2/F51	Bedroom	118.10	51.31	51.31	0.00	0.00	43.45	43.45
R2/F52 R1/F53	Bedroom	116.81 78.62	63.21 58.48	63.21 58.48	0.00 0.00	0.00	54.11 74.39	54.11 74.39
R3/F53	Bedroom LD	99.66	27.34	27.34	0.00	0.00 0.00	27.43	27.43
44 Old Glouceste	r Street							
R2/F60	KD	125.70	82.94	68.59	14.36	17.31	65.99	54.56
R4/F60	Living Room	132.54	51.03	46.81	4.23	8.28	38.50	35.32
R1/F61	Kitchen	45.51	28.30	28.30	0.00	0.00	62.20	62.20
R2/F61 R1/F62	Dining Room Kitchen	132.54 45.51	54.89 34.96	51.60 34.96	3.29 0.00	6.00 0.00	41.42 76.82	38.93 76.82
R2/F62	Dining Room	132.54	61.97	60.08	1.89	3.04	46.76	45.33
R1/F63	Kitchen	132.54	82.81	82.81	0.00	0.00	62.48	62.48
Falcon								
R1/F69	Unknown	155.93	49.36	49.36	0.00	0.00	31.66	31.66
R2/F69	Unknown	232.49	82.73	82.71	0.02	0.02	35.58	35.57
R3/F69	Unknown	236.90	92.97	92.97	0.00	0.00	39.24	39.24
R4/F69	Unknown	153.47	60.52	60.52	0.00	0.00	39.43	39.43
R5/F69 R6/F69	Unknown Unknown	152.01 234.36	60.85 91.62	60.85 91.62	0.00 0.00	0.00 0.00	40.03 39.09	40.03 39.09
R7/F69	Unknown	234.27	93.81	93.81	0.00	0.00	40.04	40.04
R8/F69	Unknown	122.43	51.17	51.17	0.00	0.00	41.79	41.79
R9/F69	Unknown	39.94	19.00	19.00	0.00	0.00	47.58	47.58
R10/F69	Unknown	10.86	0.00	0.00	0.00	0.00	0.00	0.00
R11/F69	Kitchen	103.31	21.29	21.29	0.00	0.00	20.61	20.61
R1/F70	Unknown	194.18	178.12	178.12	0.00	0.00	91.73	91.73
R2/F70	Unknown	106.68	37.29 27.47	37.29	0.00	-0.01	34.95	34.96
R3/F70 R4/F70	Unknown Bedroom	30.49 124.57	27.47 56.63	27.47 56.63	0.00 0.00	0.00 0.00	90.10 45.46	90.10 45.46
R5/F70	Living Room	177.20	78.35	78.35	0.00	0.00	44.22	44.22
R6/F70	Living Room	180.67	94.19	94.19	0.00	0.00	52.14	52.14
R7/F70	Bedroom	122.35	78.58	78.58	0.00	0.00	64.22	64.22
R8/F70	Bedroom	121.29	78.26	78.26	0.00	0.00	64.52	64.52
R9/F70	Living Room	178.78	96.45	96.45	0.00	0.00	53.95	53.95
R10/F70	Living Room	179.14	99.35	99.35	0.00	0.00	55.46	55.46
R11/F70	Bedroom	96.97	63.67	63.67	0.00	0.00	65.65	65.65
R12/F70	Unknown Unknown	39.94 10.86	25.34 0.00	25.34 0.00	0.00 0.00	0.00 0.00	63.45 0.00	63.45 0.00
K13/F/U					0.00	0.00	0.00	0.00
R13/F70 R14/F70	Kitchen	103.31	32.13	32.13	0.00	0.00	31.10	31.10

Room/	Room Use	Whole	Prev	New	Loss	%Loss	%Prev	%New
Floor	Unknown	Room	sq ft	sq ft	sq ft 0.00		40.38	
R2/F71 R3/F71	Unknown	106.68 30.49	43.08 27.11	43.08 27.11	0.00	0.00 0.00	88.93	40.39 88.93
R4/F71	Bedroom	124.57	70.13	70.35	-0.23	-0.32	56.30	56.48
R5/F71	Living Room	177.20	143.70	143.70	0.00	0.00	81.10	81.10
R6/F71	Living Room	180.67	160.24	160.24	0.00	0.00	88.70	88.70
R7/F71	Bedroom	122.35	116.43	116.43	0.00	0.00	95.16	95.16
R8/F71 R9/F71	Bedroom Living Room	121.29 178.78	115.33 167.53	115.33 167.53	0.00 0.00	0.00 0.00	95.09 93.71	95.09 93.71
R10/F71	Living Room	179.14	167.41	167.41	0.00	0.00	93.45	93.45
R11/F71	Bedroom	96.97	93.32	93.32	0.00	0.00	96.24	96.24
R12/F71	Unknown	39.94	29.87	29.87	0.00	0.00	74.80	74.80
R13/F71	Unknown	10.86	0.00	0.00	0.00	0.00	0.00	0.00
R14/F71 R1/F72	Kitchen Unknown	103.31 194.18	39.74 186.26	39.74 186.26	0.00 0.00	0.00 0.00	38.47 95.92	38.47 95.92
R2/F72	Unknown	106.68	53.49	53.49	0.00	0.00	50.14	50.14
R3/F72	Unknown	30.49	27.48	27.48	0.00	0.00	90.13	90.13
R4/F72	Bedroom	124.57	83.69	83.69	0.00	0.00	67.19	67.19
R5/F72	Living Room	177.20	159.62	159.62	0.00	0.00	90.08	90.08
R6/F72 R7/F72	Living Room Bedroom	180.67 122.35	179.02 121.82	179.02 121.82	0.00 0.00	0.00 0.00	99.09 99.57	99.09 99.57
R8/F72	Bedroom	121.29	120.74	120.74	0.00	0.00	99.54	99.54
R9/F72	Living Room	178.78	177.46	177.46	0.00	0.00	99.26	99.26
R10/F72	Living Room	179.14	177.75	177.75	0.00	0.00	99.22	99.22
R11/F72	Bedroom	96.97	96.70	96.70	0.00	0.00	99.72	99.72
R12/F72	Unknown	39.94	34.89	34.89	0.00	0.00	87.35	87.35
R13/F72 R14/F72	Unknown Kitchen	10.86 103.31	0.00 48.34	0.00 48.34	0.00 0.00	0.00 0.00	0.00 46.80	0.00 46.80
R1/F73	Unknown	194.18	186.50	186.50	0.00	0.00	96.05	96.05
R2/F73	Unknown	106.68	69.65	69.65	0.00	0.00	65.29	65.29
R3/F73	Unknown	30.49	27.16	27.16	0.00	0.00	89.09	89.09
R4/F73	Bedroom	124.57	104.06	104.06	0.00	0.00	83.54	83.54
R5/F73 R6/F73	Living Room Living Room	177.20 180.67	168.76 179.46	168.76 179.46	0.00 0.00	0.00 0.00	95.24 99.33	95.24 99.33
R7/F73	Bedroom	122.35	179.46	179.46	0.00	0.00	99.33 99.57	99.53 99.57
R8/F73	Bedroom	121.29	120.77	120.77	0.00	0.00	99.57	99.57
R9/F73	Living Room	178.78	177.34	177.34	0.00	0.00	99.19	99.19
R10/F73	Living Room	179.14	177.88	177.88	0.00	0.00	99.29	99.29
R11/F73	Bedroom	96.97	96.78	96.78	0.00	0.00	99.80	99.80
R12/F73 R13/F73	Unknown Unknown	39.94 10.86	35.74 0.00	35.74 0.00	0.00 0.00	0.00 0.00	89.49 0.00	89.49 0.00
R14/F73	Kitchen	103.31	61.13	61.13	0.00	0.00	59.17	59.17
R1/F74	Unknown	194.18	186.55	186.55	0.00	0.00	96.07	96.07
R2/F74	Unknown	106.68	102.50	102.50	0.00	0.00	96.08	96.08
R3/F74	Unknown Bedroom	30.49 124.57	27.16 123.90	27.16 123.90	0.00 0.00	0.00	89.11 99.46	89.11 99.46
R4/F74 R5/F74	Living Room	177.20	175.81	175.81	0.00	0.00 0.00	99.46	99.46
R6/F74	Living Room	180.67	179.31	179.31	0.00	0.00	99.25	99.25
R7/F74	Bedroom	122.35	121.83	121.83	0.00	0.00	99.58	99.58
R8/F74	Bedroom	121.29	120.75	120.75	0.00	0.00	99.55	99.55
R9/F74	Living Room	178.78	177.51	177.51	0.00	0.00	99.29	99.29
R10/F74 R11/F74	Living Room Bedroom	179.14 96.97	177.77 96.73	177.77 96.73	0.00 0.00	0.00 0.00	99.24 99.75	99.24 99.75
R12/F74	Unknown	39.94	35.82	35.82	0.00	0.00	89.69	89.69
R13/F74	Unknown	10.86	0.00	0.00	0.00	0.00	0.00	0.00
R14/F74	Kitchen	103.31	79.76	79.76	0.00	0.00	77.20	77.20
R1/F75	Unknown	194.18	186.44	186.44	0.00	0.00	96.02	96.02
R2/F75 R3/F75	Unknown Unknown	106.68 30.49	102.66 28.25	102.66 28.25	0.00 0.00	0.00 0.00	96.24 92.66	96.24 92.66
R4/F75	Bedroom	124.57	123.90	123.90	0.00	0.00	99.46	99.46
R5/F75	Living Room	177.20	175.81	175.81	0.00	0.00	99.22	99.22
R6/F75	Living Room	180.67	179.37	179.37	0.00	0.00	99.28	99.28
R7/F75	Bedroom	122.35	121.83	121.83	0.00	0.00	99.58	99.58
R8/F75 R9/F75	Bedroom Living Room	121.29 178.78	120.76 177.47	120.76 177.47	0.00 0.00	0.00 0.00	99.56 99.27	99.56 99.27
R10/F75	Living Room	178.78	177.47	177.47	0.00	0.00	99.30	99.30
R11/F75	Bedroom	96.97	96.79	96.79	0.00	0.00	99.81	99.81
R12/F75	Unknown	39.94	36.14	36.14	0.00	0.00	90.49	90.49
R13/F75	Unknown	10.86	0.00	0.00	0.00	0.00	0.00	0.00
R14/F75	Kitchen	103.31	86.45	86.45	0.00	0.00	83.68	83.68
R1/F76 R2/F76	Unknown Unknown	194.18 106.68	186.44 105.38	186.44 105.38	0.00 0.00	0.00 0.00	96.02 98.79	96.02 98.79
R3/F76	Bedroom	124.57	123.92	123.92	0.00	0.00	99.48	99.48
R4/F76	Living Room	177.20	175.85	175.85	0.00	0.00	99.24	99.24
R5/F76	Living Room	180.67	179.33	179.33	0.00	0.00	99.26	99.26
R6/F76	Bedroom	122.35	121.84	121.84	0.00	0.00	99.59	99.59
R7/F76	Bedroom	121.29	120.78	120.78	0.00	0.00	99.57	99.57
R8/F76	Living Room	178.78	177.53	177.53	0.00	0.00	99.30	99.30

Room/		Whole	Prev	New	Loss	244	0.15	0.11
Floor	Room Use	Room	sq ft	sq ft	sq ft	%Loss	%Prev	%New
R9/F76	Living Room	179.14	177.79	177.79	0.00	0.00	99.24	99.24
R10/F76	Bedroom	96.97	96.74	96.74	0.00	0.00	99.77	99.77
36-38&39 Boswe	Il Street							
R1/F79	LKD	222.31	147.16	146.77	0.39	0.26	66.20	66.02
R2/F79	LKD	220.96	114.91	114.91	0.00	0.00	52.00	52.00
R3/F79	LD	170.23	145.46	145.35	0.11	0.07	85.45	85.39
R4/F79	Bedsit	300.71	231.23	231.23	0.00	0.00	76.90	76.90
R5/F79	Living Room	219.06	95.69	95.69	0.00	0.00	43.68	43.68
R1/F80	Unknown	200.98	71.14	71.03	0.11	0.16	35.40	35.34
R2/F80 R3/F80	Unknown Unknown	228.83 200.98	73.80 80.61	73.80 80.56	0.00 0.05	0.00 0.06	32.25 40.11	32.25 40.08
R4/F80	Unknown	179.81	42.34	42.34	0.00	-0.01	23.55	23.55
R5/F80	Unknown	251.48	185.63	185.63	0.00	0.00	73.82	73.82
R1/F81	Unknown	200.98	105.05	104.81	0.24	0.23	52.27	52.15
R2/F81	Unknown	43.44	30.60	30.60	0.00	0.00	70.46	70.46
R3/F81	Unknown	43.44	31.18	31.18	0.00	0.00	71.78	71.78
R4/F81	Unknown	228.83	97.30	97.30	0.00	0.00	42.52	42.52
R5/F81	Unknown	200.98	98.04	97.98	0.05	0.06	48.78	48.75
R6/F81	Unknown	251.48	203.06	203.06	0.00	0.00	80.75	80.75
R7/F81	Unknown Unknown	179.80	57.32	57.33	0.00	-0.01	31.88	31.88
R1/F82 R2/F82	Unknown	200.98 43.44	134.74 39.76	134.57 39.76	0.18 0.00	0.13 0.00	67.04 91.54	66.96 91.54
R3/F82	Unknown	43.44	40.21	40.21	0.00	0.00	92.57	92.57
R4/F82	Unknown	228.83	137.61	137.61	0.00	0.00	60.14	60.14
R5/F82	Unknown	200.98	127.07	127.07	0.00	0.00	63.23	63.23
R6/F82	Unknown	251.48	219.20	219.20	0.00	0.00	87.16	87.16
R7/F82	Unknown	179.80	79.21	79.21	-0.01	-0.01	44.05	44.06
R1/F83	Unknown	200.98	188.12	188.12	0.00	0.00	93.60	93.60
R2/F83	Unknown	43.44	40.47	40.47	0.00	0.00	93.17	93.17
R3/F83	Unknown	43.44	40.47	40.47	0.00	0.00	93.17	93.17
R4/F83	Unknown	228.83	215.56	215.56	0.00	0.00	94.20	94.20
R5/F83 R6/F83	Unknown Unknown	200.98 179.80	190.73 116.82	190.73 116.82	0.00 -0.01	0.00 0.00	94.90 64.97	94.90 64.97
R1/F84	Unknown	200.98	190.64	190.64	0.00	0.00	94.86	94.86
R2/F84	Unknown	43.44	41.94	41.94	0.00	0.00	96.56	96.56
R3/F84	Unknown	43.44	41.94	41.94	0.00	0.00	96.55	96.55
R4/F84	Unknown	228.83	214.87	214.87	0.00	0.00	93.90	93.90
R5/F84	Unknown	160.11	156.77	156.77	0.00	0.00	97.91	97.91
R6/F84	Unknown	150.21	144.22	144.22	0.00	0.00	96.02	96.02
R7/F84	Unknown	148.45	109.12	109.12	0.00	0.00	73.50	73.50
R8/F84	Unknown	160.11	124.00	124.00	0.00	0.00	77.45	77.45
R1/F85 R4/F85	Kitchen Kitchen	87.20 87.20	84.80 84.76	84.80 84.76	0.00 0.00	0.00 0.00	97.25 97.20	97.25 97.20
R5/F85	Unknown	143.35	138.21	138.21	0.00	0.00	96.41	96.41
R6/F85	Unknown	141.06	123.54	123.54	0.00	0.00	87.58	87.58
R7/F85	Unknown	141.06	133.13	133.13	0.00	0.00	94.38	94.38
R8/F85	Unknown	183.93	148.74	148.74	0.00	0.00	80.87	80.87
34&35 Boswell S	treet							
R1/F90	Unknown	173.83	151.92	151.92	0.00	0.00	87.39	87.39
R2/F90	Unknown	23.11	18.23	18.23	0.00	0.00	78.89	78.89
R3/F90	Unknown	214.99	143.63	143.63	0.00	0.00	66.81	66.81
R1/F91	Unknown	173.83	167.53	167.53	0.00	0.00	96.37	96.37
R2/F91	Unknown	23.11	21.39	21.39	0.00	0.00	92.57	92.57
R3/F91	Unknown	214.99	195.70	195.70	0.00	0.00	91.03	91.03
R1/F92	Unknown	214.99	200.93	200.95	-0.02	-0.01	93.46	93.47
R2/F92 R3/F92	Unknown Unknown	155.69	138.26 22.56	138.26 22.56	0.00 0.00	0.00 0.00	88.81 97.62	88.81 97.62
R1/F93	Unknown	23.11 214.99	210.68	210.68	0.00	0.00	98.00	98.00
R2/F93	Unknown	155.69	138.32	138.32	0.00	0.00	88.84	88.84
R3/F93	Unknown	23.11	22.62	22.62	0.00	0.00	97.89	97.89
33 Boswell Stree	t							
R1/F100	Unknown	20.31	15.98	15.98	0.00	0.00	78.71	78.71
R1/F101	Unknown	193.41	86.26	86.24	0.02	0.02	44.60	44.59
R2/F101	Unknown	20.31	20.23	20.23	0.00	0.00	99.62	99.62
R1/F102	Unknown	193.41	97.68	97.68	0.00	0.00	50.50	50.50
R2/F102	Unknown	20.31	20.30	20.30	0.00	0.00	99.99	99.99
R1/F103	Unknown	193.41	186.15	186.15	0.00	0.00	96.25	96.25

Annual Probable Sunlight Hours (APSH)

						idow							om			
Room	Window	Room Use	Exis Winter APSH	Annual APSH		Annual APSH	Winter Loss	Annual Loss	Winter %Loss	Annual %Loss	Exis Winter APSH	Annual APSH	Prop Winter APSH	osed Annual APSH	Winter %Loss	
Ormonde Ma			74. 011	711 011	711 011	711 011			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,_055	711 011	7 011	711 011	7.1. 01.	,,,,,,	,,,,,,
R1/F19	W1/F19	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R2/F20	W3/F20	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R3/F20	W4/F20	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R4/F20	W5/F20	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R2/F21	W4/F21	Unknown	0	0	0	0	0	0	0.00	0.00		Ü	Ü	Ü	0.0	Ü
R2/F21	W5/F21	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R3/F21	W6/F21	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R4/F21	W7/F21	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R2/F22	W6/F22	Unknown	0	0 0	0 0	0 0	0	0 0	0.00	0.00		0	0	0	0.0	0
R2/F22	W7/F22	Unknown	0					0	0.00	0.00	0	0	0	1	0.0	
R3/F22	W8/F22	Unknown	0	1	0	1	0			0.00	0	1			0.0	0
R4/F22	W9/F22	Unknown	0	3	0	3	0	0	0.00	0.00	0	3	0	3	0.0	0
R2/F23 R2/F23	W6/F23 W7/F23	Unknown Unknown	0	0 4	0	0 4	0	0	0.00 0.00	0.00	0	4	0	4	0.0	0
R3/F23	W8/F23	Unknown	0	4	0	4	0	0	0.00	0.00	0	4	0	4	0.0	0
R4/F23	W9/F23	Unknown	0	11	0	11	0	0	0.00	0.00	0	11	0	11	0.0	0
R2/F24	W3/F24	Unknown	0	15	0	14	0	1	0.00	6.67						
R2/F24	W4/F24	Unknown	0	13	0	13	0	0	0.00	0.00	0	21	0	20	0.0	5
R3/F24	W5/F24	Unknown	0	27	0	27	0	0	0.00	0.00	0	27	0	27	0.0	0
R4/F24	W6/F24	Unknown	1	33	1	33	0	0	0.00	0.00	1	33	1	33	0.0	0
32 Old Glouc																
R2/F30	W2/F30	KD	0	4	0	4	0	0	0.00	0.00	0	4	0	4	0.0	0
R2/F31	W2/F31	Bedroom	0	8	0	8	0	0	0.00	0.00	0	8	0	8	0.0	0
R2/F32	W2/F32	KD	0	16	0	16	0	0	0.00	0.00	0	16	0	16	0.0	0
31 Old Gloud	ester Street															
R1/F40	W1/F40	Unknown	0	4	0	4	0	0	0.00	0.00	0	4	0	4	0.0	0
R2/F40	W2/F40	Unknown	0	6	0	6	0	0	0.00	0.00	0	6	0	6	0.0	0
R3/F40	W3/F40	Unknown	0	15	0	15	0	0	0.00	0.00	0	15	0	15	0.0	0
R1/F41	W1/F41	Unknown	0	9	0	9	0	0	0.00	0.00	0	9	0	9	0.0	0
R2/F41	W2/F41	Unknown	1	23	1	23	0	0	0.00	0.00	1	23	1	23	0.0	0
R3/F41	W3/F41	Unknown	2	33	2	33	0	0	0.00	0.00	2	33	2	33	0.0	0
R1/F42	W1/F42	Unknown	0	29	0	29	0	0	0.00	0.00	0	29	0	29	0.0	0
R2/F42	W2/F42	Unknown	2	33	2	33	0	0	0.00	0.00	2	33	2	33	0.0	0
R3/F42	W3/F42	Unknown	10	49	10	49	0	0	0.00	0.00	10	49	10	49	0.0	0
R1/F43	W1/F43	Unknown	8	46	8	46	0	0	0.00	0.00	8	46	8	46	0.0	0
43 Old Glouc	ester Street															
R2/F49	W2/F49	Bedroom	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R1/F50 R1/F50	W1/F50 W2/F50	Kitchen Kitchen	1 1	17 19	1 1	17 19	0	0 0	0.00 0.00	0.00 0.00	1	22	1	22	0.0	0
R3/F50	W6/F50	Bedroom	0	0	0	0	0	0	0.00	0.00	_		=			-
R3/F50 R3/F50	W7/F50 W8/F50	Bedroom Bedroom	3	25 27	3 4	25 27	0	0	0.00	0.00	5	33	5	33	0.0	0
R2/F51	W3/F51	Bedroom	4	31	4	31	0	0	0.00	0.00	4	31	4	31	0.0	0
R2/F52	W3/F51	Bedroom	8	37	8	37	0	0	0.00	0.00	8	37	8	37	0.0	0
R2/F52 R1/F53	W3/F52 W1/F53		9	40	9	40	0	0	0.00	0.00	0	31	o	31	0.0	U
R1/F53 R1/F53	W1/F53 W2/F53	Bedroom Bedroom	11	40 46	11	40 46	0	0	0.00	0.00	11	46	11	46	0.0	0
44 Old Glouc	ester Street															
R4/F60	W5/F60	Living Room	0	2	0	2	0	0	0.00	0.00	0	2	0	2	0.0	0

DOUBLETREE BY HILTON - LONDON WEST END IR-11 RECEIVED 16/11/16 SUNLIGHT ANALYSIS

Window										om						
Room	Window	Room Use	Exis Winter APSH	sting Annual APSH		Annual APSH	Winter Loss	Annual Loss	Winter %Loss	Annual %Loss	Exis Winter APSH	Annual APSH		osed Annual APSH	Winter %Loss	
R1/F61	W1/F61	Kitchen	5	24	5	24	0	0	0.00	0.00	5	24	5	24	0.0	0
R2/F61	W2/F61	Dining Room	0	5	0	5	0	0	0.00	0.00	0	5	0	5	0.0	0
R1/F62	W1/F62	Kitchen	5	30	5	30	0	0	0.00	0.00	5	30	5	30	0.0	0
R2/F62	W2/F62	Dining Room	0	18	0	18	0	0	0.00	0.00	0	18	0	18	0.0	0
R1/F63	W1/F63	Kitchen	8	41	8	41	0	0	0.00	0.00	8	41	8	41	0.0	0
Falcon																
R1/F69	W1/F69	Unknown	5	14	5	14	0	0	0.00	0.00	5	14	5	14	0.0	0
R2/F69	W2/F69	Unknown	3	13	3	13	0	0	0.00	0.00						
R2/F69	W3/F69	Unknown	3	11	3	11	0	0	0.00	0.00	3	16	3	16	0.0	0
R3/F69 R3/F69	W4/F69 W5/F69	Unknown Unknown	4 5	13 19	4 5	13 19	0	0	0.00 0.00	0.00 0.00	5	20	5	20	0.0	0
R4/F69	W6/F69	Unknown	4	20	4	20	0	0	0.00	0.00	4	20	4	20	0.0	0
R5/F69	W7/F69	Unknown	4	21	4	21	0	0	0.00	0.00	4	21	4	21	0.0	0
R6/F69	W8/F69	Unknown	1	19	1	19	0	0	0.00	0.00			7		0.0	Ü
R6/F69	W9/F69	Unknown	1	14	1	14	0	0	0.00	0.00	1	19	1	19	0.0	0
R7/F69	W10/F69	Unknown	1	14	1	14	0	0	0.00	0.00		24	2	24	0.0	•
R7/F69	W11/F69	Unknown	2	20	2	20	0	0	0.00	0.00	2	21	2	21	0.0	0
R8/F69	W12/F69	Unknown	2	19	2	19	0	0	0.00	0.00	2	19	2	19	0.0	0
R9/F69	W13/F69	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R10/F69	W14/F69	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R11/F69 R11/F69	W15/F69 W16/F69	Kitchen Kitchen	0 0	0 0	0 0	0 0	0 0	0 0	0.00	0.00	0	0	0	0	0.0	0
R2/F70	W2/F70	Unknown	2	8	2	8	0	0	0.00	0.00	2	8	2	8	0.0	0
R3/F70	W3/F70	Unknown	0	6	0	6	0	0	0.00	0.00	0	6	0	6	0.0	0
R4/F70	W4/F70	Bedroom	6	16	6	16	0	0	0.00	0.00	6	16	6	16	0.0	0
R5/F70	W5/F70	Living Room	6	18	6	18	0	0	0.00	0.00						
R5/F70	W6/F70	Living Room	2	5	2	5	0	0	0.00	0.00	6	20	6	20	0.0	0
R6/F70 R6/F70	W7/F70 W8/F70	Living Room Living Room	1 7	7 27	1 7	7 27	0	0	0.00	0.00	7	28	7	28	0.0	0
R7/F70	W9/F70	Bedroom	6	28	6	28	0	0	0.00	0.00	6	28	6	28	0.0	0
R8/F70	W10/F70	Bedroom	5	26	5	26	0	0	0.00	0.00	5	26	5	26	0.0	0
R9/F70	W11/F70	Living Room	5	27	5	27	0	0	0.00	0.00						
R9/F70	W13/F70	Living Room	1	11	1	11	0	0	0.00	0.00	5	28	5	28	0.0	0
R10/F70 R10/F70	W14/F70 W15/F70	Living Room Living Room	1 4	11 28	1 4	11 28	0 0	0	0.00	0.00	5	29	5	29	0.0	0
R11/F70	W16/F70	Bedroom	3	26	3	26	0	0	0.00	0.00	3	26	3	26	0.0	0
R12/F70	W17/F70	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R13/F70	W18/F70	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R14/F70	W19/F70	Kitchen	0	0	0	0	0	0	0.00	0.00		-	-	-		-
R14/F70	W20/F70	Kitchen	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R2/F71	W2/F71	Unknown	3	12	3	12	0	0	0.00	0.00	3	12	3	12	0.0	0
R3/F71	W3/F71	Unknown	0	8	0	8	0	0	0.00	0.00	0	8	0	8	0.0	0
R4/F71	W4/F71	Bedroom	6	23	6	23	0	0	0.00	0.00	6	23	6	23	0.0	0
R5/F71 R5/F71	W5/F71 W6/F71	Living Room Living Room	8 4	23 7	8	23 7	0	0	0.00	0.00	8	25	8	25	0.0	0
											•	23	٥	25	0.0	U
R6/F71 R6/F71	W7/F71 W8/F71	Living Room Living Room	3 9	11 34	3 9	11 34	0	0	0.00	0.00	9	34	9	34	0.0	0
R7/F71	W9/F71	Bedroom	8	35	8	35	0	0	0.00	0.00	8	35	8	35	0.0	0
R8/F71	W10/F71	Bedroom	8	37	8	37	0	0	0.00	0.00	8	37	8	37	0.0	0
R9/F71	W11/F71	Living Room	7	35	7	35	0	0	0.00	0.00	_	-	_	a-		
R9/F71	W12/F71	Living Room	3	17	3	17	0	0	0.00	0.00	7	35	7	35	0.0	0

morrison be							JOIN AILA									
Room	Window	Room Use	Winter APSH	sting Annual APSH	Prop Winter APSH	ndow oosed Annual APSH	Winter Loss	Annual Loss	Winter %Loss	Annual %Loss	Exis Winter APSH	Ro sting Annual APSH	om Prop Winter APSH	osed Annual APSH	Winter %Loss	Annual %Loss
R10/F71 R10/F71	W13/F71 W14/F71	Living Room Living Room	2 6	17 37	2 6	17 37	0 0	0 0	0.00 0.00	0.00 0.00	7	38	7	38	0.0	0
R11/F71	W15/F71	Bedroom	5	37	5	37	0	0	0.00	0.00	5	37	5	37	0.0	0
R12/F71	W16/F71	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R13/F71	W17/F71	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R14/F71	W18/F71	Kitchen	0	0	0	0	0	0	0.00	0.00						
R14/F71	W19/F71	Kitchen	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R2/F72	W2/F72	Unknown	4	19	4	19	0	0	0.00	0.00	4	19	4	19	0.0	0
R3/F72	W3/F72	Unknown	0	15	0	15	0	0	0.00	0.00	0	15	0	15	0.0	0
R4/F72	W4/F72	Bedroom	12	31	12	31	0	0	0.00	0.00	12	31	12	31	0.0	0
R5/F72 R5/F72	W5/F72 W6/F72	Living Room Living Room	11 7	30 14	11 7	30 14	0	0	0.00	0.00	12	32	12	32	0.0	0
R6/F72 R6/F72	W7/F72 W8/F72	Living Room Living Room	5 11	14 36	5 11	14 36	0	0	0.00	0.00	11	36	11	36	0.0	0
R7/F72	W9/F72	Bedroom	11	37	11	37	0	0	0.00	0.00	11	37	11	37	0.0	0
R8/F72	W10/F72	Bedroom	11	40	11	40	0	0	0.00	0.00	11	40	11	40	0.0	0
R9/F72 R9/F72	W11/F72 W12/F72	Living Room Living Room	11 6	40 22	11 6	40 22	0 0	0 0	0.00 0.00	0.00 0.00	11	40	11	40	0.0	0
R10/F72 R10/F72	W13/F72 W14/F72	Living Room Living Room	4 9	19 41	4 9	19 41	0 0	0 0	0.00 0.00	0.00	9	41	9	41	0.0	0
R11/F72	W15/F72	Bedroom	7	40	7	40	0	0	0.00	0.00	7	40	7	40	0.0	0
R12/F72	W16/F72	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R13/F72	W17/F72	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R14/F72 R14/F72	W18/F72 W19/F72	Kitchen Kitchen	0 0	0 0	0	0 0	0 0	0 0	0.00 0.00	0.00 0.00	0	0	0	0	0.0	0
R2/F73	W2/F73	Unknown	7	27	7	27	0	0	0.00	0.00	7	27	7	27	0.0	0
R3/F73	W3/F73	Unknown	1	21	1	21	0	0	0.00	0.00	1	21	1	21	0.0	0
R4/F73	W4/F73	Bedroom	12	37	12	37	0	0	0.00	0.00	12	37	12	37	0.0	0
R5/F73 R5/F73	W5/F73 W6/F73	Living Room Living Room	11 8	34 20	11 8	34 20	0 0	0 0	0.00 0.00	0.00 0.00	13	38	13	38	0.0	0
R6/F73 R6/F73	W7/F73 W8/F73	Living Room Living Room	7 14	19 41	7 14	19 41	0	0 0	0.00	0.00	14	42	14	42	0.0	0
R7/F73	W9/F73	Bedroom	13	43	13	43	0	0	0.00	0.00	13	43	13	43	0.0	0
R8/F73	W10/F73	Bedroom	12	43	12	43	0	0	0.00	0.00	12	43	12	43	0.0	0
R9/F73	W11/F73	Living Room	11	40	11	40	0	0	0.00	0.00						
R9/F73	W12/F73	Living Room	7	23	7	23	0	0	0.00	0.00	11	40	11	40	0.0	0
R10/F73 R10/F73	W13/F73 W14/F73	Living Room Living Room	6 10	24 44	6 10	24 44	0 0	0	0.00 0.00	0.00	12	46	12	46	0.0	0
R11/F73	W15/F73	Bedroom	8	42	8	42	0	0	0.00	0.00	8	42	8	42	0.0	0
R12/F73	W16/F73	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R13/F73	W17/F73	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R14/F73 R14/F73	W18/F73 W19/F73	Kitchen Kitchen	0 0	0	0 0	0	0 0	0 0	0.00 0.00	0.00	0	0	0	0	0.0	0
R2/F74	W2/F74	Unknown	8	33	8	33	0	0	0.00	0.00	8	33	8	33	0.0	0
R3/F74	W3/F74	Unknown	3	27	3	27	0	0	0.00	0.00	3	27	3	27	0.0	0
R4/F74	W4/F74	Bedroom	15	46	15	46	0	0	0.00	0.00	15	46	15	46	0.0	0
R5/F74 R5/F74	W5/F74 W6/F74	Living Room Living Room	15 10	45 26	15 10	45 26	0 0	0 0	0.00 0.00	0.00	16	46	16	46	0.0	0
R6/F74	W7/F74	Living Room	8	25	8	25	0	0	0.00	0.00		.5		.5	0.0	·
R6/F74	W8/F74	Living Room	15	46	15	46	0	0	0.00	0.00	15	47	15	47	0.0	0
R7/F74	W9/F74	Bedroom	15	47	15	47	0	0	0.00	0.00	15	47	15	47	0.0	0
R8/F74	W10/F74	Bedroom	14	45	14	45	0	0	0.00	0.00	14	45	14	45	0.0	0

morrison D	LOIGIT						LIGITI AIVA									
Room	Window	Room Use	Winter APSH	Annual APSH	Prop Winter APSH	ndow posed Annual APSH	Winter Loss	Annual Loss	Winter %Loss	Annual %Loss	Exis Winter APSH	sting Annual APSH	oom Prop Winter APSH	oosed Annual APSH	Winter %Loss	Annual %Loss
R9/F74 R9/F74	W11/F74 W12/F74	Living Room Living Room	12 7	43 26	12 7	43 26	0	0	0.00	0.00	12	44	12	44	0.0	0
R10/F74 R10/F74	W13/F74 W14/F74	Living Room Living Room	6 12	27 47	6 12	27 47	0	0 0	0.00 0.00	0.00 0.00	13	48	13	48	0.0	0
R11/F74	W15/F74	Bedroom	10	45	10	45	0	0	0.00	0.00	10	45	10	45	0.0	0
R12/F74	W16/F74	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R13/F74	W17/F74	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R14/F74 R14/F74	W18/F74 W19/F74	Kitchen Kitchen	0 1	0 1	0 1	0 1	0	0	0.00	0.00	1	1	1	1	0.0	0
R2/F75	W2/F75	Unknown	11	42	11	42	0	0	0.00	0.00	11	42	11	42	0.0	0
R3/F75	W3/F75	Unknown	4	30	4	30	0	0	0.00	0.00	4	30	4	30	0.0	0
R4/F75	W4/F75	Bedroom	18	54	18	54	0	0	0.00	0.00	18	54	18	54	0.0	0
R5/F75 R5/F75	W5/F75 W6/F75	Living Room Living Room	18 10	52 29	18 10	52 29	0	0	0.00	0.00	18	52	18	52	0.0	0
R6/F75 R6/F75	W7/F75 W8/F75	Living Room Living Room	8 17	28 53	8 17	28 53	0 0	0 0	0.00 0.00	0.00 0.00	17	53	17	53	0.0	0
R7/F75	W9/F75	Bedroom	17	53	17	53	0	0	0.00	0.00	17	53	17	53	0.0	0
R8/F75	W10/F75	Bedroom	16	52	16	52	0	0	0.00	0.00	16	52	16	52	0.0	0
R9/F75 R9/F75	W11/F75 W12/F75	Living Room Living Room	14 8	49 28	14 8	49 28	0	0	0.00	0.00	14	49	14	49	0.0	0
R10/F75	W13/F75	Living Room	7	28	7	28	0	0	0.00	0.00						
R10/F75 R11/F75	W14/F75 W15/F75	Living Room Bedroom	13 11	50 48	13 11	50 48	0	0	0.00	0.00	14	51 48	14 11	51 48	0.0	0
R12/F75	W15/F75 W16/F75	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R13/F75	W17/F75	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R14/F75	W18/F75	Kitchen	0	0	0	0	0	0	0.00	0.00						
R14/F75	W19/F75	Kitchen	1	1	1	1	0	0	0.00	0.00	1	1	1	1	0.0	0
R2/F76 R3/F76	W2/F76 W3/F76	Unknown Bedroom	13 21	54 59	13 21	54 59	0	0	0.00	0.00	13	54 59	13 21	54 59	0.0	0
R4/F76	W4/F76	Living Room	21	59	21	59	0	0	0.00	0.00	21	33	21	33	0.0	U
R4/F76	W5/F76	Living Room	13	42	13	42	0	0	0.00	0.00	21	59	21	59	0.0	0
R5/F76 R5/F76	W7/F76 W8/F76	Living Room Living Room	10 21	37 59	10 21	37 59	0	0	0.00	0.00	21	59	21	59	0.0	0
R6/F76	W9/F76	Bedroom	19	57	19	57	0	0	0.00	0.00	19	57	19	57	0.0	0
R7/F76	W10/F76	Bedroom	21	59	21	59	0	0	0.00	0.00	21	59	21	59	0.0	0
R8/F76 R8/F76	W11/F76 W12/F76	Living Room Living Room	20 11	58 39	20 11	58 39	0	0	0.00	0.00	20	58	20	58	0.0	0
R9/F76 R9/F76	W13/F76 W14/F76	Living Room Living Room	8 17	36 55	8 17	36 55	0	0	0.00 0.00	0.00 0.00	17	55	17	55	0.0	0
R10/F76	W15/F76	Bedroom	14	52	14	52	0	0	0.00	0.00	14	52	14	52	0.0	0
36-38&39 Bo	oswell Street															
R1/F79 R1/F79	W1/F79 W2/F79	LKD LKD	2 1	17 18	2 1	17 18	0	0	0.00	0.00 0.00						
R1/F79	W3/F79	LKD	0	9	0	9	0	0	0.00	0.00	2	19	2	19	0.0	0
R2/F79 R2/F79	W4/F79 W5/F79	LKD LKD	2 0	23 14	2 0	23 14	0	0	0.00 0.00	0.00 0.00	2	23	2	23	0.0	0
R3/F79 R3/F79	W6/F79 W7/F79	LD LD	0 0	16 13	0	16 13	0 0	0 0	0.00 0.00	0.00 0.00	0	16	0	16	0.0	0
R4/F79 R4/F79	W8/F79 W9/F79	Bedsit Bedsit	0 1	7 18	0	7 18	0	0	0.00	0.00	1	25	1	25	0.0	0
R5/F79	W3/F73 W10/F79	Living Room	0	2	0	2	0	0	0.00	0.00	•	23	*	23	0.0	Ū
R5/F79 R5/F79	W11/F79 W12/F79	Living Room Living Room	0	14 9	0	14 9	0	0	0.00	0.00	0	17	0	17	0.0	0
R1/F80	W1/F80	Unknown	1	12	1	12	0	0	0.00	0.00	1	12	1	12	0.0	0
R2/F80	W5/F80	Unknown	0	2	0	2	0	0	0.00	0.00						

morrador be			Window Room													
Room R2/F80	Window W6/F80	Room Use Unknown	Exis Winter APSH	Annual APSH 7		Annual APSH 7	Winter Loss	Annual Loss	Winter %Loss 0.00	Annual %Loss 0.00	Exist Winter APSH	Ro sting Annual APSH 8		Annual APSH 8	Winter %Loss 0.0	Annual %Loss
R3/F80	W7/F80	Unknown	0	11	0	11	0	0	0.00	0.00	0	11	0	11	0.0	0
R4/F80	W10/F80	Unknown	0	0	0	0	0	0	0.00	0.00	0	0	0	0	0.0	0
R5/F80	W8/F80	Unknown	3	27	3	27	0	0	0.00	0.00		-				
R5/F80	W9/F80	Unknown	3	23	3	23	0	0	0.00	0.00	4	33	4	33	0.0	0
R1/F81 R1/F81	W1/F81 W2/F81	Unknown Unknown	1 1	6 7	1 1	6 7	0	0	0.00 0.00	0.00	1	9	1	9	0.0	0
R2/F81	W3/F81	Unknown	0	5	0	5	0	0	0.00	0.00	0	5	0	5	0.0	0
R3/F81	W4/F81	Unknown	1	1	1	1	0	0	0.00	0.00	1	1	1	1	0.0	0
R4/F81 R4/F81	W8/F81 W9/F81	Unknown Unknown	1 1	3 5	1 1	3 5	0 0	0 0	0.00 0.00	0.00	1	5	1	5	0.0	0
R5/F81	W10/F81	Unknown	1	12	1	12	0	0	0.00	0.00	1	12	1	12	0.0	0
R6/F81 R6/F81	W11/F81 W12/F81	Unknown Unknown	3 5	29 26	3 5	29 26	0 0	0 0	0.00 0.00	0.00 0.00	5	35	5	35	0.0	0
R7/F81	W13/F81	Unknown	0	1	0	1	0	0	0.00	0.00	0	1	0	1	0.0	0
R1/F82	W1/F82	Unknown	2	9	2	9	0	0	0.00	0.00		40		40		
R1/F82	W2/F82	Unknown	1	10	1	10	0	0	0.00	0.00	2	13	2	13	0.0	0
R2/F82 R3/F82	W3/F82 W4/F82	Unknown Unknown	0	5 1	0	5 1	0	0	0.00	0.00	0	5 1	0	5 1	0.0	0
R4/F82	W8/F82	Unknown	2	4	2	4	0	0	0.00	0.00	1		1		0.0	Ü
R4/F82	W9/F82	Unknown	2	7	2	7	0	0	0.00	0.00	2	7	2	7	0.0	0
R5/F82	W10/F82	Unknown	2	13	2	13	0	0	0.00	0.00	2	13	2	13	0.0	0
R6/F82 R6/F82	W11/F82 W12/F82	Unknown Unknown	4 5	32 28	4 5	32 28	0 0	0 0	0.00 0.00	0.00 0.00	5	37	5	37	0.0	0
R7/F82	W13/F82	Unknown	0	3	0	3	0	0	0.00	0.00	0	3	0	3	0.0	0
R1/F83	W1/F83	Unknown	4	16	4	16	0	0	0.00	0.00						
R1/F83	W2/F83	Unknown	1	14	1	14	0	0	0.00	0.00	4	20	4	20	0.0	0
R2/F83	W3/F83	Unknown	0	7	0	7	0	0	0.00	0.00	0	7	0	7	0.0	0
R3/F83 R4/F83	W4/F83 W8/F83	Unknown Unknown	3 5	3 10	3 5	3 10	0	0	0.00	0.00	3	3	3	3	0.0	0
R4/F83	W9/F83	Unknown	4	13	4	13	0	0	0.00	0.00	5	14	5	14	0.0	0
R5/F83	W10/F83	Unknown	3	20	3	20	0	0	0.00	0.00	3	20	3	20	0.0	0
R6/F83	W11/F83	Unknown	0	10	0	10	0	0	0.00	0.00	0	10	0	10	0.0	0
R1/F84 R1/F84	W1/F84 W2/F84	Unknown Unknown	4 2	12 9	4 2	12 9	0 0	0 0	0.00 0.00	0.00 0.00	4	14	4	14	0.0	0
R2/F84	W3/F84	Unknown	0	6	0	6	0	0	0.00	0.00	0	6	0	6	0.0	0
R3/F84	W4/F84	Unknown	1	1	1	1	0	0	0.00	0.00	1	1	1	1	0.0	0
R4/F84 R4/F84	W8/F84 W9/F84	Unknown Unknown	3 4	4 8	3 4	4 8	0	0 0	0.00	0.00	4	8	4	8	0.0	0
R5/F84	W10/F84	Unknown	4	17	4	17	0	0	0.00	0.00	4	17	4	17	0.0	0
R6/F84	W13/F84	Unknown	3	17	3	17	0	0	0.00	0.00	3	17	3	17	0.0	0
R7/F84	W14/F84	Unknown	1	13	1	13	0	0	0.00	0.00	1	13	1	13	0.0	0
R8/F84	W15/F84	Unknown	0	10	0	10	0	0	0.00	0.00	0	10	0	10	0.0	0
R1/F85	W1/F85	Kitchen	16	59	16	59	0	0	0.00	0.00	16	59	16	59	0.0	0
R4/F85	W4/F85	Kitchen	17	58	17	58	0	0	0.00	0.00	17	58	17	58	0.0	0
R5/F85	W5/F85	Unknown	16	59	16	59	0	0	0.00	0.00	16	59	16	59	0.0	0
R6/F85	W6/F85	Unknown	15	58	15	58	0	0	0.00	0.00	15	58	15	58	0.0	0
R7/F85	W7/F85	Unknown	13	55	13	55	0	0	0.00	0.00	13	55	13	55	0.0	0
R8/F85	W8/F85	Unknown	15	54	15	54	0	0	0.00	0.00	15	54	15	54	0.0	0
34&35 Bosw	ell Street															
R1/F90	W1/F90	Unknown	7	33	7	33	0	0	0.00	0.00						

Room			Evid	Window Existing Proposed							Room Existing Proposed						
	Window	Room Use	Winter	Annual	Winter	Annual APSH	Winter Loss	Annual Loss	Winter %Loss	Annual %Loss	Winter APSH	Annual APSH		Annual	Winter %Loss	Annual %Loss	
R1/F90	W2/F90	Unknown	6	30	6	30	0	0	0.00	0.00	7.1 011	7.1. 011	7.1. 011	7.1 011	702000	702000	
R1/F90	W6/F90	Unknown	6	41	6	41	0	0	0.00	0.00	9	45	9	45	0.0	0	
R2/F90	W7/F90	Unknown	6	28	6	28	0	0	0.00	0.00	6	28	6	28	0.0	0	
R3/F90	W4/F90	Unknown	0	16	0	16	0	0	0.00	0.00							
R3/F90	W5/F90	Unknown	0	13	0	13	0	0	0.00	0.00	0	21	0	21	0.0	0	
R1/F91	W1/F91	Unknown	0	10	0	10	0	0	0.00	0.00							
R1/F91	W2/F91	Unknown	8	46	8	46	0	0	0.00	0.00							
R1/F91	W3/F91	Unknown	9	37	9	37	0	0	0.00	0.00							
R1/F91	W4/F91	Unknown	8	33	8	33	0	0	0.00	0.00	12	52	12	52	0.0	0	
R2/F91	W8/F91	Unknown	6	31	6	31	0	0	0.00	0.00	6	31	6	31	0.0	0	
R3/F91	W6/F91	Unknown	3	19	3	19	0	0	0.00	0.00							
R3/F91	W7/F91	Unknown	1	16	1	16	0	0	0.00	0.00	3	24	3	24	0.0	0	
R1/F92	W1/F92	Unknown	5	27	5	27	0	0	0.00	0.00							
R1/F92	W2/F92	Unknown	2	18	2	18	0	0	0.00	0.00	5	33	5	33	0.0	0	
R2/F92	W3/F92	Unknown	12	52	12	52	0	0	0.00	0.00							
R2/F92	W4/F92	Unknown	12	52	12	52	0	0	0.00	0.00	12	52	12	52	0.0	0	
R3/F92	W5/F92	Unknown	8	43	8	43	0	0	0.00	0.00	8	43	8	43	0.0	0	
R1/F93	W1/F93	Unknown	13	50	13	50	0	0	0.00	0.00							
R1/F93	W2/F93	Unknown	3	29	3	29	0	0	0.00	0.00	13	54	13	54	0.0	0	
R2/F93	W3/F93	Unknown	17	59	17	59	0	0	0.00	0.00							
R2/F93	W4/F93	Unknown	16	58	16	58	0	0	0.00	0.00	17	59	17	59	0.0	0	
R3/F93	W5/F93	Unknown	12	52	12	52	0	0	0.00	0.00	12	52	12	52	0.0	0	
33 Boswell S	Street																
R1/F100	W1/F100	Unknown	1	16	1	16	0	0	0.00	0.00	1	16	1	16	0.0	0	
R1/F101	W1/F101	Unknown	0	6	0	6	0	0	0.00	0.00	0	6	0	6	0.0	0	
R2/F101	W2/F101	Unknown	3	30	3	30	0	0	0.00	0.00	3	30	3	30	0.0	0	
R1/F102	W1/F102	Unknown	1	18	1	18	0	0	0.00	0.00	1	18	1	18	0.0	0	
R2/F102	W2/F102	Unknown	15	53	15	53	0	0	0.00	0.00	15	53	15	53	0.0	0	
R1/F103	W1/F103	Unknown	13	51	13	51	0	0	0.00	0.00							
R1/F103	W3/F104	Unknown	14	48	14	48	0	0	0.00	0.00	18	57	18	57	0.0	0	

ADDRESS

.

THE WHITEHOUSE

BELVEDERE ROAD

LONDON SE18GA

.

CONTACT

•

TEL 020 7202 1400

FAX 020 7202 1401

MAIL@GIA.UK.COM

•

WWW.GIA.UK.COM