

ANY FLOOR OR WALL AREAS THAT REQUIRE TO BE TILED MUST HAVE WPB

ALL INTERNAL LIGHT FITTINGS TO BE SPECIFIED BY CLIENT & TO BE ½ HOUR FIRE RATING & INSTALLED BY COMPETENT & CERTIFIED ELECTRICIAN

All new & existing ceiling beams to be within floor construction to create flushed ceilings


ALL INTERNAL WALLS AREA EFFECTED BY THE WORK TO BE MADE GOOD & NEW AREAS PLASTERED THEN PAINTED WITH 2-COATS OF PRIMER & A FINAL COAT TO CLIENT SPECIFICATIONS

ANY NEW ROOF LIGHTS PROPOSED IN THE FRONT ROOF SLOPE WILL NOT PROTRUDE MORE THAN 150mm BEYOND THE PLANE OF THE SLOPE OF THE ORIGINAL ROOF WHEN MEASURED FROM PERPENDICULAR WITH THE EXTERNAL SURFACE OF THE ROOF.

ALL NEW LEAD BOX GUTTER AT FRONT TO BE 100mm (min) WIDE AND SURFACE WATER DISCHARGED INTO EXISTING S.W DRAINAGE SYSTEM

NEW STAIRS INTO LOFT WITH 30 MINUTES FIRE RATING ENCLOSURE & MIN. HEADROOM TO BE 2M & IN COMPLIANCE TO PART-K, M & B

ALL FIRE ESCAPE DOORS AS MEANS OF ACCESS IN COMPLIANCE TO BUILDING REGULATION PART-B. INTERNAL DOORS TO BE FD-30 AND FLAT ENTRANCE DOORS AS FD-60s. PROVIDING EMERGENCY LIGHTING IN COMMON AREAS AND ALSO FIRE-ESCAPE SIGN AGE IN COMMON AREAS AS REQUIRED BY FIRE BRIGADE



PROPOSED ROOF PLAN



40 WISE LANE
MILL HILL
LONDON NW7 2RE
TEL: 0208-959 8748
FAX: 0208-959 7973

WEB SITE: www.homesdesignltd.co.uk
EMAIL: info@homesdesignltd.co.uk

| | | | |
|---|-------------|---------|------------|
| title PROPOSED PLANS (SHEET-4) | | | |
| contract no. | HD-615 | scale | 1:100 @ A3 |
| project 28 GREVILLE STREET - LONDON EC1N 8SU | | | |
| drawing no | HD-615/4003 | | |
| rev.: B | date | 01/2014 | |