

ADDENDUM METHOD STATEMENT

RUSSELL HOTEL

Cutting out of Glazed Bricks and replacing with new and Mortar repairs to Glazed bricks within lightwell Courtyard

CONTRACT NO: 56520

DATE: 23rd February 2017

ISSUE NO: 1

Principal & Specialist Contractors in Restoration, Conservation & New Build Masonry

E: info@stonewest.co.uk T: 0208 684 6646 F: 0208 684 9323 W: www.stonewest.co.uk
Stonewest Ltd,

1.0 INDUCTION

The operatives will attend S & T site induction on site prior to commencing works.

2.0 SITE RULES

The operatives will adhere to the site rules and the site supervisor will go through mortar repairs to the glazed bricks restoration works addendum method statement and Risk Assessments with the Restorers.

The Stonewest Supervisor will ensure that adequate precautions have been taken to ensure a safe working environment.

3.0 DESCRIPTION OF WORKS

The work will be carried out from the scaffold to each internal elevation in the lightwell where the works have been identified within the Architects survey.

Cutting out of glazed bricks and replacing with new- Agreed marked up areas of glazed bricks will be cut out using appropriate grinders. Matching bricks will be fixed using specified mortar any temporary supports required will be agreed beforehand.

Mortar repairs to damaged bricks- The works will comprise of carefully cutting back the repair to the glazed brick to a minimum depth of 20mm and squaring up, once this has been done, wet down the area and fill with the repair with mortar to just below the surface and allow to dry. Once the repair is dry a mix is applied to match the existing glazed bricks within the vicinity.

4.00 Plant & tools to be used

Small drill
5” grinder
Fine chisels
Hand held tools

5.0 Personal Protective Equipment

All site personnel are required to wear the appropriate clothing and equipment when and where required.

- A Safety helmets are to be worn at all times on site
- B Safety footwear – appropriate footwear to be worn on site at all times.
- C Gloves – Appropriate gloves will be worn
- D Overalls – Appropriate overalls to be worn
- E Glasses – To be worn on site at all times

Further guidelines with regards to wearing protective clothing and equipment will be read before using substances of hazardous nature. This information will be contained in the COSHH Assessments sheets will be supplied to site before materials are used.