



**SECTION B - B**  
E101-34-CPH-X-263

Safety, Health and Environment Information  
In addition to the hazards/risks normally associated with the types of work detailed on this drawing, note the following information:

Construction	NO UNUSUAL RISK
Dismantling/ Demolition (Future)	NO UNUSUAL RISK

For information relating to Use, Cleaning and Maintenance see Health and Safety File. It is assumed that all works will be carried out by a competent contractor working, where appropriate, to an approved method statement.

**GENERAL NOTES:**  
STEEL BEAMS GRADE S355J0  
ALL STEEL CONNECTIONS GRADE S275 U.N.O  
ALL BOLTS GRADE 8.8  
  
FOR STRUCTURAL CHECKING REFER TO:  
E101-34-CPW-XX-CALC-024

**FINISH:-**  
SHOT BLAST CLEAN SA2.5 & FACTORY SPRAYED:  
- INITIAL COAT: INTERCURE 200 OR SIMILAR  
PRIMER RECOMMENDED BY MANUFACTURER –  
(100 MICRONS MIN. DFT)  
OR AS STRUCTURAL ENGINEER'S SPECIFICATION  
FOR CORROSION PROTECTION.  
- COLOUR: GREY.  
- FINISHING COAT: INTERGARD 400 - MICACEOUS  
IRON OXIDE FINISH.  
(100 MICRONS MIN. DFT)  
- COLOUR: DARK GREY

**THIS DRAWING PREPARED IN ACCORDANCE WITH RMA DRGS:**  
600-14025-CPL\_C1  
600-14026-CPL\_C1  
600-14153-CPH\_C1  
600-14154-CPH\_C2  
600-42100-CPL\_C1  
600-43815-CPL\_C1  
600-43816-CPL\_C1  
600-43817-CPL\_C1  
600-43818-CPL\_C1

**THIS DRAWING PREPARED IN ACCORDANCE WITH PF DRGS:**  
A12504-VAA-201-S  
A12504-VAA-202-R  
A12504-VAA-214-H  
A12504-VAA-240-B

0	BUILDING CONTROL APPROVAL	JS	17-03-17
Rev	Revision Details	Check	Date

Client:  
**Almacantar**

Contractor:  
**MULTIPLEX**

Lee Warren Fabrication and Design Ltd.  
Units 6-9 Silverdale Road Industrial Estate,  
Silverdale Road, Hayes, Middlesex  
UB8 3BL, United Kingdom

**CE**

14  
0086-CPR-613428

Project:  
**CENTRE POINT LONDON**

Title:  
**STAIRCASE 2  
SECTION B - B**

Status: BUILDING CONTROL	Date: 17-03-17	Scale: 1:15			
Job No.: 1689-077	Drawn by: JS [DDM]	Checked by:			
Origin	CISFB Code	Bldg Code	Level	Series	Revision
E101	34	CPL	XX	266	0