





ATT 1 Kitchen Extract Attenuator
Model QT35
600mm W x 600mm H x 1800mm Long.
Manufactured from Galvanised steel substrate.
Acoustic media retained behind glass cloth & perforated steel.
20 Mez Flanges
Kitchen Spec Melinex to Acoustic Media.



20 Mez



Title : ATT1 Attenuator - Extract

Drawing Number : QTPD-11440-001

Rev -

Project : 51 Fairfax

Drawn By: - J.P. Williams

CHK: - LB




Date:- 24/03/17



Tel - 01252 444948
Email - sales@qtacoustics.co.uk

Tolerance +-3mm
Specifications and dimensions may change without prior notice.

ATT 3 Kitchen Supply Attenuator
Model QT35
500mm W x 300mm H x 1200mm Long.
Manufactured from Galvanised steel substrate.
Acoustic media retained behind glass cloth &
perforated steel.
20 Mez Flanges



Title : ATT3 Attenuator - Supply

Drawing Number : QTPD-11440-003	Rev -
Project : 51 Fairfax	



Drawn By: - J.P. Williams	
CHK: - LB	Date: - 24/03/17
Tel - 01252 444948	
Email - sales@qtacoustics.co.uk	

Tolerance +-3mm
Specifications and dimensions may change without prior notice.


Title : AV 6 Unrestrained Spring Isolator

Drawing Number : QTPD-11440-005	Rev -
Project : 51 Fairfax Road	
Drawn By: - J.P. Williams	
CHK: - LBDH	Date:- 24/03/17
Tel - 01252 444948 Email - sales@qtacoustics.co.uk	

Qt-SI-25 unrestrained spring mount.
Maximum load per Mount - 25KG.
Typical operating load per mount - 10-20KG.
Unladen Height = 75mm
55-60mm typical operating height.

4 to be used for fan.
12 to be used for duct (4 per fixing location)

Supplied with fixing/levelling kit of
Qty 1 M8x50mm L bolt.
2 off M8 nuts.
2 off washers.



Fixing / Levelling Kit

