

## The Planning Inspectorate

### QUESTIONNAIRE ADVERTISEMENT CONSENT OR DISCONTINUANCE NOTICE APPEAL (Online Version)

You must ensure that a copy of the completed questionnaire, together with any attachments, are sent to the appellant/agent by the date given in the start letter.

Appeal Reference	APP/X5210/Z/17/3170709
Appeal By	JCDECAUX UK LTD
Site Address	Os 246, Tottenham Court Road W1T 7QU Bus Stop Virgin Site London London Grid Ref Easting: 529724 Grid Ref Northing: 181565

#### PART 1

i) Refusal of consent for the display of the advertisement(s)		<input checked="" type="checkbox"/>	
ii) Grant of consent for the display of the advertisement(s)		<input type="checkbox"/>	
iii) Failure of the LPA to give notice of its decision within the appropriate period of an application for consent		<input type="checkbox"/>	
iv) Service of a Discontinuance Notice		<input type="checkbox"/>	
<i>Warning: The written representations procedure is an expedited procedure for appeals against refusal of consent for the display of advertisements.</i>			
1.b. Do you agree that the written representations procedure is appropriate for this appeal? Please note there must be exceptional reasons for us to agree to a procedure other than the written representations procedure. If your answer is no, please give your reasons below.	Yes	<input checked="" type="checkbox"/>	No <input type="checkbox"/>
2.a. Can the relevant part of the appeal site be seen from a road, public footpath, bridleway or other public land?	Yes	<input checked="" type="checkbox"/>	No <input type="checkbox"/>
2.b. Is it essential for the Inspector to enter the site to assess the impact of the proposal?	Yes	<input type="checkbox"/>	No <input checked="" type="checkbox"/>
2.c. Are there any known health and safety issues that would affect the conduct of the site inspection?	Yes	<input type="checkbox"/>	No <input checked="" type="checkbox"/>
3. Did you notify people about the application?	Yes	<input type="checkbox"/>	No <input checked="" type="checkbox"/>

#### PART 2

4. Is one of your grounds for refusal 'Public Safety' involving highway or traffic considerations?	Yes	<input checked="" type="checkbox"/>	No <input type="checkbox"/>
Please attach any representations made by the highway authority about the application			
<input checked="" type="checkbox"/> see 'Questionnaire Documents' section			

- |   |     |                             |                                     |
|---|-----|-----------------------------|-------------------------------------|
| 5.a. Have you notified anyone about the appeal?   | Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> |
| 6.a. Are there any other appeals or matters relating to the same site still being considered by us or the Secretary of State?       | Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> |
| 6.b. Are there any other appeals or matters adjacent, or close, to the site still being considered by us or the Secretary of State? | Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> |

### PART 3

- |   |     |  |                                     |
|---|-----|--|-------------------------------------|
| 7.a. Is the site in a Conservation Area?  | Yes | <input type="checkbox"/> No            | <input checked="" type="checkbox"/> |
| 7.b. Is the site adjacent to a Conservation Area?   | Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/>            |
| Please attach a plan of the Conservation Area with the appeal site identified on the plan<br><input checked="" type="checkbox"/> see 'Questionnaire Documents' section                                      |     |  |                                     |
| 8. Is the site in an Area of Special Control of Advertisements?   | Yes | <input type="checkbox"/> No            | <input checked="" type="checkbox"/> |
| 9. Is the appeal site within:   |     |  |                                     |
| a. A Green Belt?  | Yes | <input type="checkbox"/> No            | <input checked="" type="checkbox"/> |
| b. An Area of Outstanding Natural Beauty?   | Yes | <input type="checkbox"/> No            | <input checked="" type="checkbox"/> |
| 10.a. Is the appeal site in or adjacent to, or likely to affect, an SSSI and/or an Internationally designated site (i.e cSAC, SAC, pSPA, SPA, Ramsar)?  | Yes | <input type="checkbox"/> No            | <input checked="" type="checkbox"/> |
| 10.b. Are any protected species likely to be affected by the proposals?   | Yes | <input type="checkbox"/> No            | <input checked="" type="checkbox"/> |
| 11.a. Would the proposed advertisement affect the setting of a listed building?   | Yes | <input type="checkbox"/> No            | <input checked="" type="checkbox"/> |
| 12.a. Would the proposed advertisement affect an Ancient Monument (whether scheduled or not)?   | Yes | <input type="checkbox"/> No            | <input checked="" type="checkbox"/> |
| 13. Do you consider that any condition other than the five standard conditions set out in Schedule 2 of the 2007 Regulations should be imposed in the event that express consent as applied for is granted? | Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/>            |

Please provide full detail of your suggested condition(s) and the reason why you regard the condition(s) to be necessary.

Additional conditions were the inspector minded to allow the appeal.

We request that the following conditions are included in addition to the standard conditions, in order to be consistent with consents for the same proposal at other sites in the borough.

1. The intensity of the illumination of the digital sign shall not exceed 300 candelas per square metre between dusk and dawn and 600 candelas per square metre during the day. The levels of luminance on the digital sign should be controlled by light sensors to measure the ambient brightness and dimmers to control the lighting output to within these limits.
2. The digital sign shall not display any moving, or apparently moving, images (including animation, flashing, scrolling three dimensional, intermittent or video elements).
3. The minimum display time for each advertisement shall be 10 seconds.
4. The interval between advertisements shall take place over a period no greater than one second; the complete screen shall change with no visual effects (including fading, swiping or other animated transition methods) between displays and the display will include a mechanism to freeze the image in the event of a malfunction.
5. No advertisement displayed shall resemble traffic signs, as defined in section 64 of the Road Traffic Regulation Act 1984.

6. The footway and carriageway on the Transport for London Road Network (TLRN) and Strategic Road Network (SRN) must not be blocked during the installation and maintenance of the advertising panel. Temporary obstruction during the installation must be kept to a minimum and should not encroach on the clear space needed to provide safe passage for pedestrians, or obstruct the flow of traffic.

#### PART 4

#### Copies of the following must be attached to this form:

15.a. If the appellant has submitted photographs and a plan with their appeal documents please confirm you are content these are a complete and accurate representation. Yes  No

#### Copies of the following documents must, if appropriate, be attached to this form:

16.a. the planning officer's report to committee or delegated report on the application and any other relevant documents/minutes;

[see 'Questionnaire Documents' section](#)

16.b. extracts from any relevant statutory development plan policies (even if you intend to rely more heavily on the emerging plan). You must include the front page, the title and date of approval/adoption, please give the status of the plan. Copies of the policies should include the relevant supporting text. You must provide this even if the appeal is against non-determination;

List of policies:

CS cover, CS5 & 14 - DP Cover, DP 21,24,25 & 26

[see 'Questionnaire Documents' section](#)

[see 'Questionnaire Documents' section](#)

16.c. extracts of any relevant policies which have been 'saved' by way of a Direction.

16.d. Extracts from any supplementary document that you consider necessary, together with the date of its adoption. In the case of emerging documents, please state what stage they have reached.

[see 'Questionnaire Documents' section](#)

16.e. if any Development Plan Document (DPD) or Neighbourhood Plan relevant to this appeal has been examined and found sound/met the basic conditions and passed a referendum, the date the DPD or Neighbourhood Plan is likely to be adopted and, if you consider this date will be before the Inspector's decision on this appeal is issued, an explanation of the Council's policy position in respect of this appeal upon its adoption. You should also include an explanation of the status of existing policies and plans, as they relate to this appeal, upon adoption and which (if any) will be superseded;

16.f. if any DPD or Neighbourhood Plan relevant to this appeal has been submitted for examination, or in the case of a Neighbourhood Plan has been examined and is awaiting a referendum, an explanation of any substantive changes in the progress of the emerging plan, and their relevance to this appeal if it is considered that the plan will not be adopted before the Inspector's decision on this appeal is issued;

16.g. your Authority's CIL charging schedule is being/has been examined;

16.h. your Authority's CIL charging schedule has been/is likely to be adopted.

16.i. Any other relevant information or correspondence you consider we should know about;

see 'Questionnaire Documents' section

16.j. A true copy of the Discontinuance Notice.

17. If this appeal is not following the written representations expedited procedure do you intend to send a further statement about this appeal?

18. Do you wish to attach your statement of case?

### LPA Details

I certify that a copy of this appeal questionnaire and any enclosures will be sent to the appellant or agent today.

LPA's reference

2016/3879/A

Completed by

Michelle Panteli

On behalf of

London Borough of Camden

Please provide the details of the officer we can contact for this appeal, if different from the Planning Inspectorate's usual contact for this type of appeal.

Name

Michelle Panteliu

Phone no (including dialling code)

0207 974 4205

Email

PlanningAppeals@camden.gov.uk

**Please advise the case officer of any changes in circumstances occurring after the return of the questionnaire.**

## QUESTIONNAIRE DOCUMENTS

Appeal Reference

APP/X5210/Z/17/3170709

Appeal By

JCDECAUX UK LTD

Site Address

Os 246, Tottenham Court Road W1T 7QU  
Bus Stop Virgin Site  
London  
London  
Grid Ref Easting: 529724  
Grid Ref Northing: 181565

### The documents listed below were uploaded with this questionnaire form:

**Relates to Section:** PART 2  
**Document Description:** 4. Representations by the Highway Authority.  
**File name:** Highways doc.doc

**Relates to Section:** PART 2  
**Document Description:** 7.b. Plan of Conservation Area.  
**File name:** Charlotte Street Conservation Area.doc  
**File name:** Camden Town Conservation Area.doc  
**File name:** Hanway Street CA map.pdf  
**File name:** Charlotte Street.pdf  
**File name:** Hanway Street.pdf

**Relates to Section:** PART 4  
**Document Description:** 15.a. The planning officer's report to committee or delegated report on the application and any other relevant documents/minutes.  
**File name:** 246 Tottenham Court Road - Officers report.pdf

**Relates to Section:** PART 4  
**Document Description:** 16.b. Extracts from any relevant statutory development plan policies.  
**File name:** CS5 & 14.pdf

**Relates to Section:** PART 4  
**Document Description:** 16.b. Extracts from any relevant statutory development plan policies.  
**File name:** DP 21,24,25 & 26.pdf

**Relates to Section:** PART 4  
**Document Description:** 15.d. Extracts from any supplementary document.  
**File name:** CPG1 - Chapters 3 & 8.pdf  
**File name:** CPG6 - Chapter 5.pdf  
**File name:** CPG7 - Chapter 8.pdf

**Relates to Section:** PART 4  
**Document Description:** 16.i. Any other relevant information or correspondence you consider we should know about.  
**File name:** TfL Guidance for Digital Roadside Advertising and Proposed Best Practice 2013.pdf  
**File name:** TfL pedestrian-comfort-guidance-technical-guide 2010.pdf  
**File name:** Camden Streetscape Design Manual 2005.pdf  
**File name:** Additional conditions if appeal allowed.doc  
**File name:** 2015-3210-A - Appeal Decision ref 3134986.pdf

**File name:** 2015-3210-A Decision Notice - refusal.pdf  
**File name:** 2016.3877.A - 127 Tottenham Court Road - Decision notice approval.pdf  
**File name:** 2016.3880.A 6-17 Tottenham Court Road -Decision notice approval.pdf  
**File name:** 2016.3878.A 170 Tottenham Court Road Decision notice approval.pdf  
**File name:** 7 Appeal decisions -  
 314801-314810-314812-314814-314818-314822-314826.pdf  
**File name:** Camden Character Study June 2015 - Part 7.pdf  
**File name:** Camden Character Study June 2015 - Part 3.pdf  
**File name:** Camden Character Study June 2015 - Part 5.pdf  
**File name:** Camden Character Study June 2015 - Part 13.pdf  
**File name:** Camden Character Study June 2015 - Part 1.pdf  
**File name:** Camden Character Study June 2015 - Part 14.pdf  
**File name:** Camden Character Study June 2015 - Part 2.pdf  
**File name:** Camden Character Study June 2015 - Part 10.pdf  
**File name:** Camden Character Study June 2015 - Part 8.pdf  
**File name:** Camden Character Study June 2015 - Part 6.pdf  
**File name:** Camden Character Study June 2015 - Part 9.pdf  
**File name:** Camden Character Study June 2015 - Part 4.pdf  
**File name:** Camden Character Study June 2015 - Part 12.pdf  
**File name:** Camden Character Study June 2015 - Part 11.pdf

**The documents listed below were already attached elsewhere with this questionnaire form:**

**PLEASE ENSURE THAT A COPY OF THIS SHEET IS ENCLOSED WHEN POSTING THE ABOVE DOCUMENTS TO US**

<b>Completed by</b>	Not Set
<b>Date</b>	31/03/2017 11:47:16
<b>LPA</b>	London Borough of Camden