



- ① - ENTRANCES
 - [4.1] BE ILLUMINATED
 - [4.2] HAVE LEVEL ACCESS OVER THE THRESHOLD
 - [4.3] HAVE EFFECTIVE CLEAR OPENING WIDTHS
 - [4.4] HAVE ADEQUATE WEATHER PROTECTION
 - [4.5] HAVE A LEVEL EXTERNAL LANDING
- ② - COMMUNAL STAIRS AND LIFTS
 - [5.1] UNIFORM RISE NOT EXCEEDING 170mm
 - [5.2] UNIFORM GOING NOT EXCEEDING 250mm
 - [5.3] HANDRAILS THAT EXTEND 300mm BEYOND THE TOP AND BOTTOM
- ③ - INTERNAL DOORWAYS AND HALLWAYS
 - [6.1] HALLWAYS MUST BE > 900mm MINIMUM WIDTH
 - [6.2] HALLWAYS WILL EXCEED THE FOLLOWING:
 - 750mm STRAIGHT ON DOORWAY
 - 750mm DOOR AT RIGHT ANGLES IN A 1200mm WIDE CORRIDOR
 - 900mm DOOR AT RIGHT ANGLES IN A CORRIDOR LESS THAN 1200mm WIDE
- ④ - CIRCULATION SPACE
 - [7.1] 900mm DIA. TURNING CIRCLE LIVING ROOM
 - [7.2] 1200mm MIN NO OBSTRUCTION DISTANCE IN KITCHEN
 - [7.3] 750mm MIN AT BOTH SIDES OF BED IN MASTER BEDROOM
 - [7.4] 750mm MIN AT HEAD, SIDE AND FOOT OF BEDS (WHERE APPLICABLE)
- ⑤ - ENTRANCE LEVEL LIVING SPACE
- ⑥ - POTENTIAL ENTRANCE LEVEL BEDSPACE WILL BE PROVIDED
- ⑦ - ENTRANCE LEVEL W.C. & SHOWER DRAINAGE
 - [8.1] A REQUIRED W.C. BASIN APPROACH ZONE TO BE PROVIDED
 - [8.2] SHALLOW FALLS FOR POTENTIAL SHOWER
- ⑧ - W.C. BATHROOM WALLS
- ⑨ - STAIRS AND POTENTIAL THROUGH FLOOR LIFT
 - [9.1] 900mm WIDE FOR POTENTIAL STAIR/LIFT
 - [9.2] 1000x1500mm AREA FOR POTENTIAL THROUGH LIFT FLOOR
- ⑩ - POTENTIAL FOR FITTING OF HOISTS IN BEDROOM & BATHROOM
- ⑪ - BATHROOMS, THERE WILL BE AN ACCESSIBLE BATHROOM ON MAIN BEDROOM STOREY
 - [11.1] REQUIRED W.C. BASIN APPROACH ZONE
 - [11.2] FLOOR LEVEL, SHOWER PROVIDED, CLEAR 1500mm DIA CIRCLE REQUIRED
- ⑫ - GLAZING AND WINDOW HANDLE HEIGHTS
 - [12.1] VIEW IN LIVING ROOM WILL BE PROVIDED
 - [12.2] THERE WILL BE A MINIMUM OF 750mm APPROACH ROUTE TO A WINDOW IN EVERY HABITABLE ROOM
- ⑬ - LOCATION OF SERVICE CONTROLS, SERVICE CONTROLS WILL BE WITHIN 450mm TO 1200mm FROM THE FLOOR AND AT LEAST 300MM FROM ANY INTERNAL CORNER

17.03.14

P04 - PV PANELS ON ROOF INCREASED IN NUMBER 23.07.14

P03 - FLATS 1 & 2 COMBINED TO MAKE A 3 BED FLAT OUT OF THE TWO 1 BED FLATS 28.02.14

P02 - REVISED & UPGRADED TO INCLUDE ROOF RAINWATER PIPING AND MODULES - x 18 OBSCURE PV UNITS FROM VIEW 06.12.13

P01 - REVISED & UPGRADED TO BOYVER COMMENTS 12.07.13

REVISIONS

DATE

MADOC ARCHITECTURE

Unit 2.1
256 Northburgh Street
EC1V 9AV
T: (020) 3217 2899
www.madoc-architecture.com

TITLE
**17 GOLDINGTON CRESCENT
LONDON NW1 1UA**

DWG
PROPOSED ROOF PLAN

JOB NO. 1309
DWG NO. 9033
SCALE @ A3 1:100

REV
P-04 PRELIM
STATUS
DATE
CHECKED BY
DRAWN BY

NOT TO BE USED FOR CONSTRUCTION
This drawing is for information only and should not be used for construction without the consent of Madoc Architecture. Madoc Architecture can be held responsible for its drawings.