HERBAL HOUSE

Planning Samples Guide 02

03rd May 2017

BuckleyGrayYeoman | 2017

This document has been compiled as a guide to the samples which will be submitted to London Borough of Camden as partial discharge of Planning Condition 2.

The Planning Condition 2:

Detailed drawings, or samples of materials as appropriate, in respect of the following, shall be submitted to and approved in writing by the local planning authority before the relevant part of the work is begun:

a) Details including sections at 1:10 of all windows (including jambs, head and cill), ventilation grills, external doors and gates;

b) Manufacturer's specification details of all facing materials (to be submitted to the Local Planning Authority) and samples of those materials (to be provided on site).

c) Details including sections of photovoltaic panels at roof level; The relevant part of the works shall be carried out in accordance with the details thus approved and all approved samples shall be retained on site during the course of the works.

The samples relating to the windows and the facade repairs were submitted to Camden on the 15th July 2016. This document contains details of the outstanding samples of 'facing materials':

The external metal louvres (metal fins) to the substation The reclaimed bricks to the top of the stair cores.

Sample Schedule - Plannning												
	Awaiting											
	Rejected											
	In Manufacture											
	Approved											
Specification Reference (refer to T- sheet)	Summary	Location	Action?	Control sample (pre procurement)	- Sample from supply chain	Approved on site	Description of Control Sample	Required for Planning Condition Discharge	Approved by Architect	Approved by client	Latest date required	STATUS
	NEW FACING MATERIALS											
n/a	Crittal style window	Existing Opening 1st - 4th floor					500 x 500mm sample of glazing with frame	~				
n/a	Metal spandrel below crittal style windows	Back Hill and Herbal Hill Façade					500mm x 500mm sample	~				
n/a	Black metal louvres	Back Hill and Herbal Hill Façade at existing substation and generator extract					500mm x 500mm sample	~				
n/a	Brickwork repair	Location tbc by architect					New red and blue brick repair with mortar	~				
	NOTE: Glazing drawing details are to be provided as part of Condition 2a.											

A schedule of planning samples was presented to the Design Officer Neil Collings during the Planning Amendments Consultation Process

INTRODUCTION

CONTENTS

- I. The Metal Louvres
 - 2. Reclaimed Brick

THE METAL LOUVRE SAMPLE PHOTOGRAPH + PHYSICAL SAMPLE

Samples of the proposed louvre fins have been sourced for presentation to London Borough of Camden.


This sample will be couriered to the London Borough of Camden Planning Office, following receipt of a registration number for the sample submittal.


Locations of the fins and drawing details are provided on the following pages.

FEATURE FINS TO GROUND FLOOR LOUVRED BAYS 652

- Manufacturer: Levolux. -
- -
- Material: Extruded aluminium profiles. Finish: Syntha Pulvin Signal Black RAL 9004.
- -
- Fire resistance rating: Not applicable. -
- Number of louvre banks: Single. Louvre blade pitch and angle: Not applicable. -
- Blanking panels: Not applicable. Accessories/ Other requirements: None.
- subcontractor.

Specification (extract from Buckley Gray Yeoman L10 nbs specification)








Product reference: Special 70x12mm hollow aluminium extrusion, spacing as per drawings.

Fixing: Levolux Triniti thermally broken brises-soleil bracket supplied free issue to curtain walling



THE METAL LOUVRE SAMPLE DETAIL DRAWING



THE METAL LOUVRE SAMPLE LOCATION - BACK HILL ELEVATION



THE METAL LOUVRE SAMPLE LOCATION - HERBAL HILL ELEVATION

Level RF
Level 06
Level 05
Level 04
 Level 03
 Level 02
Level 01
 Level UG
Level 00
Level LG

Level B

RECLAIMED BRICKS PHOTOGRAPH + PHYSICAL SAMPLE

Reclaimed bricks are to be used for the infill to the roof of the stair cores, where there is a band of masonry directly below the new roof.

Originally it was specified that these should be reclaimed from the demolition works to the existing roof structures, however the strength of the mortar meant that the majority of bricks were broken and damaged during the process of removal.

A selection process was held to source the closest matching reclaimed brick to the existing masonry.





This sample will be couriered to the London Borough of Camden Planning Office, following receipt of a registration number for the sample submittal.

BuckleyGrayYeoman

Studio 4.04 The Tea Building 56 Shoreditch High Street London E1 6JJ

T +44 20 7033 9913 F +44 20 7033 9914 E mail@buckleygrayyeoman.com W buckleygrayyeoman.com