



Surface Water Manhole Schedule					GRADE 1 in	PIPE Ø (mm)	LENGTH
MANHOLE REF	INVERT LEVEL	COVER LEVEL	CHAMBER TYPE	COVER TYPE			
S5	116.48(80 IN)	117.20	1050Ø Chamber	B125 600x600	40.0	100	4.5
S8	116.600	117.20	480Ø Silt Trap	B125 480Ø	3.6	100	9.5
S9	119.200	119.40	Channel Drain Sump	As Supplied			

NOTE:

1.DO NOT SCALE, IF IN DOUBT ASK.

2.THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT STRUCTURAL ENGINEER'S DRAWINGS AND DETAILS, THE SPECIFICATION FOR THE WORKS, THE RELEVANT ARCHITECT'S DRAWINGS AND ANY OTHER SPECIALIST'S DRAWINGS.

Drainage Key	
Sewers	
	Foul water drain (private/non adoptable)
	Surface water drain (private/non adoptable)
	Foul water sewer (Adoptable)
	Surface water sewer (Adoptable)
	Foul rising main
	Existing combined water sewer (Adopted)
Chamber Key	
FW	SW
	Mini access chamber (mac) - 300mmØ *
	PPIC - 475mmØ *
	P.C.C. units/brick *
	Manhole Depth 1.25 to 1.5m *
	Manhole Depth 1.55 to 3.0m *
General note Refer to standard details & long sections for chamber sizes. Size may need to increase dependant on number of incoming pipes/size of incoming pipes)	
	Rain water down pipe (roddable access)
	Soil vent pipe/soil stack
	Linear drainage channel
	Cellular storage (refer to drawing 050 for information)
	Finished Floor Level (FFL)
	Building Access - Primary

T01	03/11/16	Tender issue	NJ	DJ
Rev.	Date	Amendments	By	Chk'd

engineersHRW

London 0207 407 9575 Oxford 01865 251 206 www.ehrw.co.uk

Project:

17 Branch Hill,
Hampstead

Drawing title:

Proposed Drainage Plan
Ground Floor

Scale at A1: 1:100	Drawn by: NJ	Date: 03/11/2016	Chk'd by: DJ
-----------------------	-----------------	---------------------	-----------------

TENDER			
Project Number: 1281	Drawing Type: DR	Drawing No: 051	Revision: T01