

Average Daylight Factor
 ADF Results

Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Holborn Fisher Street Proposed					
First	R1	Bedroom	W1-L	0.04	1.00
			W1-U	0.73	
			W2-L	0.02	
			W2-U	0.41	
			W3-L	0.02	
			W3-U	0.43	
			W4-L	0.02	
			W4-U	0.43	
				2.10	
First	R2	Bedroom	W5-L	0.02	1.00
			W5-U	0.42	
			W6-L	0.02	
			W6-U	0.42	
			W7-L	0.02	
			W7-U	0.42	
First	R3	Bedroom	W8-L	0.02	1.00
			W8-U	0.42	
			W9-L	0.02	
			W9-U	0.42	
				0.88	
First	R4	Bedroom	W10-L	0.02	1.00
			W10-U	0.39	
			W11-L	0.02	
			W11-U	0.39	
			W12-L	0.02	
			W12-U	0.40	
				1.24	
First	R5	Bedroom	W13-L	0.02	1.00
			W13-U	0.50	
			W14-L	0.03	
			W14-U	0.51	
			W15-L	0.03	
			W15-U	0.51	
				1.59	

Average Daylight Factor
 ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
First	R6	Bedroom	W16-L	0.02	1.00
			W16-U	0.45	
			W17-L	0.02	
			W17-U	0.46	
			W18-L	0.02	
			W18-U	0.46	
			1.45		
First	R7	Bedroom	W19-L	0.02	1.00
			W19-U	0.45	
			W20-L	0.02	
			W20-U	0.44	
			W21-L	0.02	
			W21-U	0.44	
			1.40		
First	R8	Bedroom	W22-L	0.02	1.00
			W22-U	0.47	
			W23-L	0.02	
			W23-U	0.47	
			W24-L	0.02	
			W24-U	0.46	
			W25-L	0.02	
			W25-U	0.46	
1.96					
First	R9	Bedroom	W26-L	0.03	1.00
			W26-U	0.50	
			W27-L	0.03	
			W27-U	0.50	
1.06					
First	R10	Bedroom	W28-L	0.02	1.00
			W28-U	0.45	
			W29-L	0.02	
			W29-U	0.45	
			W30-L	0.02	
			W30-U	0.45	
1.41					
First	R11	Bedroom	W31-L	0.03	1.00
			W31-U	0.53	
			W32-L	0.03	
			W32-U	0.53	
1.11					

Average Daylight Factor
ADF Results

Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
First	R12	Bedroom	W33-L	0.03	1.00
			W33-U	0.56	
			W34-L	0.03	
			W34-U	0.55	
			W35-L	0.03	
			W35-U	0.53	
			W36-L	0.03	
			W36-U	0.53	
			W38-L	0.02	
			W38-U	0.38	
			W37-L	0.02	
			W37-U	0.42	
Second	R1	Bedroom	W1-L	0.04	1.00
			W1-U	0.87	
			W2-L	0.02	
			W2-U	0.52	
			W3-L	0.02	
			W3-U	0.54	
			W4-L	0.02	
			W4-U	0.54	
Second	R2	Bedroom	W5-L	0.02	1.00
			W5-U	0.53	
			W6-L	0.02	
			W6-U	0.54	
			W7-L	0.02	
			W7-U	0.54	
Second	R3	Bedroom	W8-L	0.02	1.00
			W8-U	0.54	
			W9-L	0.03	
			W9-U	0.55	
Second	R4	Bedroom	W10-L	0.02	1.00
			W10-U	0.50	
			W11-L	0.02	
			W11-U	0.51	
			W12-L	0.02	
			W12-U	0.52	

Average Daylight Factor
 ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Second	R5	Bedroom	W13-L	0.03	1.00
			W13-U	0.64	
			W14-L	0.03	
			W14-U	0.65	
			W15-L	0.03	
			W15-U	0.66	
			2.03		
Second	R6	Bedroom	W16-L	0.03	1.00
			W16-U	0.57	
			W17-L	0.03	
			W17-U	0.58	
			W18-L	0.03	
			W18-U	0.58	
			1.81		
Second	R7	Bedroom	W19-L	0.03	1.00
			W19-U	0.85	
0.88					
Second	R8	Bedroom	W20-L	0.03	1.00
			W20-U	0.61	
			W21-L	0.03	
			W21-U	0.61	
			W22-L	0.03	
			W22-U	0.60	
			1.91		
Second	R9	Bedroom	W23-L	0.03	1.00
			W23-U	0.62	
			W24-L	0.03	
			W24-U	0.61	
			W25-L	0.03	
			W25-U	0.61	
			W26-L	0.03	
			W26-U	0.60	
2.56					
Second	R10	Bedroom	W27-L	0.03	1.00
			W27-U	0.61	
			W28-L	0.03	
			W28-U	0.60	
1.27					

Average Daylight Factor
 ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Second	R11	Bedroom	W29-L	0.03	1.00
			W29-U	0.54	
			W30-L	0.03	
			W30-U	0.54	
			W31-L	0.03	
			W31-U	0.53	
			1.69		
Second	R12	Bedroom	W32-L	0.03	1.00
			W32-U	0.63	
			W33-L	0.03	
			W33-U	0.63	
1.32					
Second	R13	Bedroom	W34-L	0.03	1.00
			W34-U	0.66	
			W35-L	0.03	
			W35-U	0.65	
			W36-L	0.03	
			W36-U	0.63	
			W37-L	0.03	
			W37-U	0.62	
			W39-L	0.02	
			W39-U	0.43	
			W40-L	0.02	
			W40-U	0.37	
			W38-L	0.02	
			W38-U	0.48	
4.03					
Second	R14	Bedroom	W41	0.25	1.00
			W42	0.22	
			W43	0.54	
1.01					
Second	R15	Bedroom	W44	0.68	1.00
			W45	0.39	
			W46	0.40	
			W47	0.62	
2.09					
Second	R16	Bedroom	W48	1.58	1.00
1.58					
Second	R17	Bedroom	W49	1.60	1.00
1.60					

Average Daylight Factor
 ADF Results

Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Second	R18	Bedroom	W50	0.66	1.00
			W51	0.41	
			W52	0.41	
			W53	0.65	
				2.13	
Second	R19	Bedroom	W54	0.50	1.00
			W55	0.22	
			W56	0.25	
				0.97	
Third	R1	Bedroom	W1-L	0.05	1.00
			W1-U	0.99	
			W2-L	0.03	
			W2-U	0.60	
			W3-L	0.03	
			W3-U	0.62	
			W4-L	0.03	
			W4-U	0.62	
	2.96				
Third	R2	Bedroom	W5-L	0.03	1.00
			W5-U	0.61	
			W6-L	0.03	
			W6-U	0.62	
			W7-L	0.03	
			W7-U	0.63	
				1.94	
Third	R3	Bedroom	W8-L	0.03	1.00
			W8-U	0.62	
			W9-L	0.03	
			W9-U	0.64	
	1.32				
Third	R4	Bedroom	W10-L	0.03	1.00
			W10-U	0.59	
			W11-L	0.03	
			W11-U	0.60	
			W12-L	0.03	
			W12-U	0.60	
	1.88				

Average Daylight Factor
 ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Third	R5	Bedroom	W13-L	0.03	1.00
			W13-U	0.74	
			W14-L	0.03	
			W14-U	0.74	
			W15-L	0.03	
			W15-U	0.76	
			2.34		
Third	R6	Bedroom	W16-L	0.03	1.00
			W16-U	0.65	
			W17-L	0.03	
			W17-U	0.66	
			W18-L	0.03	
			W18-U	0.66	
			2.07		
Third	R7	Bedroom	W19-L	0.06	1.00
			W19-U	1.95	
2.01					
Third	R8	Bedroom	W20-L	0.03	1.00
			W20-U	0.66	
			W21-L	0.03	
			W21-U	0.66	
			W22-L	0.03	
			W22-U	0.66	
			2.07		
Third	R9	Bedroom	W23-L	0.03	1.00
			W23-U	0.69	
			W24-L	0.03	
			W24-U	0.68	
			W25-L	0.03	
			W25-U	0.67	
			W26-L	0.03	
			W26-U	0.67	
2.84					
Third	R10	Bedroom	W27-L	0.03	1.00
			W27-U	0.67	
			W28-L	0.03	
			W28-U	0.67	
1.40					

Average Daylight Factor
 ADF Results

Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Third	R11	Bedroom	W29-L	0.03	1.00
			W29-U	0.60	
			W30-L	0.03	
			W30-U	0.60	
			W31-L	0.03	
			W31-U	0.59	
			1.87		
Third	R12	Bedroom	W32-L	0.03	1.00
			W32-U	0.70	
			W33-L	0.03	
			W33-U	0.70	
1.46					
Third	R13	Bedroom	W34-L	0.03	1.00
			W34-U	0.75	
			W35-L	0.03	
			W35-U	0.73	
			W36-L	0.03	
			W36-U	0.72	
			W39-L	0.02	
			W39-U	0.49	
			W37-L	0.03	
			W37-U	0.71	
			W38-L	0.03	
			W38-U	0.54	
4.12					
Third	R14	Bedroom	W40	0.28	1.00
			W41	0.33	
			W42	0.32	
			W43	0.25	
1.17					
Third	R15	Bedroom	W44	0.45	1.00
			W45	0.52	
			W46	0.55	
			W47	0.53	
2.04					
Third	R16	Bedroom	W48	0.71	1.00
			W49	0.71	
1.42					
Third	R17	Bedroom	W50	0.72	1.00
			W51	0.72	
1.44					

Average Daylight Factor
 ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Third	R18	Bedroom	W52	0.56	1.00
			W53	0.57	
			W54	0.52	
			W55	0.32	
				1.97	
Third	R19	Bedroom	W56	0.29	1.00
			W57	0.34	
			W58	0.34	
			W59	0.24	
				1.21	
Fourth	R1	Bedroom	W1-L	0.06	1.00
			W1-U	0.76	
			W2-L	0.04	
			W2-U	0.46	
			W3-L	0.04	
			W3-U	0.48	
			W4-L	0.04	
			W4-U	0.48	
				2.35	
Fourth	R2	Bedroom	W5-L	0.04	1.00
			W5-U	0.47	
			W6-L	0.04	
			W6-U	0.48	
			W7-L	0.04	
			W7-U	0.48	
				1.54	
Fourth	R3	Bedroom	W8-L	0.04	1.00
			W8-U	0.48	
			W9-L	0.04	
			W9-U	0.49	
				1.05	
Fourth	R4	Bedroom	W10-L	0.04	1.00
			W10-U	0.46	
			W11-L	0.04	
			W11-U	0.46	
			W12-L	0.04	
			W12-U	0.47	
				1.50	

Average Daylight Factor
 ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Fourth	R5	Bedroom	W13-L	0.04	1.00
			W13-U	0.57	
			W14-L	0.04	
			W14-U	0.58	
			W15-L	0.05	
			W15-U	0.58	
			1.86		
Fourth	R6	Bedroom	W16-L	0.04	1.00
			W16-U	0.50	
			W17-L	0.04	
			W17-U	0.50	
			W18-L	0.04	
			W18-U	0.51	
			1.63		
Fourth	R7	Bedroom	W19-L	0.11	1.00
			W19-U	2.34	
2.45					
Fourth	R8	Bedroom	W20-L	0.03	1.00
			W20-U	0.53	
			W21-L	0.03	
			W21-U	0.53	
			W22-L	0.03	
			W22-U	0.52	
			1.67		
Fourth	R9	Bedroom	W23-L	0.03	1.00
			W23-U	0.55	
			W24-L	0.03	
			W24-U	0.55	
			W25-L	0.03	
			W25-U	0.54	
			W26-L	0.03	
			W26-U	0.54	
			2.31		
Fourth	R10	Bedroom	W27-L	0.03	1.00
			W27-U	0.55	
			W28-L	0.03	
			W28-U	0.54	
1.16					

Average Daylight Factor
 ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Fourth	R11	Bedroom	W29-L	0.03	1.00
			W29-U	0.49	
			W30-L	0.03	
			W30-U	0.49	
			W31-L	0.03	
			W31-U	0.49	
			1.56		
Fourth	R12	Bedroom	W32-L	0.04	1.00
			W32-U	0.57	
			W33-L	0.04	
			W33-U	0.57	
1.22					
Fourth	R13	Bedroom	W34-L	0.04	1.00
			W34-U	0.59	
			W35-L	0.04	
			W35-U	0.59	
			W36-L	0.04	
			W36-U	0.58	
			W37-L	0.03	
			W37-U	0.45	
			W38-L	0.03	
			W38-U	0.41	
2.77					
Fourth	R14	Bedroom	W39	0.35	1.00
			W40	0.35	
0.71					
Fourth	R15	Bedroom	W41	0.44	1.00
			W42	0.57	
			W43	0.42	
1.43					
Fourth	R16	Bedroom	W44	1.50	1.00
1.50					
Fourth	R17	Bedroom	W45	1.53	1.00
1.53					
Fourth	R18	Bedroom	W46	0.43	1.00
			W47	0.58	
			W48	0.44	
1.44					
Fourth	R19	Bedroom	W49	0.35	1.00
			W50	0.38	
0.73					

Average Daylight Factor
 ADF Results

Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Fifth	R1	Bedroom	W1-L	0.06	1.00
			W1-U	1.39	
			W2-L	0.04	
			W2-U	0.81	
			W3-L	0.08	
			W3-U	1.93	
				4.31	
Fifth	R2	Bedroom	W4-L	0.08	1.00
			W4-U	1.90	
			W5-L	0.04	
			W5-U	0.83	
				2.85	
Fifth	R3	Bedroom	W6-L	0.08	1.00
			W6-U	1.91	
			W7-L	0.04	
			W7-U	0.85	
				2.88	
Fifth	R4	Bedroom	W8-L	0.08	1.00
			W8-U	1.80	
			W9-L	0.03	
			W9-U	0.79	
				2.70	
Fifth	R5	Bedroom	W10-L	0.10	1.00
			W10-U	2.24	
			W11-L	0.04	
			W11-U	0.98	
				3.36	
Fifth	R6	Bedroom	W12-L	0.09	1.00
			W12-U	1.93	
			W13-L	0.04	
			W13-U	0.84	
				2.90	
Fifth	R7	Bedroom	W14-L	0.12	1.00
			W14-U	2.47	
				2.59	
Fifth	R8	Bedroom	W15-L	0.04	1.00
			W15-U	0.80	
			W16-L	0.08	
			W16-U	1.82	
				2.74	

Average Daylight Factor
 ADF Results

Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Fifth	R9	Bedroom	W17-L	0.04	1.00
			W17-U	0.86	
			W18-L	0.09	
			W18-U	1.96	
			W19-L	0.04	
			W19-U	0.84	
				3.82	
Fifth	R10	Bedroom	W20-L	0.09	1.00
			W20-U	1.98	
			W21-L	0.04	
			W21-U	0.86	
				2.96	
Fifth	R11	Bedroom	W22-L	0.08	1.00
			W22-U	1.78	
			W23-L	0.03	
			W23-U	0.77	
				2.66	
Fifth	R12	Bedroom	W24-L	0.09	1.00
			W24-U	2.09	
				2.18	
Fifth	R13	Bedroom	W25-L	0.04	1.00
			W25-U	0.97	
			W26-L	0.10	
			W26-U	2.19	
			W29-L	0.03	
			W29-U	0.71	
			W27-L	0.04	
			W27-U	0.94	
			W28-L	0.03	
			W28-U	0.76	
				5.82	
Fifth	R14	Bedroom	W30	0.09	1.00
			W31	0.37	
			W32	0.47	
			W33	0.44	
				1.37	
Fifth	R15	Bedroom	W34	0.49	1.00
			W35	0.55	
			W36	0.55	
				1.59	

Average Daylight Factor
ADF Results

Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Fifth	R16	Bedroom	W37	0.65	1.00
			W38	0.65	
				1.30	
Fifth	R17	Bedroom	W39	0.63	1.00
			W40	0.63	
				1.25	
Fifth	R18	Bedroom	W41	0.55	1.00
			W42	0.55	
			W43	0.48	
				1.58	
Fifth	R19	Bedroom	W44	0.52	1.00
			W45	0.51	
			W46	0.37	
			W47	0.10	
				1.49	
Sixth	R1	Bedroom	W1-L	0.15	1.00
			W1-U	3.42	
				3.57	
Sixth	R2	Bedroom	W2-L	0.13	1.00
			W2-U	3.19	
				3.32	
Sixth	R3	Bedroom	W3-L	0.12	1.00
			W3-U	3.17	
				3.29	
Sixth	R4	Bedroom	W4-L	0.11	1.00
			W4-U	3.02	
				3.13	
Sixth	R5	Bedroom	W5-L	0.16	1.00
			W5-U	4.14	
				4.29	
Sixth	R6	Bedroom	W6-L	0.15	1.00
			W6-U	3.77	
				3.92	
Sixth	R7	Bedroom	W7-L	0.13	1.00
			W7-U	2.57	
				2.69	
Sixth	R8	Bedroom	W8-L	0.19	1.00
			W8-U	3.75	
			W9-L	0.14	
			W9-U	3.46	
				7.54	

Average Daylight Factor
ADF Results

Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Sixth	R9	Bedroom	W10-L	0.17	1.00
			W10-U	4.06	
				4.23	
Sixth	R10	Bedroom	W11-L	0.15	1.00
			W11-U	3.71	
				3.86	
Sixth	R11	Bedroom	W12-L	0.11	1.00
			W12-U	2.76	
				2.87	
Sixth	R12	Bedroom	W13-L	0.11	1.00
			W13-U	3.38	
				3.49	
Sixth	R13	Bedroom	W14-L	0.16	1.00
			W14-U	3.94	
				4.10	
Sixth	R14	Bedroom	W15	0.00	1.00
			W16	0.02	
			W17	0.03	
			W18	0.02	
				0.06	
Sixth	R15	Bedroom	W19	0.01	1.00
			W20	0.01	
			W21	0.02	
			W22	0.02	
			W23	0.64	
				0.71	
Sixth	R16	Bedroom	W24	1.00	1.00
				1.00	
Sixth	R17	Bedroom	W29	0.02	1.00
			W30	0.02	
			W31	0.02	
			W32	0.00	
				0.06	
Seventh	R1	Bedroom	W1-L	0.19	1.00
			W1-U	3.81	
				4.00	
Seventh	R2	Bedroom	W2-L	0.17	1.00
			W2-U	3.53	
				3.71	
Seventh	R3	Bedroom	W3-L	0.16	1.00
			W3-U	3.18	
				3.34	

Average Daylight Factor
 ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Seventh	R4	Bedroom	W4-L	0.17	1.00
			W4-U	3.47	
				3.64	
Seventh	R5	Bedroom	W5-L	0.22	1.00
			W5-U	4.43	
				4.66	
Seventh	R6	Bedroom	W6-L	0.20	1.00
			W6-U	3.99	
				4.19	
Seventh	R7	Bedroom	W7-L	0.13	1.00
			W7-U	2.68	
				2.81	
Seventh	R8	Bedroom	W8-L	0.19	1.00
			W8-U	3.83	
			W9-L	0.18	
			W9-U	3.64	
				7.84	
Seventh	R9	Bedroom	W10-L	0.21	1.00
			W10-U	4.35	
				4.56	
Seventh	R10	Bedroom	W11-L	0.24	1.00
			W11-U	4.96	
				5.20	
Seventh	R11	Bedroom	W12-L	0.12	1.00
			W12-U	2.56	
				2.68	
Seventh	R12	Bedroom	W13-L	0.18	1.00
			W13-U	3.67	
				3.85	
Seventh	R13	Bedroom	W14-L	0.21	1.00
			W14-U	4.30	
				4.51	
Seventh	R14	Bedroom	W15-L	0.02	1.00
			W15-U	0.81	
				0.83	
Seventh	R15	Bedroom	W16-L	0.02	1.00
			W16-U	0.79	
				0.80	

J03686102

Ide Real Estate

Fisher Street,
London
WC1R

Average Daylight Factor
ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Eighth	R1	Bedroom	W4-L	0.04	1.00
			W4-U	0.97	
			W6-L	0.04	
			W6-U	0.97	
			W5-L	0.04	
			W5-U	0.97	
			W3-L	0.04	
			W3-U	0.97	
			W2-L	0.04	
			W2-U	0.96	
			W1-L	0.03	
			W1-U	0.96	
Eighth	R2	Bedroom	W14-L	0.03	1.00
			W14-U	0.76	
			W8-L	0.04	
			W8-U	1.23	
			W12-L	0.04	
			W12-U	1.23	
			W11-L	0.04	
			W11-U	1.23	
			W10-L	0.04	
			W10-U	1.23	
			W9-L	0.04	
			W9-U	1.23	
			W7-L	0.05	
			W7-U	1.23	
			W13-L	0.04	
W13-U	0.92				
				9.40	

J03686102

Ide Real Estate

Fisher Street,
London
WC1R

Average Daylight Factor
ADF Results



Floor Ref.	Room Ref.	Room Use	Window Ref.	ADF Proposed	Req'd Value
Eighth	R3	Bedroom	W15-L	0.03	1.00
			W15-U	0.80	
			W16-L	0.04	
			W16-U	0.95	
			W17-L	0.04	
			W17-U	1.03	
			W23-L	0.04	
			W23-U	1.11	
			W22-L	0.04	
			W22-U	1.11	
			W21-L	0.04	
			W21-U	1.11	
			W20-L	0.04	
			W20-U	1.11	
			W19-L	0.04	
			W19-U	1.11	
			W18-L	0.04	
			W18-U	1.06	
				9.75	
Eighth	R4	Bedroom	W24-L	0.03	1.00
			W24-U	0.91	
			W25-L	0.03	
			W25-U	0.91	
			W26-L	0.03	
			W26-U	0.90	
			W27-L	0.03	
			W27-U	0.89	
			W28-L	0.03	
			W28-U	0.90	
			W29-L	0.03	
			W29-U	0.91	
			W31-L	0.03	
			W31-U	0.67	
			W30-L	0.03	
W30-U	0.83				
				7.19	

Floor Ref.	Room Ref.	Room Use.	Room Area	Lit Area Proposed
Holborn Fisher Street Proposed				
First	R1	Bedroom	15.05	6.49 43.12%
	R2	Bedroom	15.68	4.24 27.06%
	R3	Bedroom	16.31	4.05 24.86%
	R4	Bedroom	18.92	8.14 43.04%
	R5	Bedroom	14.93	11.05 74.00%
	R6	Bedroom	18.32	12.75 69.62%
	R7	Bedroom	20.99	11.72 55.84%
	R8	Bedroom	19.21	13.81 71.88%
	R9	Bedroom	16.42	9.95 60.58%
	R10	Bedroom	18.11	10.74 59.28%
	R11	Bedroom	14.39	8.97 62.33%
	R12	Bedroom	13.54	12.25 90.46%
Second	R1	Bedroom	15.05	7.18 47.72%
	R2	Bedroom	15.68	7.20 45.89%
	R3	Bedroom	16.31	7.87 48.23%
	R4	Bedroom	18.91	13.69 72.37%
	R5	Bedroom	14.93	14.34 96%
	R6	Bedroom	18.67	18.20 97%
	R7	Bedroom	11.26	2.61 23%
	R8	Bedroom	19.50	19.38 99%

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight Distribution
 DD Results



Floor Ref.	Room Ref.	Room Use.	Room Area	Lit Area Proposed
Second	R9	Bedroom	17.32	17.30 100%
	R10	Bedroom	16.42	13.29 81%
	R11	Bedroom	18.11	16.13 89%
	R12	Bedroom	14.39	11.41 79%
	R13	Bedroom	13.58	13.58 100%
	R14	Bedroom	12.45	10.45 84%
	R15	Bedroom	12.53	12.15 97%
	R16	Bedroom	17.04	15.00 88%
	R17	Bedroom	16.65	14.20 85%
	R18	Bedroom	11.87	11.53 97%
	R19	Bedroom	13.06	8.36 64%
Third	R1	Bedroom	14.91	7.69 52%
	R2	Bedroom	15.58	8.75 56%
	R3	Bedroom	16.24	10.96 67%
	R4	Bedroom	18.80	18.63 99%
	R5	Bedroom	14.83	14.62 99%
	R6	Bedroom	18.56	18.31 99%
	R7	Bedroom	11.20	9.63 86%
	R8	Bedroom	19.40	19.27 99%
	R9	Bedroom	17.18	17.15 100%
	R10	Bedroom	16.35	14.07 86%

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight Distribution
 DD Results



Floor Ref.	Room Ref.	Room Use.	Room Area	Lit Area Proposed
Third	R11	Bedroom	18.01	17.56 98%
	R12	Bedroom	14.32	11.86 83%
	R13	Bedroom	13.37	13.20 99%
	R14	Bedroom	12.55	9.29 74%
	R15	Bedroom	13.02	12.88 99%
	R16	Bedroom	17.13	16.32 95%
	R17	Bedroom	16.52	15.82 96%
	R18	Bedroom	11.76	11.20 95%
	R19	Bedroom	12.95	9.61 74%
Fourth	R1	Bedroom	15.05	7.79 52%
	R2	Bedroom	15.68	8.44 54%
	R3	Bedroom	16.31	10.74 66%
	R4	Bedroom	18.91	18.74 99%
	R5	Bedroom	14.93	14.74 99%
	R6	Bedroom	18.67	18.42 99%
	R7	Bedroom	11.26	9.68 86%
	R8	Bedroom	19.50	19.37 99%
	R9	Bedroom	17.32	17.30 100%
	R10	Bedroom	16.42	14.05 86%
	R11	Bedroom	18.11	17.29 95%
	R12	Bedroom	14.39	11.79 82%

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight Distribution
 DD Results



Floor Ref.	Room Ref.	Room Use.	Room Area	Lit Area Proposed
Fourth	R13	Bedroom	13.51	13.24 98%
	R14	Bedroom	11.94	8.97 75%
	R15	Bedroom	12.98	12.90 99%
	R16	Bedroom	17.14	16.53 96%
	R17	Bedroom	16.57	16.01 97%
	R18	Bedroom	11.23	11.15 99%
	R19	Bedroom	12.76	8.89 70%
Fifth	R1	Bedroom	14.91	11.71 79%
	R2	Bedroom	15.55	12.35 79%
	R3	Bedroom	16.24	16.16 100%
	R4	Bedroom	18.80	18.73 100%
	R5	Bedroom	14.83	14.73 99%
	R6	Bedroom	18.56	18.34 99%
	R7	Bedroom	11.26	9.61 85%
	R8	Bedroom	19.40	19.35 100%
	R9	Bedroom	17.18	17.15 100%
	R10	Bedroom	16.35	16.23 99%
	R11	Bedroom	18.01	17.95 100%
	R12	Bedroom	14.32	13.46 94%
	R13	Bedroom	13.37	13.37 100%
	R14	Bedroom	10.30	9.54 93%

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight Distribution
 DD Results



Floor Ref.	Room Ref.	Room Use.	Room Area	Lit Area Proposed
Fifth	R15	Bedroom	12.71	12.70 100%
	R16	Bedroom	17.08	16.33 96%
	R17	Bedroom	16.17	14.89 92%
	R18	Bedroom	11.93	11.87 99%
	R19	Bedroom	9.47	8.81 93%
Sixth	R1	Bedroom	10.35	10.29 99%
	R2	Bedroom	12.00	11.96 100%
	R3	Bedroom	12.79	12.75 100%
	R4	Bedroom	14.82	14.75 100%
	R5	Bedroom	10.03	9.88 99%
	R6	Bedroom	12.85	12.70 99%
	R7	Bedroom	11.26	9.63 86%
	R8	Bedroom	14.34	14.33 100%
	R9	Bedroom	10.51	10.39 99%
	R10	Bedroom	11.22	11.15 99%
	R11	Bedroom	13.95	13.83 99%
	R12	Bedroom	11.55	11.46 99%
	R13	Bedroom	9.15	9.03 99%

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight Distribution
 DD Results



Floor Ref.	Room Ref.	Room Use.	Room Area	Lit Area Proposed
Sixth	R14	Bedroom	14.64	3.39 23%
	R15	Bedroom	23.52	18.55 79%
	R16	Bedroom	14.75	11.25 76%
	R17	Bedroom	15.81	5.60 35%
Seventh	R1	Bedroom	10.35	10.30 100%
	R2	Bedroom	12.00	11.98 100%
	R3	Bedroom	12.33	12.29 100%
	R4	Bedroom	12.66	12.58 99%
	R5	Bedroom	10.03	9.90 99%
	R6	Bedroom	12.85	12.70 99%
	R7	Bedroom	11.26	10.08 90%
	R8	Bedroom	14.34	14.33 100%
	R9	Bedroom	10.51	10.40 99%
	R10	Bedroom	8.16	8.10 99%
	R11	Bedroom	17.10	17.01 99%
	R12	Bedroom	11.55	11.49 100%
	R13	Bedroom	9.15	9.06 99%
	R14	Bedroom	16.38	14.61 89%
	R15	Bedroom	17.00	15.11 89%
Eighth	R1	Bedroom	29.43	29.43 100%
	R2	Bedroom	20.26	20.26 100%

J036861/02/
Ide Real Estate
Fisher Street,
London
WC1R

Daylight Distribution DD Results



Floor Ref.	Room Ref.	Room Use.	Room Area	Lit Area Proposed
Eighth	R3	Bedroom	23.68	23.68 100%
	R4	Bedroom	28.85	28.85 100%
	R5	Bedroom	16.16	16.16 100%
	R6	Bedroom	16.99	16.97 100%

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Holborn Fisher Street Proposed								
First	R1	Bedroom	W1	Existing	N/A	0	0.00	0
				Proposed	8.88	19		2
			W2	Existing	N/A	0	0.00	0
				Proposed	10.88	31		2
			W3	Existing	N/A	0	0.00	0
				Proposed	10.90	33		2
	W4	Existing	N/A	0	0.00	0		
		Proposed	10.95	32		2		
	R2	Bedroom	W5	Existing	N/A	0	0.00	0
				Proposed	11.12	34		0
			W6	Existing	N/A	0	0.00	0
				Proposed	11.25	31		0
	W7	Existing	N/A	0	0.00	0		
		Proposed	11.39	32		0		
	R3	Bedroom	W8	Existing	N/A	0	0.00	0
				Proposed	11.73	31		0
			W9	Existing	N/A	0	0.00	0
	R4	Bedroom	W10	Existing	N/A	0	0.00	0
Proposed				12.50	32		0	
W11			Existing	N/A	0	0.00	0	
			Proposed	12.79	33		0	
W12	Existing	N/A	0	0.00	0			
	Proposed	13.10	32		0			
	R5	Bedroom	W13	Existing	N/A	0	0.00	0
Proposed				13.73	35		1	
W14			Existing	N/A	0	0.00	0	
	Proposed	14.10	35		2			
W15	Existing	N/A	0	0.00	0			
	Proposed	14.48	34		1			
	R6	Bedroom	W16	Existing	N/A	0	0.00	0
Proposed				15.17	37		3	
W17			Existing	N/A	0	0.00	0	
			Proposed	15.44	38		4	
W18	Existing	N/A	0	0.00	0			
	Proposed	15.60	37		4			

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
First	R7	Bedroom	W19	Existing	N/A	0	*North*	0
				Proposed	18.46	7		0
			W20	Existing	N/A	0	*North*	0
				Proposed	18.23	8		0
			W21	Existing	N/A	0	*North*	0
				Proposed	18.01	8		0
	R8	Bedroom	W22	Existing	N/A	0	*North*	0
				Proposed	17.51	9		0
			W23	Existing	N/A	0	*North*	0
				Proposed	17.26	8		0
			W24	Existing	N/A	0	*North*	0
				Proposed	17.00	7		0
	W25	Existing	N/A	0	*North*	0		
		Proposed	16.75	7		0		
	R9	Bedroom	W26	Existing	N/A	0	*North*	0
				Proposed	16.02	6		0
			W27	Existing	N/A	0	*North*	0
	R10	Bedroom	W28	Existing	N/A	0	*North*	0
				Proposed	15.45	7		0
			W29	Existing	N/A	0	*North*	0
Proposed				15.34	8		0	
R11	Bedroom	W30	Existing	N/A	0	*North*	0	
			Proposed	15.23	7		0	
		W31	Existing	N/A	0	*North*	0	
Proposed	15.05		7		0			
R12	Bedroom	W32	Existing	N/A	0	*North*	0	
			Proposed	15.00	7		0	
		W33	Existing	N/A	0	*North*	0	
			Proposed	15.01	8		0	
		W34	Existing	N/A	0	*North*	0	
			Proposed	14.43	7		0	
		W35	Existing	N/A	0	*North*	0	
			Proposed	13.97	7		0	
W36	Existing	N/A	0	*North*	0			
	Proposed	13.58	7		0			
W37	Existing	N/A	0	0.00	0			
	Proposed	9.18	5		0			
W38	Existing	N/A	0	0.00	0			
	Proposed	7.36	3		0			

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Second	R1	Bedroom	W1	Existing	N/A	0	0.00	0
				Proposed	10.54	23	3	
			W2	Existing	N/A	0	0.00	0
				Proposed	13.98	44	3	
	R2	Bedroom	W3	Existing	N/A	0	0.00	0
				Proposed	14.04	43	2	
			W4	Existing	N/A	0	0.00	0
				Proposed	14.15	44	2	
	R3	Bedroom	W5	Existing	N/A	0	0.00	0
				Proposed	14.50	43	1	
			W6	Existing	N/A	0	0.00	0
	Proposed	14.74		44	2			
	R4	Bedroom	W7	Existing	N/A	0	0.00	0
				Proposed	15.00	45	1	
			W8	Existing	N/A	0	0.00	0
	Proposed	15.66		46	0			
	R5	Bedroom	W9	Existing	N/A	0	0.00	0
				Proposed	16.05	47	1	
			W10	Existing	N/A	0	0.00	0
				Proposed	16.80	48	1	
	R6	Bedroom	W11	Existing	N/A	0	0.00	0
Proposed				17.08	49	1		
W12			Existing	N/A	0	0.00	0	
			Proposed	17.41	50	2		
R7	Bedroom	W13	Existing	N/A	0	0.00	0	
			Proposed	17.93	50	0		
		W14	Existing	N/A	0	0.00	0	
			Proposed	18.33	51	2		
R8	Bedroom	W15	Existing	N/A	0	0.00	0	
			Proposed	18.78	51	3		
		W16	Existing	N/A	0	0.00	0	
			Proposed	19.52	54	6		
R9	Bedroom	W17	Existing	N/A	0	0.00	0	
			Proposed	19.85	54	6		
		W18	Existing	N/A	0	0.00	0	
R10	Bedroom	W19	Existing	N/A	0	*North*	0	
			Proposed	3.93	6	0		

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Second	R8	Bedroom	W20	Existing	N/A	0	*North*	0
				Proposed	23.44	4		0
			W21	Existing	N/A	0	*North*	0
				Proposed	23.20	4		0
			W22	Existing	N/A	0	*North*	0
				Proposed	22.93	4		0
	R9	Bedroom	W23	Existing	N/A	0	*North*	0
				Proposed	20.81	11		1
			W24	Existing	N/A	0	*North*	0
				Proposed	20.50	10		1
			W25	Existing	N/A	0	*North*	0
				Proposed	20.18	10		1
W26	Existing	N/A	0	*North*	0			
	Proposed	19.86	10		1			
R10	Bedroom	W27	Existing	N/A	0	*North*	0	
			Proposed	18.93	6		1	
		W28	Existing	N/A	0	*North*	0	
			Proposed	18.65	8		1	
R11	Bedroom	W29	Existing	N/A	0	*North*	0	
			Proposed	18.18	7		0	
		W30	Existing	N/A	0	*North*	0	
			Proposed	18.01	9		0	
			Existing	N/A	0	*North*	0	
R12	Bedroom	W31	Existing	N/A	0	*North*	0	
			Proposed	17.86	9		0	
		W32	Existing	N/A	0	*North*	0	
			Proposed	17.62	8		0	
W33	Existing	N/A	0	*North*	0			
	Proposed	17.52	8		0			

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Second	R13	Bedroom	W34	Existing	N/A	0	*North*	0
				Proposed	17.41	7		0
			W35	Existing	N/A	0	*North*	0
				Proposed	16.78	7		0
			W36	Existing	N/A	0	*North*	0
				Proposed	16.19	7		0
			W37	Existing	N/A	0	*North*	0
				Proposed	15.69	7		0
	W38	Existing	N/A	0	0.00	0		
		Proposed	10.35	7		0		
	W39	Existing	N/A	0	0.00	0		
		Proposed	8.32	4		0		
	W40	Existing	N/A	0	0.00	0		
		Proposed	6.21	2		0		
	R14	Bedroom	W41	Existing	N/A	0	*North*	0
				Proposed	0.00	0		0
			W42	Existing	N/A	0	*North*	0
				Proposed	0.00	0		0
	W43	Existing	N/A	0	*North*	0		
		Proposed	0.00	0		0		
	R15	Bedroom	W44	Existing	N/A	0	*North*	0
				Proposed	0.00	0		0
			W45	Existing	N/A	0	*North*	0
				Proposed	0.00	0		0
W46			Existing	N/A	0	*North*	0	
	Proposed	0.00	0		0			
W47	Existing	N/A	0	0.00	0			
	Proposed	0.00	0		0			
R16	Bedroom	W48	Existing	N/A	0	0.00	0	
			Proposed	26.92	0		0	
R17	Bedroom	W49	Existing	N/A	0	0.00	0	
			Proposed	26.58	0		0	
R18	Bedroom	W50	Existing	N/A	0	0.00	0	
			Proposed	0.00	0		0	
		W51	Existing	N/A	0	0.00	0	
			Proposed	0.00	0		0	
		W52	Existing	N/A	0	0.00	0	
			Proposed	0.00	0		0	
W53	Existing	N/A	0	0.00	0			
	Proposed	0.00	0		0			

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Second	R19	Bedroom	W54	Existing	N/A	0	0.00	0
				Proposed	0.00	0	0	
			W55	Existing	N/A	0	0.00	0
				Proposed	0.00	0	0	
			W56	Existing	N/A	0	0.00	0
				Proposed	0.00	0	0	
Third	R1	Bedroom	W1	Existing	N/A	0	0.00	0
				Proposed	12.67	26	3	
			W2	Existing	N/A	0	0.00	0
				Proposed	17.20	50	2	
			W3	Existing	N/A	0	0.00	0
				Proposed	17.29	51	2	
	W4	Existing	N/A	0	0.00	0		
		Proposed	17.44	51	2			
	R2	Bedroom	W5	Existing	N/A	0	0.00	0
				Proposed	17.97	53	4	
			W6	Existing	N/A	0	0.00	0
	W7	Existing	N/A	0	0.00	0		
		Proposed	18.33	52	3			
	R3	Bedroom	W8	Existing	N/A	0	0.00	0
				Proposed	18.65	55	4	
			W9	Existing	N/A	0	0.00	0
	W10	Existing	N/A	0	0.00	0		
		Proposed	19.55	58	3			
	R4	Bedroom	W10	Existing	N/A	0	0.00	0
				Proposed	20.16	59	4	
			W11	Existing	N/A	0	0.00	0
	W12	Existing	N/A	0	0.00	0		
		Proposed	21.44	64	7			
	R5	Bedroom	W11	Existing	N/A	0	0.00	0
Proposed				21.74	65	8		
W12			Existing	N/A	0	0.00	0	
W13	Existing	N/A	0	0.00	0			
	Proposed	21.94	65	9				
R5	Bedroom	W13	Existing	N/A	0	0.00	0	
			Proposed	22.14	62	7		
		W14	Existing	N/A	0	0.00	0	
W15	Existing	N/A	0	0.00	0			
	Proposed	22.44	61	6				
R5	Bedroom	W15	Existing	N/A	0	0.00	0	
			Proposed	22.95	64	8		

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Third	R6	Bedroom	W16	Existing	N/A	0	0.00	0
				Proposed	23.71	64	8	
			W17	Existing	N/A	0	0.00	0
				Proposed	24.01	66	10	
			W18	Existing	N/A	0	0.00	0
				Proposed	24.22	66	10	
	R7	Bedroom	W19	Existing	N/A	0	*North*	0
	Proposed	18.16		20	1			
	R8	Bedroom	W20	Existing	N/A	0	*North*	0
				Proposed	26.06	4	0	
			W21	Existing	N/A	0	*North*	0
				Proposed	25.84	4	0	
			W22	Existing	N/A	0	*North*	0
				Proposed	25.58	4	0	
	R9	Bedroom	W23	Existing	N/A	0	*North*	0
				Proposed	23.68	12	1	
			W24	Existing	N/A	0	*North*	0
				Proposed	23.36	12	1	
			W25	Existing	N/A	0	*North*	0
				Proposed	23.04	11	1	
	W26	Existing	N/A	0	*North*	0		
		Proposed	22.71	11	1			
	R10	Bedroom	W27	Existing	N/A	0	*North*	0
				Proposed	21.79	11	1	
W28			Existing	N/A	0	*North*	0	
R11	Bedroom	W29	Existing	N/A	0	*North*	0	
			Proposed	21.04	9	0		
		W30	Existing	N/A	0	*North*	0	
Proposed	20.87		9	0				
R12	Bedroom	W31	Existing	N/A	0	*North*	0	
			Proposed	20.71	9	0		
		W32	Existing	N/A	0	*North*	0	
Proposed	20.44		8	0				
W33	Existing	N/A	0	*North*	0			
	Proposed	20.33	8	0				

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Third	R13	Bedroom	W34	Existing	N/A	0	*North*	0
				Proposed	20.14	8		0
			W35	Existing	N/A	0	*North*	0
				Proposed	19.57	7		0
			W36	Existing	N/A	0	*North*	0
				Proposed	18.96	7		0
	W37	Existing	N/A	0	*North*	0		
		Proposed	18.41	7		0		
	W38	Existing	N/A	0	0.00	0		
		Proposed	12.03	8		0		
	W39	Existing	N/A	0	0.00	0		
		Proposed	9.76	5		0		
	R14	Bedroom	W40	Existing	N/A	0	*North*	0
				Proposed	9.94	0		0
			W41	Existing	N/A	0	*North*	0
				Proposed	13.41	0		0
			W42	Existing	N/A	0	*North*	0
	Proposed	15.30		0		0		
	R15	Bedroom	W43	Existing	N/A	0	*North*	0
				Proposed	13.63	0		0
			W44	Existing	N/A	0	*North*	0
Proposed				23.85	0		0	
W45			Existing	N/A	0	*North*	0	
	Proposed	26.85	0		0			
R16	Bedroom	W46	Existing	N/A	0	*North*	0	
			Proposed	30.35	0		0	
		W47	Existing	N/A	0	0.00	0	
			Proposed	30.12	0		0	
			W48	Existing	N/A	0	0.00	0
Proposed	0.00	0			0			
			W49	Existing	N/A	0	0.00	0
				Proposed	0.00	0		0
R17	Bedroom	W50	Existing	N/A	0	0.00	0	
			Proposed	0.00	0		0	
		W51	Existing	N/A	0	0.00	0	
Proposed	0.00		0		0			

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Third	R18	Bedroom	W52	Existing	N/A	0	0.00	0
				Proposed	0.00	0	0	
			W53	Existing	N/A	0	0.00	0
				Proposed	14.13	0	0	
			W54	Existing	N/A	0	0.00	0
				Proposed	24.43	0	0	
	W55	Existing	N/A	0	0.00	0		
		Proposed	13.84	0	0			
	R19	Bedroom	W56	Existing	N/A	0	0.00	0
				Proposed	0.00	0	0	
			W57	Existing	N/A	0	0.00	0
				Proposed	0.00	0	0	
			W58	Existing	N/A	0	0.00	0
				Proposed	0.00	0	0	
W59			Existing	N/A	0	*North*	0	
			Proposed	0.00	0	0		
Fourth	R1	Bedroom	W1	Existing	N/A	0	0.00	0
				Proposed	15.75	29	4	
			W2	Existing	N/A	0	0.00	0
				Proposed	20.84	58	5	
			W3	Existing	N/A	0	0.00	0
				Proposed	20.92	58	4	
	W4	Existing	N/A	0	0.00	0		
		Proposed	21.08	58	4			
	R2	Bedroom	W5	Existing	N/A	0	0.00	0
				Proposed	21.61	59	4	
			W6	Existing	N/A	0	0.00	0
				Proposed	21.96	63	6	
	W7	Existing	N/A	0	0.00	0		
		Proposed	22.33	63	6			
	R3	Bedroom	W8	Existing	N/A	0	0.00	0
				Proposed	23.24	66	7	
			W9	Existing	N/A	0	0.00	0
	Proposed	23.81	68	9				
	R4	Bedroom	W10	Existing	N/A	0	0.00	0
				Proposed	25.47	71	12	
W11			Existing	N/A	0	0.00	0	
			Proposed	25.80	73	14		
W12	Existing	N/A	0	0.00	0			
	Proposed	26.00	73	14				

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Fourth	R5	Bedroom	W13	Existing	N/A	0	0.00	0
				Proposed	26.40	73		14
			W14	Existing	N/A	0	0.00	0
				Proposed	26.67	74		15
			W15	Existing	N/A	0	0.00	0
				Proposed	26.89	73		14
	R6	Bedroom	W16	Existing	N/A	0	0.00	0
				Proposed	27.53	73		14
			W17	Existing	N/A	0	0.00	0
				Proposed	27.82	73		14
	W18	Existing	N/A	0	0.00	0		
		Proposed	27.94	72		13		
	R7	Bedroom	W19	Existing	N/A	0	*North*	0
		Proposed		24.83	28		3	
	R8	Bedroom	W20	Existing	N/A	0	*North*	0
				Proposed	28.56	5		0
			W21	Existing	N/A	0	*North*	0
				Proposed	28.37	5		0
	W22	Existing	N/A	0	*North*	0		
		Proposed	28.16	5		0		
		R9	Bedroom	W23	Existing	N/A	0	*North*
Proposed					26.70	13		1
W24	Existing			N/A	0	*North*	0	
	Proposed			26.44	13		1	
W25	Existing	N/A	0	*North*	0			
	Proposed	26.16	14		1			
	W26	Existing	N/A	0	*North*	0		
		Proposed	25.88	14		1		
R10	Bedroom	W27	Existing	N/A	0	*North*	0	
			Proposed	25.11	13		1	
		W28	Existing	N/A	0	*North*	0	
Proposed	24.90		12		1			
R11	Bedroom	W29	Existing	N/A	0	*North*	0	
			Proposed	24.52	12		0	
		W30	Existing	N/A	0	*North*	0	
			Proposed	24.34	10		0	
		W31	Existing	N/A	0	*North*	0	
	Proposed	24.17	9		0			

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours				
					Annual (%)	Pro Ex	Winter (%)		
Fourth	R12	Bedroom	W32	Existing	N/A	0	*North*	0	
				Proposed	23.84	8		0	
				W33	Existing	N/A	0	*North*	0
					Proposed	23.64	9		0
	R13	Bedroom	W34	Existing	N/A	0	*North*	0	
				Proposed	23.35	9		0	
			W35	Existing	N/A	0	*North*	0	
				Proposed	22.91	8		0	
			W36	Existing	N/A	0	*North*	0	
				Proposed	21.99	8		0	
			W37	Existing	N/A	0	0.00	0	
				Proposed	14.92	9		0	
	W38	Existing	N/A	0	0.00	0			
		Proposed	12.81	6		0			
	R14	Bedroom	W39	Existing	N/A	0	0.00	0	
				Proposed	16.82	0		0	
			W40	Existing	N/A	0	0.00	0	
	R15	Bedroom	W41	Existing	N/A	0	0.00	0	
				Proposed	23.51	0		0	
			W42	Existing	N/A	0	0.00	0	
Proposed				31.58	0		0		
W43	Existing	N/A	0	0.00	0				
	Proposed	23.70	0		0				
R16	Bedroom	W44	Existing	N/A	0	0.00	0		
			Proposed	31.83	0		0		
R17	Bedroom	W45	Existing	N/A	0	0.00	0		
			Proposed	31.51	0		0		
R18	Bedroom	W46	Existing	N/A	0	0.00	0		
			Proposed	21.87	0		0		
		W47	Existing	N/A	0	0.00	0		
			Proposed	29.92	0		0		
		W48	Existing	N/A	0	0.00	0		
Proposed	21.41	0		0					
R19	Bedroom	W49	Existing	N/A	0	0.00	0		
			Proposed	18.50	0		0		
		W50	Existing	N/A	0	0.00	0		
			Proposed	17.74	0		0		

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Fifth	R1	Bedroom	W1	Existing	N/A	0	0.00	0
				Proposed	20.46	36		10
			W2	Existing	N/A	0	0.00	0
	Proposed	25.34		70		13		
	R2	Bedroom	W3	Existing	N/A	0	0.00	0
				Proposed	25.46	70		12
			W4	Existing	N/A	0	0.00	0
	Proposed	26.08		71		12		
	R3	Bedroom	W5	Existing	N/A	0	0.00	0
				Proposed	26.52	73		14
			W6	Existing	N/A	0	0.00	0
	Proposed	27.66		74		15		
	R4	Bedroom	W7	Existing	N/A	0	0.00	0
				Proposed	28.45	73		14
			W8	Existing	N/A	0	0.00	0
	Proposed	29.45		75		16		
	R5	Bedroom	W9	Existing	N/A	0	0.00	0
				Proposed	29.83	76		17
			W10	Existing	N/A	0	0.00	0
Proposed	30.34	79			20			
R6	Bedroom	W11	Existing	N/A	0	0.00	0	
			Proposed	30.61	79		20	
		W12	Existing	N/A	0	0.00	0	
Proposed	31.06		80		21			
R7	Bedroom	W13	Existing	N/A	0	0.00	0	
			Proposed	31.19	79		20	
		W14	Existing	N/A	0	*North*	0	
R8	Bedroom	W15	Existing	N/A	0	*North*	0	
			Proposed	26.87	30		4	
		W16	Existing	N/A	0	*North*	0	
Proposed	30.97		6		0			
R9	Bedroom	W17	Existing	N/A	0	*North*	0	
			Proposed	30.74	6		0	
		W18	Existing	N/A	0	*North*	0	
			Proposed	30.97	6		0	
		W19	Existing	N/A	0	*North*	0	
Proposed	29.94	15		2				
Proposed	29.69	15		2				
Proposed	29.41	15		2				

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours				
					Annual (%)	Pro Ex	Winter (%)		
Fifth	R10	Bedroom	W20	Existing	N/A	0	*North*	0	
				Proposed	28.94	15		2	
	R10	Bedroom	W21	W21	Existing	N/A	0	*North*	0
					Proposed	28.70	16		1
	R11	Bedroom	W22	W22	Existing	N/A	0	*North*	0
					Proposed	28.37	16		0
	R11	Bedroom	W23	W23	Existing	N/A	0	*North*	0
					Proposed	28.21	14		0
	R12	Bedroom	W24	W24	Existing	N/A	0	*North*	0
					Proposed	27.91	10		0
	R13	Bedroom	W25	W25	Existing	N/A	0	*North*	0
					Proposed	27.50	9		0
	R13	Bedroom	W26	W26	Existing	N/A	0	*North*	0
					Proposed	27.00	10		0
	R13	Bedroom	W27	W27	Existing	N/A	0	*North*	0
					Proposed	26.50	9		0
	R13	Bedroom	W28	W28	Existing	N/A	0	0.00	0
					Proposed	19.48	16		0
	R13	Bedroom	W29	W29	Existing	N/A	0	0.00	0
					Proposed	17.21	14		0
	R14	Bedroom	W30	W30	Existing	N/A	0	0.00	0
					Proposed	3.10	0		0
	R14	Bedroom	W31	W31	Existing	N/A	0	*North*	0
					Proposed	14.39	0		0
R14	Bedroom	W32	W32	Existing	N/A	0	*North*	0	
				Proposed	21.95	0		0	
R14	Bedroom	W33	W33	Existing	N/A	0	*North*	0	
				Proposed	23.12	0		0	
R15	Bedroom	W34	W34	Existing	N/A	0	*North*	0	
				Proposed	30.17	0		0	
R15	Bedroom	W35	W35	Existing	N/A	0	*North*	0	
				Proposed	34.10	0		0	
R15	Bedroom	W36	W36	Existing	N/A	0	0.00	0	
				Proposed	34.85	0		0	
R16	Bedroom	W37	W37	Existing	N/A	0	0.00	0	
				Proposed	34.15	0		0	
R16	Bedroom	W38	W38	Existing	N/A	0	0.00	0	
				Proposed	34.05	0		0	

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours				
					Annual (%)	Pro Ex	Winter (%)		
Fifth	R17	Bedroom	W39	Existing	N/A	0	0.00	0	
				Proposed	33.78	0	0.00	0	
				W40	Existing	N/A	0	0.00	0
					Proposed	33.69	0	0.00	0
	R18	Bedroom	W41	Existing	N/A	0	0.00	0	
				Proposed	34.44	0	0.00	0	
				W42	Existing	N/A	0	0.00	0
				Proposed	32.61	0	0.00	0	
	R19	Bedroom	W43	Existing	N/A	0	0.00	0	
				Proposed	28.46	0	0.00	0	
				W44	Existing	N/A	0	0.00	0
					Proposed	24.17	0	0.00	0
				W45	Existing	N/A	0	0.00	0
	Proposed	22.39	0		0.00	0			
W46	Existing	N/A	0		*North*	0			
Proposed	13.36	0	*North*	0					
W47	Existing	N/A	0	*North*	0				
Proposed	2.60	0	*North*	0					
Sixth	R1	Bedroom	W1	Existing	N/A	0	0.00	0	
				Proposed	27.20	62	0.00	19	
	R2	Bedroom	W2	Existing	N/A	0	0.00	0	
				Proposed	27.00	63	0.00	20	
	R3	Bedroom	W3	Existing	N/A	0	0.00	0	
				Proposed	27.85	62	0.00	19	
	R4	Bedroom	W4	Existing	N/A	0	0.00	0	
				Proposed	30.48	71	0.00	22	
	R5	Bedroom	W5	Existing	N/A	0	0.00	0	
				Proposed	31.81	71	0.00	22	
	R6	Bedroom	W6	Existing	N/A	0	0.00	0	
				Proposed	34.40	78	0.00	24	
	R7	Bedroom	W7	Existing	N/A	0	*North*	0	
				Proposed	28.42	33	*North*	4	
	R8	Bedroom	W8	Existing	N/A	0	*North*	0	
				Proposed	36.37	40	*North*	9	
				W9	Existing	N/A	0	*North*	0
					Proposed	33.34	10	*North*	0
	R9	Bedroom	W10	Existing	N/A	0	*North*	0	
				Proposed	31.17	11	*North*	0	
R10	Bedroom	W11	Existing	N/A	0	*North*	0		
			Proposed	29.27	11	*North*	0		

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Sixth	R11	Bedroom	W12	Existing	N/A	0	*North*	0
				Proposed	27.99	11		0
	R12	Bedroom	W13	Existing	N/A	0	*North*	0
				Proposed	29.66	11		0
	R13	Bedroom	W14	Existing	N/A	0	*North*	0
				Proposed	29.23	10		0
	R14	Bedroom	W15	Existing	N/A	0	0.00	0
				Proposed	2.46	0		0
			W16	Existing	N/A	0	*North*	0
				Proposed	14.03	0		0
			W17	Existing	N/A	0	*North*	0
				Proposed	22.52	0		0
	R15	Bedroom	W18	Existing	N/A	0	*North*	0
				Proposed	23.25	0		0
			W19	Existing	N/A	0	*North*	0
				Proposed	18.90	0		0
			W20	Existing	N/A	0	*North*	0
				Proposed	20.96	0		0
	W21	Existing	N/A	0	0.00	0		
		Proposed	35.14	0		0		
W22	Existing	N/A	0	0.00	0			
	Proposed	33.19	0		0			
W23	Existing	N/A	0	0.00	0			
	Proposed	36.68	0		0			
R16	Bedroom	W24	Existing	N/A	0	0.00	0	
			Proposed	36.52	0		0	
R17	Bedroom	W29	Existing	N/A	0	0.00	0	
			Proposed	18.22	0		0	
		W30	Existing	N/A	0	0.00	0	
			Proposed	19.15	0		0	
W31	Existing	N/A	0	*North*	0			
	Proposed	12.24	0		0			
W32	Existing	N/A	0	*North*	0			
	Proposed	1.12	0		0			
Seventh	R1	Bedroom	W1	Existing	N/A	0	0.00	0
				Proposed	31.37	71		26
	R2	Bedroom	W2	Existing	N/A	0	0.00	0
				Proposed	30.87	70		27
	R3	Bedroom	W3	Existing	N/A	0	0.00	0
				Proposed	31.36	70		27

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Seventh	R4	Bedroom	W4	Existing	N/A	0	0.00	0
				Proposed	33.47	75		26
	R5	Bedroom	W5	Existing	N/A	0	0.00	0
				Proposed	34.50	76		27
	R6	Bedroom	W6	Existing	N/A	0	0.00	0
				Proposed	36.55	81		27
	R7	Bedroom	W7	Existing	N/A	0	*North*	0
				Proposed	30.11	38		7
	R8	Bedroom	W8	Existing	N/A	0	*North*	0
				Proposed	37.21	40		9
				Existing	N/A	0	*North*	0
	R9	Bedroom	W9	Proposed	35.26	13		0
				Existing	N/A	0	*North*	0
	R10	Bedroom	W10	Existing	N/A	0	*North*	0
				Proposed	33.84	12		0
R11	Bedroom	W11	Existing	N/A	0	*North*	0	
			Proposed	32.41	12		0	
R12	Bedroom	W12	Existing	N/A	0	*North*	0	
			Proposed	31.21	12		0	
R13	Bedroom	W13	Existing	N/A	0	*North*	0	
			Proposed	32.91	12		0	
R14	Bedroom	W14	Existing	N/A	0	*North*	0	
			Proposed	32.65	12		0	
R15	Bedroom	W15	Existing	N/A	0	0.00	0	
			Proposed	38.32	0		0	
Eighth	R1	Bedroom	W16	Existing	N/A	0	0.00	0
				Proposed	38.22	0		0
			W1	Existing	N/A	0	0.00	0
				Proposed	38.17	89		30
			W2	Existing	N/A	0	0.00	0
				Proposed	38.20	89		30
W3	Existing	N/A	0	0.00	0			
	Proposed	38.23	89		30			
W4	Existing	N/A	0	0.00	0			
	Proposed	38.27	89		30			

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Eighth	R2	Bedroom	W5	Existing	N/A	0	0.00	0
			Proposed	38.31	89		30	
			W6	Existing	N/A	0	0.00	0
			Proposed	38.33	89		30	
			W7	Existing	N/A	0	0.00	0
			Proposed	38.35	89		30	
	W8	Existing	N/A	0	0.00	0		
	Proposed	38.37	89		30			
	W9	Existing	N/A	0	0.00	0		
	Proposed	38.37	89		30			
	W10	Existing	N/A	0	0.00	0		
	Proposed	38.38	89		30			
	W11	Existing	N/A	0	0.00	0		
	Proposed	38.39	89		30			
	W12	Existing	N/A	0	0.00	0		
	Proposed	38.40	89		30			
	W13	Existing	N/A	0	0.00	0		
	Proposed	31.21	40		9			
	W14	Existing	N/A	0	0.00	0		
	Proposed	24.00	39		9			
	R3	Bedroom	W15	Existing	N/A	0	0.00	0
Proposed	25.28		5		0			
W16	Existing		N/A	0	0.00	0		
Proposed	32.00		20		0			
W17	Existing		N/A	0	0.00	0		
Proposed	35.13		31		0			
W18	Existing		N/A	0	*North*	0		
Proposed	36.46	36		5				
W19	Existing	N/A	0	*North*	0			
Proposed	37.33	21		2				
W20	Existing	N/A	0	*North*	0			
Proposed	37.37	21		2				
W21	Existing	N/A	0	*North*	0			
Proposed	37.41	21		2				

J036861/02/
 Ide Real Estate
 Fisher Street,
 London
 WC1R

Daylight and Sunlight
 VSC and APSH Results



Floor Ref.	Room Ref.	Room Use.	Window Ref.	VSC	Available Sunlight Hours			
					Annual (%)	Pro Ex	Winter (%)	
Eighth	R4	Bedroom	W22	Existing	N/A	0	*North*	0
				Proposed	37.45	21		2
			W23	Existing	N/A	0	*North*	0
				Proposed	37.48	21		2
			W24	Existing	N/A	0	*North*	0
				Proposed	37.54	20		2
			W25	Existing	N/A	0	*North*	0
				Proposed	37.41	20		2
			W26	Existing	N/A	0	*North*	0
				Proposed	37.00	15		2
			W27	Existing	N/A	0	*North*	0
				Proposed	36.47	12		0
			W28	Existing	N/A	0	*North*	0
				Proposed	36.94	12		0
W29	Existing	N/A	0	*North*	0			
	Proposed	37.15	12		0			
W30	Existing	N/A	0	*North*	0			
	Proposed	33.30	41		7			
W31	Existing	N/A	0	*North*	0			
	Proposed	25.46	19		2			