

**Westfield, 15 Kidderpore Ave, NW3**

**Tree Work Schedule**

Tree/Group No.	Species	Approx Height (m)	Approx Stem Diam. at 1.5m (mm)	Approx Crown spread (m)	Age Class	Phys. Cond.	Condition	Management Recommendations	Estimated Remaining Contribution (years)	BS 5837 Category Grading
									Assumed 2 m	
T213	Plane	13.5	280	13	Early mature	Good	<b>30.04.13:</b> Reasonable form and structure. <b>01.04.14:</b> No work required - consider crown reduction during 2015. <b>23.3.15:</b> No work required. <b>25.5.16</b> - Lateral branches becoming over extended. <b>26.04.17:</b> No work carried out since last inspection.	Lift crown to give 3m clearance over pavement, 5m clearance over road and 3m over lawn. Reduce canopy spread over road and towards buildings by 3.5m.	>40	A
T26	Silver maple ( <i>Acer saccharinum</i> )	14.0	400	14	Middle aged	Good	<b>03.04.08:</b> Good form and structure. Minor deadwood, but not a hazard. <b>13.03.09:</b> No action required. <b>28.04.10:</b> No action required - consider crown reduction during 2011. <b>28.04.11:</b> No action required. <b>03.04.12:</b> Growing quickly - canopy only 2m from building. <b>30.04.13:</b> 15% crown reduction undertaken during 2012. No work required. <b>01.04.14:</b> No work required. <b>23.3.15:</b> No work required. <b>25.5.16</b> - No work required. <b>26.04.17:</b> Will become too large for space.	Reduce crown by 15% to check growth.	20-40	A
T208	Viburnum	5.0	450	9.00	Mature	Good	<b>28.04.10:</b> Foliage now within 0.5m of building and cutting out light. <b>28.04.11:</b> No works undertaken during 2010. No works required. <b>03.04.12:</b> Crown lifting carried out during 2011. <b>30.04.13:</b> No action required. <b>01.04.14:</b> No work required. <b>23.3.15:</b> No work required. <b>25.5.16</b> - No work required. <b>26.04.17:</b> Foliage almost touching building.	Carry out minor pruning to lift crown to 2m and prune to provide 1.2m clearance to building, to allow more light to apartment.	10-20	C
T32	Lime ( <i>Tilia x europaea</i> )	14.5	650	8	Mature	Fair	<b>03.04.08:</b> Previously topped at 9m. Growing only 4m from building. Branches hitting building. <b>13.03.09:</b> Re-pollarded during 2008. <b>28.04.10:</b> Basal growth re-growing. <b>28.04.11:</b> Basal growth roughly cut, leaving 200/500mm stems. <b>03.04.12:</b> 150/300mm basal stems remain. <b>30.04.13:</b> Basal growth removed during 2012. No action required. <b>01.04.14:</b> Branches almost hitting building. <b>23.3.15:</b> Pollarded during 2014. No work required. <b>25.5.16</b> - No work required. <b>26.04.17:</b> Vigorous basal growth.	Remove basal and all epicormic growth.	20-40	B
T210	Cherry	7.0	150	8	Young	Good	<b>30.04.13:</b> Attractive tree, but with branches hitting building. <b>23.3.15:</b> Pruned away from building during 2014. No work required. <b>25.5.16</b> - No work required. <b>26.04.17:</b> Branches almost hitting adjacent building.	Reduce crown by 15% to check growth, remove low hanging branch over patio and prune to provide 1.5m clearance to buildings.	15-30	B
T17	Oak ( <i>Quercus robur</i> )	13.0	210	9	Young	Good	<b>13.03.09:</b> No work required. <b>28.04.10:</b> No tree work required. <b>28.04.11:</b> Minor deadwood - not a hazard but unsightly. <b>03.04.12:</b> Deadwood removed during 2011. No work required. <b>30.04.13:</b> No work required. <b>01.04.14:</b> No work required. <b>23.3.15:</b> No work required. <b>25.5.16</b> - No work required, but consider reduction in next 3 years to maintain at approx current size. <b>26.04.17:</b> Becoming over large for location.	Reduce crown by 15% to check growth. Remove 3 lowest lateral branches.	>40	A

12th May 2017

**Westfield, 15 Kidderpore Ave, NW3**

**Tree Work Schedule**

Tree/ Group No.	Species	Approx Height (m)	Approx Stem Diam. at 1.5m (mm)	Approx Crown spread (m)	Age Class	Phys. Cond.	Condition	Management Recommendations	Estimated Remaining Contribution (years)	BS 5837 Category Grading
									Assumed 2 m	
T226	London plane	13.5	280	12	Early mature	Good	<b>26.04.17:</b> Showing good vigour. Twin leaders from 5.5m, creating future weak point.	Reduce western leader by 50% to encourage other to dominate.	>40	B
T60	Zelkova ( <i>Zelkova carpinifolia</i> )	13.0	200	8	Middle aged	Fair	<b>03.04.08:</b> Graft point at 1.6m. Minor deadwood. <b>28.04.10:</b> Minor dieback - no work required. <b>28.04.11:</b> No work required. <b>03.04.12:</b> No work required. <b>30.04.13:</b> No work required. <b>01.04.14:</b> No work required. <b>23.3.15:</b> No work required. <b>25.5.16:</b> No work required. <b>26.04.17:</b> Showing good vigour.	Reduce height by approximately 4m, to check upward growth to prevent future blocking of sun to apartments.	15-30	B
T108	Lime cultivar	22.0	750	15	Mature	Fair	<b>03.04.08:</b> Grafted variety - with graft at 750mm above ground. Below graft point, diameter is approx. 550mm & above graft point it is approx. 750mm. Majority of weight is to west, over children's playground. Decay entering main stem at 1.8m to east. Extensive stress on graft point, which sometimes can fail. <b>23.04.08:</b> Internal Decay Detection undertaken - no decay found. <b>13.03.09:</b> 25% crown reduction undertaken during 2008. Stress on graft point reduced, but still all remaining weight over playground. Carry out further crown reduction in 2-3 years when tree had re-established vigour. <b>28.04.10:</b> Soil disturbance around base. Consider crown reduction during 2011. <b>28.04.11:</b> No work required, consider crown reduction during 2012. <b>03.04.12:</b> Dead branch (150mm diameter) over playground. Specify crown reduction during 2013. <b>30.04.13:</b> Dead branch removed during 2012. <b>01.04.14:</b> Crown reduced/thinned during 2013. <b>23.3.15:</b> Crown lifting carried out during 2014. No work required. <b>25.5.16</b> - Vigorous growth - consider crown reduction in 2017	Reduce/ thin canopy by approximately 15% to reduce stress on graft point.	10-20	C
T21	Plane ( <i>Platanus x hispanica</i> )	19.0	550	16	Mature	Fair	<b>03.04.08:</b> Slight lean to northeast. Cavity at 5m to southeast. Recently reduced. <b>13.03.09:</b> Permission for 15% crown reduction received from L.B Camden - not considered essential, but crudely reduced 2 years ago and could improve shape this time. <b>28.04.10:</b> 15% crown reduction undertaken during 2009. <b>28.04.11:</b> No work required. <b>03.04.12:</b> Regrowth blocking view for residents. <b>30.04.13:</b> 15% crown reduction undertaken during 2012. No work required. <b>01.04.14:</b> No work required. <b>23.3.15:</b> Consider crown reduction during 2016. No work required. <b>25.5.16</b> -No work required. <b>26.04.17:</b> Blocking light to apartments.	Reduce crown by 15%.	20-40	B

12th May 2017

**Westfield, 15 Kidderpore Ave, NW3**

**Tree Work Schedule**

Tree/ Group No.	Species	Approx Height (m)	Approx Stem Diam. at 1.5m (mm)	Approx Crown spread (m)	Age Class	Phys. Cond.	Condition	Management Recommendations	Estimated Remaining Contribution (years)	BS 5837 Category Grading
									Assumed 2 m	
T19	Birch ( <i>Betula pendula</i> )	12.0	320	8	Mature	Good	<b>03.04.08:</b> Good form and structure. <b>13.03.09:</b> Crown reduced during 2008. <b>28.04.10:</b> Minor decay at base - no work required. <b>28.04.11:</b> No work required. <b>03.04.12:</b> No work required. <b>30.04.13:</b> No work required. <b>23.3.15:</b> Crown reduced by 15% during 2014. <b>25.5.16</b> -No work required. <b>26.04.17:</b> Dense canopy, blocking light to apartments.	Reduce/ thin canopy by 15% to allow more light to apartments.	20-40	A
T227	Purple plum	11.5	300	9	Early mature	Good	<b>25.5.16</b> - Slight lean to south. Bushy growth. <b>26.04.17:</b> Failed to come into leaf- possibly killed by water logging. Crown reduced since last inspection.	Check irrigation system. Remove tree unless it suddenly comes into leaf and shows good vigour.	10-20	C
T213	Mimosa	5.5	150	6	Semi-mature	Good	<b>01.04.14:</b> Growing strongly. Consider pruning during 2015 - no work required. <b>23.3.15:</b> Pruned during 2014. No work required. <b>25.5.16</b> -No work required. <b>26.04.17:</b> Very rapid growth- beginning intrude on balcony.	Reduce crown by 25%.	20-40	B
T94	Oak ( <i>Quercus robur</i> )	19.0	320	13	Middle aged	Poor	<b>03.04.08:</b> Extensive area of dead bark around base - possibly Honey fungus. <b>13.03.09:</b> No action required. <b>28.04.10:</b> Dead bark to approx 45% of base - no action required at present. <b>28.04.11:</b> Minor deadwood, but showing reasonable vigour. No work required. <b>03.04.12:</b> Reduced vigour. Dead branch at 4m, but good crown shape. <b>30.04.13:</b> No work required. <b>01.04.14:</b> No work required. <b>23.3.15:</b> No work required. <b>25.5.16</b> Minor deadwood. <b>26.04.17:</b> No work carried out since last inspection.	15% crown reduction to check growth and maintain at smaller size.	15-30	C
T92	Maple ( <i>Acer sp.</i> )	17.0	320	10	Middle aged	Good	<b>03.04.08:</b> Good form and structure, though an asymmetric crown caused by competition with T93. Bark scar to east at 1.6m, but callusing with no signs of decay to date. <b>13.03.09:</b> No action required. <b>28.04.10:</b> Resin bleeding spots around base - no action required at present. <b>28.04.11:</b> No work required. <b>03.04.12:</b> Patches of resin bleeding on main stem. Showing good vigour. Monitor. No work required. <b>30.04.13:</b> Resin spots around base. No work required. <b>01.04.14:</b> No work required. <b>23.3.15:</b> No work required. <b>25.5.16</b> - Low vigour, sparse crown. <b>26.04.17:</b> Remnants of fungal fruiting bodies of honey fungus present. Declining vigour. Asymmetric crown shape.	Remove, grind stump and remove arisings from site.	20-40	B

12th May 2017