


Project Name	Google UK-LON-HGX1
Project Number	1600 Amphitheatre Parkway
Project Location	Mountain View, CA 94041
Project Status	USA
Project Date	GOOGLE INC
Project Owner	GOOGLE INC
Project Manager	GOOGLE INC
Project Architect	GOOGLE INC
Project Engineer	GOOGLE INC
Project Designer	GOOGLE INC
Project Contractor	GOOGLE INC


BDP.

1600 Amphitheatre Parkway
Mountain View, CA 94041
USA


T: +1 (650) 253-8000
www.bdp.com




Section HH - Near Grid line 32



Section GG - Near Grid line 26



Section JJ - Near Grid line D



NO.	DESCRIPTION	DATE	BY	CHKD.
001	Issue for design	10/10/2019	BDP	BDP
002	Issue for construction	10/10/2019	BDP	BDP
003	Issue for construction	10/10/2019	BDP	BDP
004	Issue for construction	10/10/2019	BDP	BDP
005	Issue for construction	10/10/2019	BDP	BDP

BDP.

16 Broadwalk Yard
London
United Kingdom
T +44 (0)20 7812 8000
www.bdp.com

STAGE 3 ISSUE

Long Section JJ

Revision

001/10/2019

002/10/2019

003/10/2019

004/10/2019

005/10/2019

Project

16 Broadwalk Yard

16 Broadwalk Yard

16 Broadwalk Yard

16 Broadwalk Yard

16 Broadwalk Yard

Client

GOOGLE INC

GOOGLE INC

GOOGLE INC

GOOGLE INC

GOOGLE INC

Drawn by

BDP

BDP

BDP

BDP

BDP

Checked by

BDP

BDP

BDP

BDP

BDP

Approved by

BDP

BDP

BDP

BDP

BDP

Project No.

KXC-A-001-A-BDP-00-201005

KXC-A-001-A-BDP-00-201005

KXC-A-001-A-BDP-00-201005

KXC-A-001-A-BDP-00-201005

KXC-A-001-A-BDP-00-201005

Sheet No.

P03

P03

P03

P03

P03

16 Broadwalk Yard

16 Broadwalk Yard

16 Broadwalk Yard

16 Broadwalk Yard

16 Broadwalk Yard

16 Broadwalk Yard



UK-LON-KGX1

GOOGLE INC
16-21 Stables Street
London, N1C 4AB
TEL: +44 (0)203 664200

NOTES


1. DON'T SCALE FROM THIS DRAWING.
2. ALL DIMENSIONS ARE IN MILLIMETRES (mm) AND ALL LEVELS ARE IN METRES (m) ABOVE SEA LEVEL UNLESS OTHERWISE STATED.
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.
4. REFER TO ARCHITECTS' DRAWINGS FOR ALL DIMENSIONS AND SPECIFICATIONS.
5. REFER TO ARCHITECTS' DRAWINGS FOR ALL DIMENSIONS AND SPECIFICATIONS.
6. REFER TO ARCHITECTS' DRAWINGS FOR ALL DIMENSIONS AND SPECIFICATIONS.
7. REFER TO ARCHITECTS' DRAWINGS FOR ALL DIMENSIONS AND SPECIFICATIONS.
8. REFER TO ARCHITECTS' DRAWINGS FOR ALL DIMENSIONS AND SPECIFICATIONS.

FOR GRID SETTING OUT REFER TO ARCHITECTS DETAIL

TL D1
TL D1
TL D1
TL D1



Consulting Structural and Civil Engineers
100 St John Street
London EC1M 4EH
T: +44 (0)20 7250 5555
E: info@akt.co.uk
W: www.akt.co.uk




STAGE 2

BASEMENT LEVEL B2
GENERAL
ARRANGEMENT

KXC-A-001-S-AKT-00-09810

P3



REFER TO DRAWING KXC-A-001-S-AKT-00-09820

REFER TO DRAWING KXC-A-001-S-AKT-00-09821

REFER TO DRAWING KXC-A-001-S-AKT-00-09822

REFER TO DRAWING KXC-A-001-S-AKT-00-09823

PROVIDE PULL OUT BARS AT ALL CORE WALL TO SLAB INTERFACES

ALL CORE WALLS TO BE 300mm THICK UNLESS NOTED OTHERWISE

DETAILS OF EXISTING STRUCTURES ON SITE TAKEN FROM WATERMANS AS BUILT INFORMATION. FINAL POSITIONS TO BE CONFIRMED FOLLOWING SITE SURVEY AT NEXT DESIGN STAGE.

PRECASTING OF BEAMS: AN ALLOWANCE SHOULD BE MADE FOR PRECASTING OF LARGE SPAN BEAMS

WEB OPENINGS IN BEAMS: AN ALLOWANCE SHOULD BE MADE FOR WEB OPENINGS IN ALL 900mm DEEP FABRICATED BEAMS

NOTES:

1. CONSULT THE DRAWING.
2. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
3. THIS DRAWING IS TO BE USED IN CONJUNCTION WITH ALL OTHER DRAWINGS AND SPECIFICATIONS.


FOR GRID SETTING OUT REFER TO ARCHITECTS DETAIL

FOR DEMOLITION DETAILS TO SHARED SERVICE YARD AND ACCESS RAMP REFER TO AKTII DRAWING KSC-A-001-S-AKT-02-100003

ALLOWANCE TO BE MADE FOR 150 x 150 RSA TO CONNECT ALL SLABS, CLT AND PRECAST UNITS AT INTERFACES WITH ITS WALLS.


FOR CORE RIG PLAN REFER TO AKTII DRAWING KSC-A-001-S-AKT-02-100003
ALL CORE WALLS 300mm THK UNO

P2 P3 P4 P5 P6 P7 P8 P9 P10 P11 P12 P13 P14 P15 P16 P17 P18 P19 P20 P21 P22 P23 P24 P25 P26 P27 P28 P29 P30 P31 P32 P33 P34 P35 P36 P37 P38 P39 P40 P41 P42 P43 P44 P45 P46 P47 P48 P49 P50 P51 P52 P53 P54 P55 P56 P57 P58 P59 P60 P61 P62 P63 P64 P65 P66 P67 P68 P69 P70 P71 P72 P73 P74 P75 P76 P77 P78 P79 P80 P81 P82 P83 P84 P85 P86 P87 P88 P89 P90 P91 P92 P93 P94 P95 P96 P97 P98 P99 P100



STAGE 3	
BASEMENT LEVEL B2	
GENERAL ARRANGEMENT ZONE	
D	
KSC-A-001-S-AKT-02-08833	P2

FOR DEMOLITION DETAILS TO SHARED SERVICE
YARD AND ACCESS RAMP REFER TO AKTII
DRAWINGS KXC-A-001-S-AKT-M3-12-098001 -
KXC-A-001-S-AKT-M3-12-1000003;



For continuation refer to Sheet 4 of 4



UK-LON-KGX1
GOOGLE INC
16-21 Stables Street
London, N1C 4AB
TEL: +44 (0)20 6646200

NOTES

1. DO NOT SCALE FROM THIS DRAWING.
2. ALL DIMENSIONS ARE IN MILLIMETRES (mm) AND ALL LEVELS ARE IN METRES (m) UNLESS OTHERWISE STATED.
3. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.
4. FOR DETAILS OF MOVEMENTS AND TO BRACE ALLOWANCES REFER TO ARCHITECTS DRAWINGS KXC-A-001-S-AKT-10-0000.
5. FOR DETAILS OF MOVEMENTS AND TO BRACE ALLOWANCES REFER TO ARCHITECTS DRAWINGS KXC-A-001-S-AKT-10-0001.
6. FOR CROSS SECTIONS REFER TO ARCHITECTS DRAWINGS KXC-A-001-S-AKT-10-0002.
7. FOR DETAILS OF MOVEMENTS AND TO BRACE ALLOWANCES REFER TO ARCHITECTS DRAWINGS KXC-A-001-S-AKT-10-0003 & 0004.
8. FOR LANDING DRAWING REFER TO ARCHITECTS DRAWINGS KXC-A-001-S-AKT-10-0005.

FOR GRID SETTING OUT REFER TO ARCHITECTS DETAIL


P2 27/01/17 STAGE 3 ISSUE
P1 15/07/16 STAGE 2 ISSUE

DATE: 27/01/17
BY: [Signature]
CHECKED: [Signature]



Consulting Structural and Civil Engineers
100 St. Dunstons Street
London EC1A 4BH
T: +44 (0)20 7250 1222
F: +44 (0)20 7250 1223
E: info@akt.co.uk
W: www.akt.co.uk

DATE: 27/01/17
BY: [Signature]
CHECKED: [Signature]



STAGE 3

BASEMENT LEVEL B1
GENERAL
ARRANGEMENT

KXC-A-001-S-AKT-00-09910


PROVIDE PULL OUT BARS AT ALL CORE WALL TO SLAB INTERFACES

ALL CORE WALLS TO BE 300mm THICK UNLESS NOTED OTHERWISE

DETAILS OF EXISTING STRUCTURES ON SITE TAKEN FROM WATERMANS AS BUILT INFORMATION. FINAL POSITIONS TO BE CONFIRMED FOLLOWING SITE SURVEY AT NEXT DESIGN STAGE.

PRECAMBERING OF BEAMS: AN ALLOWANCE SHOULD BE MADE FOR PRECAMBERING OF LARGE SPAN BEAMS

WEB OPENINGS IN BEAMS: AN ALLOWANCE SHOULD BE MADE FOR WEB OPENINGS IN ALL 900mm DEEP FABRICATED BEAMS



REFER TO DRAWING KXC-A-001-S-AKT-00-09900

REFER TO DRAWING KXC-A-001-S-AKT-00-09901

REFER TO DRAWING KXC-A-001-S-AKT-00-09902

REFER TO DRAWING KXC-A-001-S-AKT-00-09903



UK-LON-KGX1
GOOGLE INC
16-21 Stables Street
London, N1C 4AB
TEL: +44 (0)203 664200

NOTES

1. DON'T SCALE FROM THIS DRAWING
2. DIMENSIONS ARE IN METRES (mm) AND ALL LEVELS ARE IN METRES (PI) UNLESS NOTED OTHERWISE
3. THE DRAWING IS TO BE READ IN CONJUNCTION WITH ALL SPECIFICATIONS, NOTES AND ENGINEERS DRAWINGS AND SPECIFICATIONS
4. FOR DETAILS OF MOVEMENT AND TOLERANCE ALLOWANCES REFER TO DRAWING KXC-A-001-S-AKT-00-10000
5. FOR GENERAL ARRANGEMENTS REFER TO AKT1 DRAWINGS - KXC-A-001-S-AKT-00-00000
6. FOR MEMBER SCHEDULES REFER TO AKT1 DRAWINGS - KXC-A-001-S-AKT-00-00000
7. FOR MEMBER SCHEDULES REFER TO AKT1 DRAWINGS - KXC-A-001-S-AKT-00-00000
8. FOR MEMBER SCHEDULES REFER TO AKT1 DRAWINGS - KXC-A-001-S-AKT-00-00000


FOR GRID SETTING OUT REFER TO ARCHITECT'S DETAIL

P2 27/01/17 STAGES 3 ISSUE
P1 15/07/16 STAGES 2 ISSUE

TL D1
RL H48




Consulting Structural and Civil Engineers
100-101, Stables Street
London EC1N 4BH
T: +44 (0)20 7250 1277
F: +44 (0)20 7250 1255
E: info@akt-ii.com
W: www.akt-ii.com



STAGE 3

GROUND FLOOR
LEVEL GENERAL
ARRANGEMENT

KXC-A-001-S-AKT-00-10010



GROUND FLOOR
1:500


PROVIDE PULL OUT BARS AT ALL CORE WALL TO SLAB INTERFACES

ALL CORE WALLS TO BE 300mm THICK UNLESS NOTED OTHERWISE

DETAILS OF EXISTING STRUCTURES ON SITE TAKEN FROM WATERMANS AS BUILT INFORMATION. FINAL POSITIONS TO BE CONFIRMED FOLLOWING SITE SURVEY AT NEXT DESIGN STAGE.

PRECAMBERING OF BEAMS: AN ALLOWANCE SHOULD BE MADE FOR PRECAMBERING OF LARGE SPAN BEAMS

WEB OPENINGS IN BEAMS: AN ALLOWANCE SHOULD BE MADE FOR WEB OPENINGS IN ALL 900mm DEEP FABRICATED BEAMS



Existing Goods Way
"North Brick Retaining
Wall" extent / length TBC

New temporary sheet pile retaining wall
+ temporary ground anchors

Extent of new piling mat.

Existing imported fill material for Railway Children Theatre is to be re-used for new
piling mat. Subject to confirmation of fill specification.



Tender	08.03.2017
	N.T.S
	A3
	CM
	RH
Ground Remediation Scope of Works (5 of 5)	T01
	SK-LL-2040/005