

| Window Type | 4 | 3 | 4 | 10 |
|---------------------|--|--|--|--|
| Location | South-West elevation - Second floor W2.11 | South-East elevation - Second floor W2.12 | South-West elevation - Second floor W2.13 | South-East elevation - Second floor W2.14 |
| Plan Detail 1:10 | | | | |
| Construction | Timber frame | Timber frame | Timber frame | Timber frame |
| Window finish | Clear glazing | Clear glazing | Clear glazing | Clear glazing |
| Frame finish | Painted - RAL colour to allow for different colour internally and externally (w)...(h).... TBC on site to fit existing opening | Painted - RAL colour to allow for different colour internally and externally (w)...(h).... TBC on site to fit existing opening | Painted - RAL colour to allow for different colour internally and externally (w)...(h).... TBC on site to fit existing opening | Painted - RAL colour to allow for different colour internally and externally (w)...(h).... TBC on site to fit existing opening |
| Rough Opening | Hook lift, Flush fasteners, Circular flush finger pull, Vest lock to restrict the opening to 100mm | Hook lift, Flush fasteners, Circular flush finger pull, Vest lock to restrict the opening to 100mm | N/A | Hook lift, Flush fasteners, Circular flush finger pull, Vest lock to restrict the opening to 100mm |
| Fire rating | N/A | N/A | N/A | N/A |
| U value | 1.8 W/m2K | 1.8 W/m2K | 1.8 W/m2K | 1.8 W/m2K |
| Other | | | | |
| Elevation 1:20 | | | | |

| REV. | DATE | DESCRIPTION |
|------|------------|-------------------------------------|
| - | 01.08.2019 | ISSUE FOR PERIOD |
| A | 07.08.2019 | ISSUE FOR REVISION QUOTE |
| B | 16.08.2019 | AMENDMENTS FOR REVISION QUOTE |
| C | 20.08.2019 | MODIFICATION ON SIZE OF FASH WINDOW |
| D | 20.08.2019 | ISSUED FOR TENDER |
| E | 05.10.2019 | ISSUED FOR TENDER |
| F | 17.10.2019 | ISSUED FOR TENDER |
| G | 09.02.2021 | STAGE 6 ISSUE |

| REV. | DATE | DESCRIPTION |
|------|------|-------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

NOTES:

- ALL DIMENSIONS IN MM UNLESS OTHERWISE STATED
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT CONTRACT DOCUMENTS
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL ENGINEER'S DRAWINGS
- DO NOT SCALE FROM THIS DRAWING
- REPORT ANY ERRORS, CONTRADICTIONS & OMISSIONS TO THE ARCHITECT AS SOON AS POSSIBLE
- WHEN THIS DRAWING IS REFERRED TO IN ANY COURT OF LAW IN CONNECTION WITH THIS PROJECT, THE ARCHITECT'S LIABILITY TO THE RECIPIENT TO PREPARE THEIR BEST ADVICE AND TO ACCEPT NO LIABILITY FOR ANY SUCH ALTERATIONS OR ADDITIONS TO OR DISCREPANCIES ARISING OUT OF CHANGES TO SUCH BACKGROUND INFORMATION WHICH OCCUR AFTER IT IS ISSUED BY BEN ADAMS ARCHITECTS.

KEY:

ALL MEASUREMENTS TO BE CONFIRMED ON SITE

| | | |
|--|---------------|----------------------------|
| | DRAWING NAME: | WINDOWS SCHEDULE - SHEET 9 |
| | PROJECT NAME: | MINERVA HOUSE |
| JOB NO: 18-038 SCALE: VARIOUS STAGE: STAGE 6 | DRAWING NO: | A908/G |