

Area of sloping soffit and reduced headheight shown by dashed line

New lightweight stud partitions to form 3no. bathrooms / wcs for the use of the school staff members. Doors to be re-used from existing offices.

New Partitions

60 mins FR = 2 x 12.5mm British Gypsum Soundbloc each side of 70mm Gyprframe C studs with 25mm Isover insulation in cavity. Provides 52RwdB sound insulation. System reference A206196 - Or equal approved.


Remaining Partitions 30 mins FR = 1 x 12.5mm British Gypsum Soundbloc each side of 70mm Gyprframe C Studs with 25mm Isover insulation in cavity. Provides 45RwdB sound insulation. System reference A206196 - Or equal approved.

Existing door fixed shut. New stud partition wall to block up opening on other side



Existing door to be removed and re-used in WC 2.4. New fire door to match existing to be installed.

New kitchen / tea point to be created in place of caretakers bathroom

Existing door to be removed and re-used in WCs 2.3 and 2.5. New fire door to match existing to be installed. Existing timber reveals to be retained.



Responsibility is not accepted for errors made by others in scaling from this drawing. All construction information should be taken from figured dimensions only.



Photograph of Downstand Beam to be replicated

Note:
Fire doors are to be 4 panel timber doors with vision panels.
Manufacturer: Longden Doors or similar approved.
Type: Sussex 4 Panel painted white with mouldings to match and glazed vision panels.

Proposed Second Floor Plan
1:50

SO	P11	07.06.17	Updated notes to issue for Listed Building Consent
SO	P10	06.06.17	Revised following conservation officer comment
SO	P9	26.05.17	Issue for Pricing
SO	P8	25.05.17	WIP Issue for pricing
SO	P6	03.05.17	ICT Directors office retained, wall between finance and staff office retained, wall re-introduced to create space labelled as 'TBC'
SO	P4	26.04.17	Drawings updated following meeting with Conservation Officer. Where possible, original doors and walls have been retained, where this is not possible, replica downstand detail has been agreed to all significant / historic walls being removed. Introduction of wall between circulation and office. Addition of detail and photograph to proposed plan
SO	P3	05.04.17	Issue for Listed Building Consent
SO	P2	31.03.17	Draft Planning Issue
SO	P1	14.09.16	First Issue

STATUS	REV	DATE	DESCRIPTION	REVISED BY
CLIENT				JBL
GDST - South Hampstead High School				CHECKED BY
				RM
				ORIGINATOR NO
				150318

CONSULTANT
STRIDE TREGLOWN
www.stride-treglow.com © Stride Treglow Limited 2016

PROJECT
GDST - Oakwood - South Hampstead
3 Maresfield Gardens
London
NW3 5SS

DRAWING TITLE
Proposed Second Floor Plan

SUITABILITY STATUS S1 : SUITABLE FOR CO-ORDINATION	SCALE As indicated @ A1
PROJECT ORIGINATOR ZONE LEVEL TYPE ROLE CLASSIFICATION NUMBER	REVISION 150318-STL-XX-02-DR-A-XX-01023 P11

