

Technical Appendix 10.2: Daylight and Sunlight Assessment

*Existing vs Proposed
Vertical Sky Component (VSC)*

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
54-64 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	35.8	29.4	6.4	17.9
R1/F00	W2/F00	Kitchen-Resi	35.8	29.0	6.8	19.0
R6/F00	W7/F00	Kitchen-Resi	36.7	22.2	14.5	39.5
R6/F00	W8/F00	Kitchen-Resi	36.9	22.0	14.9	40.4
R1/F01	W1/F01	Kitchen-Resi	36.7	30.8	5.9	16.1
R1/F01	W2/F01	Kitchen-Resi	36.6	30.4	6.2	16.9
R6/F01	W7/F01	Kitchen-Resi	37.4	24.0	13.4	35.8
R6/F01	W8/F01	Kitchen-Resi	37.6	23.7	13.9	37.0
R1/F02	W1/F02	Kitchen-Resi	37.6	32.4	5.2	13.8
R1/F02	W2/F02	Kitchen-Resi	37.5	32.0	5.5	14.7
R6/F02	W7/F02	Kitchen-Resi	38.1	26.0	12.1	31.8
R6/F02	W8/F02	Kitchen-Resi	38.2	25.7	12.5	32.7
R1/F03	W1/F03	Kitchen-Resi	38.4	33.9	4.5	11.7
R1/F03	W2/F03	Kitchen-Resi	38.3	33.6	4.7	12.3
R4/F03	W5/F03	Kitchen-Resi	38.7	28.2	10.5	27.1
R4/F03	W6/F03	Kitchen-Resi	38.8	28.0	10.8	27.8
69-78 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	37.3	18.5	18.8	50.4
R3/F00	W3/F00	Bedroom	37.3	18.8	18.5	49.6
R4/F00	W4/F00	Bedroom	37.5	19.9	17.6	46.9
R5/F00	W5/F00	Living Room	36.5	21.6	14.9	40.8
R5/F00	W6/F00	Living Room	36.9	29.0	7.9	21.4
R5/F00	W7/F00	Living Room	36.5	31.1	5.4	14.8
R5/F00	W8/F00	Living Room	31.7	24.1	7.6	24.0
R6/F00	W9/F00	Bedroom	36.6	27.1	9.5	26.0
R7/F00	W10/F00	Bedroom	36.0	25.6	10.4	28.9
R9/F00	W12/F00	Living Room	27.1	17.3	9.8	36.2
R1/F01	W1/F01	Kitchen-Resi	37.8	20.3	17.5	46.3
R3/F01	W3/F01	Bedroom	37.8	20.6	17.2	45.5
R4/F01	W4/F01	Bedroom	38.2	21.9	16.3	42.7

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R5/F01	W5/F01	Living Room	37.2	23.6	13.6	36.6
R5/F01	W6/F01	Living Room	37.8	30.6	7.2	19.0
R5/F01	W7/F01	Living Room	37.4	32.3	5.1	13.6
R5/F01	W8/F01	Living Room	32.1	24.9	7.2	22.4
R6/F01	W9/F01	Bedroom	37.6	28.2	9.4	25.0
R7/F01	W10/F01	Bedroom	37.1	27.1	10.0	27.0
R9/F01	W12/F01	Living Room	28.6	17.8	10.8	37.8
R1/F02	W1/F02	Kitchen-Resi	34.1	18.2	15.9	46.6
R3/F02	W3/F02	Bedroom	34.1	18.6	15.5	45.5
R4/F02	W4/F02	Bedroom	38.8	24.0	14.8	38.1
R5/F02	W5/F02	Living Room	37.8	25.7	12.1	32.0
R5/F02	W6/F02	Living Room	38.5	32.2	6.3	16.4
R5/F02	W7/F02	Living Room	38.1	33.4	4.7	12.3
R5/F02	W8/F02	Living Room	32.7	25.9	6.8	20.8
R6/F02	W9/F02	Bedroom	38.2	29.4	8.8	23.0
R7/F02	W10/F02	Bedroom	32.7	23.3	9.4	28.7
R9/F02	W12/F02	Living Room	36.1	25.6	10.5	29.1
R1/F03	W1/F03	Bedroom	39.2	26.6	12.6	32.1
R2/F03	W2/F03	Living Room	38.4	27.9	10.5	27.3
R2/F03	W3/F03	Living Room	39.0	33.7	5.3	13.6
R2/F03	W4/F03	Living Room	38.7	34.4	4.3	11.1
R2/F03	W5/F03	Living Room	35.9	29.6	6.3	17.5
R3/F03	W6/F03	Bedroom	38.8	30.6	8.2	21.1
R7/F02	W7/F03	Bedroom	78.7	71.4	7.3	9.3
79 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	33.3	22.1	11.2	33.6
R1/F01	W1/F01	Bedroom	37.0	25.4	11.6	31.4
R1/F02	W1/F02	Bedroom	31.4	20.7	10.7	34.1
R1/F02	W2/F02	Bedroom	91.3	82.5	8.8	9.6
80 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	33.3	21.1	12.2	36.6
R1/F01	W1/F01	Bedroom	37.3	24.7	12.6	33.8
R1/F02	W1/F02	Bedroom	31.4	19.7	11.7	37.3
R1/F02	W2/F02	Bedroom	91.4	81.7	9.7	10.6
81 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	32.9	20.1	12.8	38.9
R1/F01	W1/F01	Bedroom	37.3	23.8	13.5	36.2
R1/F02	W1/F02	Bedroom	31.4	18.6	12.8	40.8
R1/F02	W2/F02	Bedroom	91.3	80.8	10.5	11.5
82 JUNIPER CRESCENT						

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R1/F00	W1/F00	Kitchen-Resi	33.4	19.5	13.9	41.6
R1/F01	W1/F01	Bedroom	37.2	22.5	14.7	39.5
R1/F02	W1/F02	Bedroom	31.4	17.3	14.1	44.9
R1/F02	W2/F02	Bedroom	90.8	79.2	11.6	12.8
83 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	33.3	18.7	14.6	43.8
R1/F01	W1/F01	Bedroom	36.8	21.2	15.6	42.4
R1/F02	W1/F02	Bedroom	88.8	76.3	12.5	14.1
R1/F02	W2/F02	Bedroom	31.2	16.3	14.9	47.8
84 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	28.8	15.8	13.0	45.1
R1/F01	W1/F01	Bedroom	32.4	18.0	14.4	44.4
R1/F02	W1/F02	Bedroom	28.1	14.2	13.9	49.5
R1/F02	W2/F02	Bedroom	73.1	63.7	9.4	12.9
85-92 JUNIPER CRESCENT						
R1/F00	W1/F00	Bedroom	36.5	18.9	17.6	48.2
R2/F00	W2/F00	Bedroom	34.7	17.5	17.2	49.6
R3/F00	W3/F00	Bedroom	34.7	17.2	17.5	50.4
R4/F00	W4/F00	Bedroom	36.2	18.1	18.1	50.0
R1/F01	W1/F01	Bedroom	37.6	20.1	17.5	46.5
R2/F01	W2/F01	Bedroom	36.6	18.8	17.8	48.6
R3/F01	W3/F01	Bedroom	36.4	18.3	18.1	49.7
R4/F01	W4/F01	Bedroom	37.7	19.2	18.5	49.1
R1/F02	W1/F02	Bedroom	38.3	21.1	17.2	44.9
R2/F02	W2/F02	Bedroom	37.2	19.8	17.4	46.8
R3/F02	W3/F02	Bedroom	37.0	19.3	17.7	47.8
R4/F02	W4/F02	Bedroom	38.3	20.1	18.2	47.5
R1/F03	W1/F03	Bedroom	38.7	22.2	16.5	42.6
R2/F03	W2/F03	Bedroom	37.8	20.9	16.9	44.7
R3/F03	W3/F03	Bedroom	37.5	20.4	17.1	45.6
R4/F03	W4/F03	Bedroom	38.7	21.1	17.6	45.5
93-100 JUNIPER CRESCENT						
R1/F00	W1/F00	Bedroom	35.4	16.1	19.3	54.5
R2/F00	W2/F00	Bedroom	31.0	12.7	18.3	59.0
R3/F00	W3/F00	Bedroom	31.9	15.8	16.1	50.5
R4/F00	W4/F00	Bedroom	34.5	16.6	17.9	51.9
R1/F01	W1/F01	Bedroom	37.8	17.1	20.7	54.8

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R2/F01	W2/F01	Bedroom	37.1	17.4	19.7	53.1
R3/F01	W3/F01	Bedroom	36.7	17.6	19.1	52.0
R4/F01	W4/F01	Bedroom	37.9	19.7	18.2	48.0
R1/F02	W1/F02	Bedroom	38.3	18.0	20.3	53.0
R2/F02	W2/F02	Bedroom	37.6	18.3	19.3	51.3
R3/F02	W3/F02	Bedroom	37.2	18.5	18.7	50.3
R4/F02	W4/F02	Bedroom	38.4	20.6	17.8	46.4
R1/F03	W1/F03	Bedroom	38.7	18.9	19.8	51.2
R2/F03	W2/F03	Bedroom	38.1	19.3	18.8	49.3
R3/F03	W3/F03	Bedroom	37.7	19.6	18.1	48.0
R4/F03	W4/F03	Bedroom	38.8	21.6	17.2	44.3
101 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	32.5	16.7	15.8	48.6
R1/F01	W1/F01	Bedroom	34.3	18.2	16.1	46.9
R1/F02	W1/F02	Bedroom	31.0	15.3	15.7	50.6
R1/F02	W2/F02	Bedroom	75.4	63.4	12.0	15.9
102 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	32.1	18.0	14.1	43.9
R1/F01	W1/F01	Bedroom	37.4	22.1	15.3	40.9
R1/F02	W1/F02	Bedroom	33.1	18.3	14.8	44.7
R1/F02	W2/F02	Bedroom	89.4	76.3	13.1	14.7
103 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	28.5	19.0	9.5	33.3
R1/F01	W1/F01	Bedroom	37.6	23.6	14.0	37.2
R1/F02	W1/F02	Bedroom	91.0	79.0	12.0	13.2
R1/F02	W2/F02	Bedroom	33.2	19.7	13.5	40.7
104 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	25.3	15.1	10.2	40.3
R1/F01	W1/F01	Bedroom	37.7	25.4	12.3	32.6
R1/F02	W1/F02	Bedroom	33.2	21.5	11.7	35.2
R1/F02	W2/F02	Bedroom	91.3	80.7	10.6	11.6
105 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	31.2	22.8	8.4	26.9
R1/F01	W1/F01	Bedroom	37.7	27.3	10.4	27.6
R1/F02	W1/F02	Bedroom	91.4	82.2	9.2	10.1
R1/F02	W2/F02	Bedroom	33.2	23.4	9.8	29.5
106 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	32.3	25.3	7.0	21.7

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R1/F01	W1/F01	Bedroom	37.7	29.0	8.7	23.1
R1/F02	W1/F02	Bedroom	33.3	25.1	8.2	24.6
R1/F02	W2/F02	Bedroom	91.4	83.7	7.7	8.4
107 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	30.9	25.6	5.3	17.2
R1/F01	W1/F01	Bedroom	37.7	30.6	7.1	18.8
R1/F02	W1/F02	Bedroom	33.3	26.6	6.7	20.1
R1/F02	W2/F02	Bedroom	91.5	85.0	6.5	7.1
108 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	31.5	27.3	4.2	13.3
R1/F01	W1/F01	Bedroom	37.7	32.1	5.6	14.9
R1/F02	W1/F02	Bedroom	33.3	28.2	5.1	15.3
R1/F02	W2/F02	Bedroom	91.5	86.1	5.4	5.9
109 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	31.2	30.2	1.0	3.2
R1/F00	W2/F00	Kitchen-Resi	27.0	23.4	3.6	13.3
R1/F01	W1/F01	Living Room	37.7	32.8	4.9	13.0
R1/F01	W2/F01	Living Room	37.6	33.2	4.4	11.7
R2/F02	W2/F02	Bedroom	33.2	29.2	4.0	12.0
R2/F02	W3/F02	Bedroom	91.2	86.9	4.3	4.7
110 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	27.1	26.9	0.2	0.7
R1/F00	W2/F00	Living Room	11.6	11.2	0.4	3.4
R1/F00	W3/F00	Living Room	35.6	32.9	2.7	7.6
R2/F00	W4/F00	Kitchen-Resi	35.1	31.8	3.3	9.4
R1/F01	W1/F01	Living Room	37.7	33.7	4.0	10.6
R1/F01	W2/F01	Living Room	22.4	22.0	0.4	1.8
R2/F01	W3/F01	Kitchen-Resi	37.5	34.2	3.3	8.8
R1/F02	W1/F02	Living Room	33.2	29.7	3.5	10.5
R1/F02	W2/F02	Living Room	90.5	86.7	3.8	4.2
R1/F02	W4/F02	Living Room	34.7	34.2	0.5	1.4
R2/F02	W3/F02	Kitchen-Resi	33.1	30.1	3.0	9.1
GILBEYS YARD (BLOCK A)						
R1/F00	W2/F00	Unknown	27.7	20.5	7.2	26.0
R2/F00	W3/F00	Living Room	28.0	19.4	8.6	30.7
R3/F00	W4/F00	Living Room	29.0	18.7	10.3	35.5
R4/F00	W5/F00	Living Room	27.2	16.3	10.9	40.1
R5/F00	W6/F00	Living Room	30.4	18.5	11.9	39.1
R6/F00	W7/F00	Living Room	30.9	17.9	13.0	42.1
R7/F00	W8/F00	Living Room	31.3	17.2	14.1	45.0
R8/F00	W9/F00	Living Room	31.6	16.8	14.8	46.8

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R9/F00	W10/F00	Living Room	32.0	16.4	15.6	48.8
R10/F00	W11/F00	Living Room	32.3	16.0	16.3	50.5
R11/F00	W12/F00	Living Room	32.6	15.6	17.0	52.1
R12/F00	W13/F00	Living Room	32.7	15.4	17.3	52.9
R13/F00	W14/F00	Living Room	30.2	13.6	16.6	55.0
R14/F00	W15/F00	Living Room	32.3	14.8	17.5	54.2
R15/F00	W16/F00	Living Room	30.0	12.3	17.7	59.0
R16/F00	W18/F00	Bedroom	33.1	15.2	17.9	54.1
R17/F00	W19/F00	Kitchen-Resi	17.2	12.1	5.1	29.7
R18/F00	W20/F00	Kitchen-Resi	24.1	8.2	15.9	66.0
R19/F00	W17/F00	Bedroom	33.2	13.9	19.3	58.1
R20/F00	W1/F00	Bedroom	28.2	21.5	6.7	23.8
R1/F01	W2/F01	Unknown	32.8	24.1	8.7	26.5
R2/F01	W3/F01	Bedroom	34.2	23.6	10.6	31.0
R3/F01	W4/F01	Bedroom	34.7	22.8	11.9	34.3
R4/F01	W5/F01	Bedroom	31.8	19.7	12.1	38.1
R4/F01	W6/F01	Bedroom	34.4	21.9	12.5	36.3
R7/F01	W7/F01	Bedroom	35.0	22.2	12.8	36.6
R7/F01	W8/F01	Bedroom	34.8	21.8	13.0	37.4
R8/F01	W9/F01	Bedroom	35.0	20.8	14.2	40.6
R8/F01	W10/F01	Bedroom	35.4	20.9	14.5	41.0
R9/F01	W29/F01	Kitchen-Resi	21.5	13.4	8.1	37.7
R10/F01	W30/F01	Kitchen-Resi	26.1	9.0	17.1	65.5
R11/F01	W11/F01	Bedroom	35.4	20.5	14.9	42.1
R11/F01	W12/F01	Bedroom	35.1	20.0	15.1	43.0
R12/F01	W13/F01	Bedroom	35.3	19.5	15.8	44.8
R12/F01	W14/F01	Bedroom	35.7	19.6	16.1	45.1
R13/F01	W27/F01	Bedroom	36.9	15.3	21.6	58.5
R14/F01	W1/F01	Bedroom	33.5	25.4	8.1	24.2
R15/F01	W15/F01	Bedroom	35.8	19.3	16.5	46.1
R15/F01	W16/F01	Bedroom	35.5	18.9	16.6	46.8
R16/F01	W17/F01	Bedroom	35.6	18.4	17.2	48.3
R16/F01	W18/F01	Bedroom	36.0	18.4	17.6	48.9
R19/F01	W19/F01	Bedroom	36.0	18.2	17.8	49.4
R19/F01	W20/F01	Bedroom	35.7	17.8	17.9	50.1
R20/F01	W21/F01	Bedroom	35.8	17.4	18.4	51.4
R20/F01	W22/F01	Bedroom	36.0	17.4	18.6	51.7
R23/F01	W23/F01	Bedroom	35.3	16.8	18.5	52.4
R23/F01	W24/F01	Bedroom	33.3	15.4	17.9	53.8
R24/F01	W25/F01	Bedroom	35.9	16.6	19.3	53.8

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R25/F01	W26/F01	Bedroom	33.6	13.8	19.8	58.9
R26/F01	W28/F01	Bedroom	37.1	16.6	20.5	55.3
R1/F02	W2/F02	Bedroom	36.8	27.4	9.4	25.5
R2/F02	W3/F02	Bedroom	38.0	27.0	11.0	28.9
R3/F02	W4/F02	Bedroom	38.1	26.1	12.0	31.5
R4/F02	W5/F02	Bedroom	31.7	19.6	12.1	38.2
R5/F02	W6/F02	Bedroom	33.2	20.0	13.2	39.8
R6/F02	W7/F02	Bedroom	33.2	19.0	14.2	42.8
R7/F02	W8/F02	Bedroom	33.2	18.1	15.1	45.5
R8/F02	W9/F02	Bedroom	33.3	17.5	15.8	47.4
R9/F02	W10/F02	Bedroom	33.4	16.7	16.7	50.0
R10/F02	W11/F02	Bedroom	33.4	16.0	17.4	52.1
R11/F02	W12/F02	Bedroom	33.4	15.2	18.2	54.5
R12/F02	W13/F02	Bedroom	33.3	14.6	18.7	56.2
R13/F02	W14/F02	Bedroom	32.1	13.7	18.4	57.3
R14/F02	W15/F02	Bedroom	38.0	18.1	19.9	52.4
R15/F02	W16/F02	Bedroom	35.8	15.5	20.3	56.7
R16/F02	W18/F02	Bedroom	38.4	17.8	20.6	53.6
R17/F02	W29/F02	Kitchen-Resi	22.2	14.8	7.4	33.3
R18/F02	W30/F02	Kitchen-Resi	27.9	10.0	17.9	64.2
R19/F02	W17/F02	Bedroom	38.3	16.3	22.0	57.4
R20/F02	W1/F02	Bedroom	37.2	28.3	8.9	23.9
R1/F03	W2/F03	Bedroom	39.0	30.0	9.0	23.1
R2/F03	W4/F03	Bedroom	39.2	19.0	20.2	51.5
R17/F03	W29/F03	Kitchen-Resi	23.9	16.8	7.1	29.7
R18/F03	W30/F03	Kitchen-Resi	30.6	12.7	17.9	58.5
R19/F03	W3/F03	Bedroom	39.1	17.4	21.7	55.5
R21/F03	W1/F03	Bedroom	38.9	30.4	8.5	21.9
GILBEYS YARD (BLOCK B)						
R1/F00	W1/F00	Bedroom	32.8	13.2	19.6	59.8
R2/F00	W2/F00	Bedroom	31.0	12.2	18.8	60.6
R3/F00	W3/F00	Bedroom	31.2	13.5	17.7	56.7
R4/F00	W4/F00	Kitchen-Resi	35.3	14.7	20.6	58.4
R5/F00	W5/F00	Bedroom	35.3	14.2	21.1	59.8
R6/F00	W6/F00	Bedroom	31.2	13.3	17.9	57.4
R7/F00	W7/F00	Bedroom	31.2	13.2	18.0	57.7

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R8/F00	W8/F00	Kitchen-Resi	35.4	13.7	21.7	61.3
R9/F00	W9/F00	Bedroom	35.4	13.7	21.7	61.3
R10/F00	W10/F00	Bedroom	31.2	13.3	17.9	57.4
R11/F00	W11/F00	Bedroom	31.2	13.3	17.9	57.4
R12/F00	W12/F00	Kitchen-Resi	35.3	13.5	21.8	61.8
R13/F00	W13/F00	Bedroom	29.3	11.6	17.7	60.4
R14/F00	W14/F00	Bedroom	28.9	11.7	17.2	59.5
R15/F00	W15/F00	Bedroom	33.2	11.9	21.3	64.2
R16/F00	W16/F00	Bedroom	30.8	10.8	20.0	64.9
R1/F01	W1/F01	Bedroom	36.5	17.4	19.1	52.3
R2/F01	W2/F01	Bedroom	37.3	17.5	19.8	53.1
R3/F01	W3/F01	Bedroom	37.6	17.3	20.3	54.0
R4/F01	W4/F01	Kitchen-Resi	37.5	16.8	20.7	55.2
R5/F01	W5/F01	Bedroom	37.4	16.4	21.0	56.1
R6/F01	W6/F01	Bedroom	37.6	16.1	21.5	57.2
R7/F01	W7/F01	Bedroom	37.7	16.0	21.7	57.6
R8/F01	W8/F01	Kitchen-Resi	37.5	16.2	21.3	56.8
R9/F01	W9/F01	Bedroom	37.4	16.3	21.1	56.4
R10/F01	W10/F01	Bedroom	37.7	16.3	21.4	56.8
R11/F01	W11/F01	Bedroom	37.8	16.3	21.5	56.9
R12/F01	W12/F01	Kitchen-Resi	37.1	16.1	21.0	56.6
R14/F01	W15/F01	Bedroom	30.1	13.9	16.2	53.8
R15/F01	W16/F01	Bedroom	37.8	14.7	23.1	61.1
R16/F01	W17/F01	Bedroom	37.8	13.4	24.4	64.6
R1/F02	W1/F02	Bedroom	37.4	19.3	18.1	48.4
R2/F02	W2/F02	Bedroom	38.2	19.6	18.6	48.7
R3/F02	W3/F02	Bedroom	38.4	19.6	18.8	49.0
R4/F02	W4/F02	Kitchen-Resi	38.3	19.2	19.1	49.9
R5/F02	W5/F02	Bedroom	38.2	18.9	19.3	50.5
R6/F02	W6/F02	Bedroom	38.3	18.7	19.6	51.2
R7/F02	W7/F02	Bedroom	38.4	18.8	19.6	51.0
R8/F02	W8/F02	Kitchen-Resi	38.2	18.9	19.3	50.5
R9/F02	W9/F02	Bedroom	38.1	19.1	19.0	49.9
R10/F02	W10/F02	Bedroom	38.3	19.2	19.1	49.9

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R11/F02	W11/F02	Bedroom	38.4	19.2	19.2	50.0
R12/F02	W12/F02	Kitchen-Resi	37.7	18.9	18.8	49.9
R14/F02	W15/F02	Bedroom	31.0	16.4	14.6	47.1
R15/F02	W16/F02	Bedroom	38.5	17.5	21.0	54.5
R16/F02	W17/F02	Bedroom	38.5	16.0	22.5	58.4
R1/F03	W1/F03	Bedroom	38.3	21.2	17.1	44.6
R2/F03	W2/F03	Bedroom	38.8	21.6	17.2	44.3
R3/F03	W3/F03	Bedroom	39.1	21.8	17.3	44.2
R4/F03	W4/F03	Kitchen-Resi	38.9	21.6	17.3	44.5
R5/F03	W5/F03	Bedroom	38.8	21.5	17.3	44.6
R6/F03	W6/F03	Bedroom	38.8	21.4	17.4	44.8
R7/F03	W7/F03	Bedroom	38.9	21.6	17.3	44.5
R8/F03	W8/F03	Kitchen-Resi	38.8	21.8	17.0	43.8
R9/F03	W9/F03	Bedroom	38.6	21.9	16.7	43.3
R10/F03	W10/F03	Bedroom	38.8	22.0	16.8	43.3
R11/F03	W11/F03	Bedroom	39.0	22.1	16.9	43.3
R12/F03	W12/F03	Kitchen-Resi	38.4	22.0	16.4	42.7
R14/F03	W15/F03	Bedroom	33.4	20.5	12.9	38.6
R15/F03	W16/F03	Bedroom	39.0	20.5	18.5	47.4
R16/F03	W17/F03	Bedroom	39.0	18.8	20.2	51.8
56 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	19.4	19.4	0.0	0.0
R1/F00	W2/F00	Unknown	20.8	20.8	0.0	0.0
R2/F01	W1/F01	Unknown	28.2	27.2	1.0	3.5
R2/F01	W2/F01	Unknown	31.4	30.3	1.1	3.5
R1/F02	W1/F02	Unknown	33.1	30.9	2.2	6.6
R1/F02	W2/F02	Unknown	37.5	35.1	2.4	6.4
R1/F03	W1/F03	Unknown	38.6	36.4	2.2	5.7
R1/F03	W2/F03	Unknown	38.9	36.7	2.2	5.7
58 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	15.3	15.3	0.0	0.0
R1/F01	W1/F01	Unknown	23.3	22.2	1.1	4.7
R1/F02	W1/F02	Unknown	37.9	35.6	2.3	6.1
R2/F02	W2/F02	Unknown	37.9	35.6	2.3	6.1
R1/F03	W1/F03	Unknown	38.7	36.6	2.1	5.4
R2/F03	W2/F03	Unknown	38.8	36.7	2.1	5.4

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
60 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	8.0	8.0	0.0	0.0
R1/F01	W1/F01	Unknown	14.9	14.3	0.6	4.0
R1/F02	W1/F02	Unknown	36.4	34.2	2.2	6.0
R1/F03	W1/F03	Unknown	37.8	35.8	2.0	5.3
62 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	15.8	15.8	0.0	0.0
R1/F01	W1/F01	Unknown	33.4	32.7	0.7	2.1
R1/F02	W1/F02	Unknown	38.7	36.5	2.2	5.7
66 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	5.8	5.8	0.0	0.0
R2/F00	W2/F00	Unknown	15.8	15.8	0.0	0.0
R1/F01	W1/F01	Unknown	9.0	9.0	0.0	0.0
R2/F01	W2/F01	Unknown	33.4	32.8	0.6	1.8
R1/F02	W1/F02	Unknown	12.7	12.5	0.2	1.6
R2/F02	W2/F02	Unknown	38.6	36.6	2.0	5.2
R1/F03	W1/F03	Unknown	33.1	32.0	1.1	3.3
90 CAMDEN LOCK PLACE						
R1/F00	W1/F00	Unknown	35.0	28.1	6.9	19.7
R1/F00	W2/F00	Unknown	34.5	28.5	6.0	17.4
R2/F00	W3/F00	Unknown	32.9	27.8	5.1	15.5
R3/F00	W4/F00	Unknown	33.2	28.7	4.5	13.6
R1/F01	W1/F01	Unknown	35.0	30.1	4.9	14.0
R1/F02	W1/F02	Unknown	35.8	30.8	5.0	14.0
R1/F02	W2/F02	Unknown	36.1	30.5	5.6	15.5
R1/F02	W3/F02	Unknown	36.3	30.2	6.1	16.8
R1/F02	W4/F02	Unknown	37.6	31.5	6.1	16.2
R2/F02	W5/F02	Unknown	36.8	32.3	4.5	12.2
R3/F02	W6/F02	Unknown	37.1	33.3	3.8	10.2
R4/F02	W7/F02	Unknown	34.6	31.1	3.5	10.1
R4/F02	W8/F02	Unknown	33.3	30.1	3.2	9.6
R1/F03	W1/F03	Unknown	37.7	33.5	4.2	11.1
R1/F03	W2/F03	Unknown	37.8	33.3	4.5	11.9
R1/F03	W3/F03	Unknown	38.0	33.0	5.0	13.2
R1/F03	W4/F03	Unknown	38.7	33.7	5.0	12.9
R2/F03	W5/F03	Unknown	38.2	34.3	3.9	10.2
R3/F03	W6/F03	Unknown	38.6	35.3	3.3	8.5
R4/F03	W7/F03	Unknown	37.1	34.1	3.0	8.1
R4/F03	W8/F03	Unknown	36.4	33.6	2.8	7.7
R1/F04	W1/F04	Unknown	38.8	35.4	3.4	8.8

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R1/F04	W2/F04	Unknown	38.9	35.2	3.7	9.5
R1/F04	W3/F04	Unknown	38.9	35.0	3.9	10.0
R1/F04	W4/F04	Unknown	39.4	35.3	4.1	10.4
R2/F04	W5/F04	Unknown	39.2	35.9	3.3	8.4
R3/F04	W6/F04	Unknown	39.0	36.5	2.5	6.4
R3/F04	W7/F04	Unknown	38.9	36.5	2.4	6.2
51 CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	35.0	24.1	10.9	31.1
R1/F02	W1/F02	Unknown	36.4	26.4	10.0	27.5
52 CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	36.0	24.6	11.4	31.7
R1/F02	W1/F02	Unknown	37.0	26.5	10.5	28.4
52A CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	36.1	24.5	11.6	32.1
R1/F02	W1/F02	Unknown	37.1	26.3	10.8	29.1
53 CHALK FARM ROAD						
55 CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	36.0	24.7	11.3	31.4
R1/F01	W2/F01	Unknown	35.8	24.7	11.1	31.0
R1/F02	W1/F02	Unknown	37.4	26.5	10.9	29.1
R1/F02	W2/F02	Unknown	37.4	26.4	11.0	29.4
57A CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	36.8	26.3	10.5	28.5
R1/F01	W2/F01	Unknown	36.8	26.1	10.7	29.1
R1/F02	W1/F02	Unknown	37.6	28.2	9.4	25.0
R1/F02	W2/F02	Unknown	37.6	28.1	9.5	25.3
R1/F02	W3/F02	Unknown	37.7	27.9	9.8	26.0

*Existing vs Proposed
No Skyline (NSL)*

Room / Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
54-64 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		75.35	70.34	70.34	0.00	0.00	93.35	93.35
R6/F00	Kitchen-Resi		75.35	70.57	54.35	16.23	22.99	93.66	72.13
R1/F01	Kitchen-Resi		75.35	70.34	70.34	0.00	0.00	93.35	93.35
R6/F01	Kitchen-Resi		75.35	70.57	56.94	13.63	19.32	93.66	75.57
R1/F02	Kitchen-Resi		75.35	70.34	70.34	0.00	0.00	93.35	93.35
R6/F02	Kitchen-Resi		75.35	70.57	60.60	9.97	14.13	93.66	80.43
R1/F03	Kitchen-Resi		75.35	70.34	70.34	0.00	0.00	93.35	93.35
R4/F03	Kitchen-Resi		75.35	70.57	64.69	5.88	8.34	93.66	85.85
69-78 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		65.88	52.20	34.82	17.38	33.29	79.24	52.86
R3/F00	Bedroom		72.33	64.46	22.06	42.40	65.78	89.12	30.50
R4/F00	Bedroom		120.34	114.07	67.46	46.61	40.86	94.79	56.06
R5/F00	Living Room		331.94	331.94	331.14	0.80	0.24	100.00	99.76
R6/F00	Bedroom		120.34	114.11	97.15	16.96	14.86	94.83	80.73
R7/F00	Bedroom		72.04	70.25	56.08	14.17	20.17	97.52	77.85
R9/F00	Living Room		175.88	173.86	96.31	77.55	44.61	98.85	54.76
R1/F01	Kitchen-Resi		65.88	52.21	39.68	12.53	24.00	79.25	60.23
R3/F01	Bedroom		72.33	64.46	25.51	38.95	60.43	89.12	35.27
R4/F01	Bedroom		120.34	114.08	73.31	40.77	35.74	94.80	60.92
R5/F01	Living Room		331.94	331.94	331.15	0.79	0.24	100.00	99.76
R6/F01	Bedroom		120.34	114.14	99.61	14.53	12.73	94.84	82.77
R7/F01	Bedroom		72.04	70.25	58.47	11.78	16.77	97.52	81.16
R9/F01	Living Room		175.88	173.92	104.20	69.72	40.09	98.89	59.25
R1/F02	Kitchen-Resi		65.88	51.05	41.66	9.40	18.41	77.50	63.23
R3/F02	Bedroom		72.33	63.25	29.47	33.77	53.40	87.43	40.75
R4/F02	Bedroom		120.34	114.09	82.89	31.20	27.34	94.81	68.88
R5/F02	Living Room		331.94	331.94	331.26	0.68	0.20	100.00	99.80
R6/F02	Bedroom		120.34	114.14	102.07	12.07	10.58	94.85	84.81
R7/F02	Bedroom		72.04	72.04	72.04	0.00	0.00	100.00	100.00
R9/F02	Living Room		175.88	173.80	108.12	65.68	37.79	98.82	61.47
R1/F03	Bedroom		120.34	113.22	101.94	11.28	9.96	94.08	84.71
R2/F03	Living Room		331.94	331.94	331.47	0.47	0.14	100.00	99.86
R3/F03	Bedroom		120.34	113.29	112.34	0.95	0.83	94.14	93.36
79 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.97	146.12	103.39	42.72	29.24	98.75	69.88
R1/F01	Bedroom		120.07	115.91	86.05	29.86	25.76	96.53	71.66
R1/F02	Bedroom		120.07	120.07	120.07	0.00	0.00	100.00	100.00
80 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.95	146.46	102.58	43.89	29.96	98.99	69.33
R1/F01	Bedroom		120.06	116.84	86.62	30.22	25.87	97.31	72.14
R1/F02	Bedroom		120.06	120.06	120.06	0.00	0.00	100.00	100.00
81 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.98	145.96	103.54	42.42	29.06	98.63	69.97
R1/F01	Bedroom		120.09	115.86	87.11	28.75	24.81	96.48	72.54
R1/F02	Bedroom		120.09	120.09	120.09	0.00	0.00	100.00	100.00
82 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.89	146.47	103.76	42.71	29.16	99.04	70.16
R1/F01	Bedroom		120.01	116.54	84.01	32.53	27.91	97.11	70.00
R1/F02	Bedroom		120.01	120.01	120.01	0.00	0.00	100.00	100.00
83 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.97	145.76	102.48	43.28	29.69	98.51	69.26
R1/F01	Bedroom		120.08	115.86	80.72	35.14	30.33	96.49	67.22
R1/F02	Bedroom		120.08	120.08	118.41	1.67	1.39	100.00	98.61
84 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.94	142.98	98.04	44.93	31.43	96.64	66.27
R1/F01	Bedroom		120.06	111.11	72.56	38.54	34.69	92.54	60.44
R1/F02	Bedroom		120.06	116.20	111.55	4.65	4.00	96.79	92.92

Room / Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
85-92 JUNIPER CRESCENT									
R1/F00	Bedroom		146.48	144.90	92.78	52.11	35.97	98.92	63.34
R2/F00	Bedroom		125.56	124.21	85.44	38.76	31.21	98.92	68.05
R3/F00	Bedroom		123.86	122.66	94.64	28.02	22.84	99.03	76.41
R4/F00	Bedroom		147.02	145.47	97.87	47.60	32.72	98.95	66.57
R1/F01	Bedroom		146.48	144.90	92.18	52.72	36.38	98.93	62.94
R2/F01	Bedroom		125.56	124.25	84.84	39.41	31.72	98.95	67.56
R3/F01	Bedroom		123.86	122.70	94.25	28.45	23.19	99.06	76.09
R4/F01	Bedroom		147.02	145.45	96.98	48.47	33.32	98.94	65.97
R1/F02	Bedroom		146.48	144.91	102.18	42.73	29.49	98.93	69.76
R2/F02	Bedroom		125.56	124.24	90.47	33.77	27.18	98.95	72.05
R3/F02	Bedroom		123.86	122.69	100.42	22.27	18.15	99.05	81.07
R4/F02	Bedroom		147.02	145.46	103.69	41.77	28.71	98.94	70.53
R1/F03	Bedroom		146.48	144.91	108.27	36.64	25.29	98.93	73.92
R2/F03	Bedroom		125.56	124.24	94.39	29.85	24.03	98.95	75.17
R3/F03	Bedroom		123.86	122.69	104.32	18.37	14.97	99.05	84.22
R4/F03	Bedroom		147.02	145.46	107.14	38.32	26.34	98.94	72.88
93-100 JUNIPER CRESCENT									
R1/F00	Bedroom		146.22	144.53	67.35	77.19	53.40	98.85	46.06
R2/F00	Bedroom		126.98	125.35	66.99	58.36	46.56	98.72	52.76
R3/F00	Bedroom		123.62	121.98	65.05	56.93	46.67	98.68	52.62
R4/F00	Bedroom		149.03	147.27	83.45	63.81	43.33	98.82	56.00
R1/F01	Bedroom		146.22	144.55	69.59	74.96	51.86	98.86	47.59
R2/F01	Bedroom		126.98	125.67	71.45	54.22	43.14	98.97	56.27
R3/F01	Bedroom		123.62	122.14	68.90	53.24	43.59	98.80	55.74
R4/F01	Bedroom		149.03	147.31	86.84	60.47	41.05	98.84	58.27
R1/F02	Bedroom		146.22	144.24	78.45	65.79	45.61	98.65	53.65
R2/F02	Bedroom		126.98	125.38	81.98	43.40	34.62	98.74	64.56
R3/F02	Bedroom		123.62	121.76	82.23	39.53	32.47	98.50	66.52
R4/F02	Bedroom		149.03	147.01	102.00	45.01	30.62	98.65	68.44
R1/F03	Bedroom		146.22	144.17	91.53	52.64	36.51	98.60	62.60
R2/F03	Bedroom		126.98	125.36	96.82	28.55	22.77	98.73	76.25
R3/F03	Bedroom		123.62	121.75	94.76	27.00	22.17	98.49	76.65
R4/F03	Bedroom		149.03	147.00	114.43	32.57	22.16	98.64	76.78
101 JUNIPER CRESCENT									
R1/F00	Living Room		255.23	252.41	141.87	110.54	43.79	98.90	55.58
R1/F01	Bedroom		113.13	103.24	88.00	15.25	14.77	91.26	77.78
R1/F02	Bedroom		113.13	109.69	109.27	0.43	0.39	96.96	96.59
102 JUNIPER CRESCENT									
R1/F00	Living Room		255.18	252.50	165.78	86.72	34.35	98.95	64.96
R1/F01	Bedroom		112.06	106.65	96.57	10.08	9.45	95.18	86.18
R1/F02	Bedroom		112.06	112.06	112.03	0.03	0.03	100.00	99.97
103 JUNIPER CRESCENT									
R1/F00	Living Room		255.41	253.24	185.32	67.92	26.82	99.15	72.56
R1/F01	Bedroom		111.90	106.39	97.36	9.02	8.48	95.07	87.01
R1/F02	Bedroom		111.90	111.90	111.90	0.00	0.00	100.00	100.00
104 JUNIPER CRESCENT									
R1/F00	Living Room		255.03	252.41	191.33	61.09	24.20	98.97	75.02
R1/F01	Bedroom		111.88	106.32	98.62	7.70	7.25	95.03	88.14
R1/F02	Bedroom		111.88	111.88	111.88	0.00	0.00	100.00	100.00
105 JUNIPER CRESCENT									
R1/F00	Living Room		255.12	252.46	221.17	31.29	12.39	98.95	86.69
R1/F01	Bedroom		112.11	106.64	97.07	9.57	8.97	95.12	86.58
R1/F02	Bedroom		112.11	112.11	112.11	0.00	0.00	100.00	100.00
106 JUNIPER CRESCENT									
R1/F00	Living Room		254.21	251.53	235.82	15.70	6.24	98.95	92.77
R1/F01	Bedroom		112.40	107.46	97.81	9.65	8.98	95.60	87.02
R1/F02	Bedroom		112.40	112.40	112.40	0.00	0.00	100.00	100.00

Room / Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
107 JUNIPER CRESCENT									
R1/F00	Living Room		257.17	254.67	248.54	6.13	2.41	99.03	96.64
R1/F01	Bedroom		113.02	107.86	98.29	9.57	8.88	95.43	86.96
R1/F02	Bedroom		113.02	113.02	113.02	0.00	0.00	100.00	100.00
108 JUNIPER CRESCENT									
R1/F00	Living Room		255.90	253.38	249.08	4.30	1.70	99.01	97.34
R1/F01	Bedroom		113.02	107.72	99.05	8.67	8.05	95.31	87.64
R1/F02	Bedroom		113.02	113.02	113.02	0.00	0.00	100.00	100.00
109 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		206.67	202.52	198.75	3.77	1.86	97.99	96.17
R1/F01	Living Room		206.67	202.82	199.66	3.16	1.56	98.14	96.61
R2/F02	Bedroom		137.78	137.78	137.78	0.00	0.00	100.00	100.00
110 JUNIPER CRESCENT									
R1/F00	Living Room		213.17	213.03	213.03	0.00	0.00	99.94	99.94
R2/F00	Kitchen-Resi		77.50	72.88	71.90	0.97	1.34	94.03	92.78
R1/F01	Living Room		213.17	213.17	213.17	0.00	0.00	100.00	100.00
R2/F01	Kitchen-Resi		77.50	72.89	72.55	0.34	0.46	94.05	93.61
R1/F02	Living Room		213.17	213.17	213.17	0.00	0.00	100.00	100.00
R2/F02	Kitchen-Resi		77.50	69.55	69.37	0.18	0.26	89.75	89.51
GILBEYS YARD (BLOCK A)									
R1/F00	Unknown		120.59	113.43	64.34	49.10	43.28	94.06	53.35
R2/F00	Living Room		178.73	128.78	73.54	55.24	42.89	72.06	41.15
R3/F00	Living Room		178.73	147.74	66.80	80.94	54.79	82.66	37.37
R4/F00	Living Room		212.81	191.29	92.08	99.22	51.87	89.89	43.27
R5/F00	Living Room		212.81	193.11	93.01	100.10	51.84	90.74	43.71
R6/F00	Living Room		212.81	176.45	82.09	94.37	53.48	82.92	38.57
R7/F00	Living Room		212.81	200.16	81.77	118.39	59.15	94.05	38.42
R8/F00	Living Room		212.81	182.75	72.54	110.21	60.31	85.88	34.09
R9/F00	Living Room		212.81	205.83	77.61	128.21	62.29	96.72	36.47
R10/F00	Living Room		212.81	191.02	71.15	119.87	62.75	89.76	33.43
R11/F00	Living Room		212.81	205.31	86.43	118.89	57.91	96.48	40.61
R12/F00	Living Room		212.81	196.94	97.46	99.47	50.51	92.54	45.80
R13/F00	Living Room		212.81	203.18	153.01	50.17	24.69	95.47	71.90
R14/F00	Living Room		178.73	177.53	142.40	35.13	19.79	99.33	79.68
R15/F00	Living Room		178.73	174.86	122.67	52.19	29.85	97.84	68.64
R16/F00	Bedroom		162.94	158.79	86.10	72.69	45.78	97.45	52.84
R17/F00	Kitchen-Resi		81.33	58.07	26.28	31.80	54.76	71.41	32.31
R18/F00	Kitchen-Resi		90.45	78.58	21.78	56.80	72.28	86.88	24.08
R19/F00	Bedroom		162.90	158.95	79.94	79.01	49.71	97.57	49.07
R20/F00	Bedroom		120.60	114.25	57.96	56.29	49.27	94.73	48.06
R1/F01	Unknown		120.59	116.13	111.31	4.82	4.15	96.30	92.30
R2/F01	Bedroom		102.67	96.41	95.23	1.18	1.22	93.90	92.75
R3/F01	Bedroom		102.67	97.27	79.19	18.08	18.59	94.74	77.13
R4/F01	Bedroom		122.06	99.41	88.47	10.94	11.01	81.44	72.48
R7/F01	Bedroom		122.06	98.51	96.59	1.91	1.94	80.70	79.13
R8/F01	Bedroom		122.06	89.70	80.88	8.82	9.83	73.48	66.26
R9/F01	Kitchen-Resi		81.33	60.75	26.36	34.39	56.61	74.70	32.41
R10/F01	Kitchen-Resi		90.45	86.14	23.62	62.52	72.58	95.24	26.12
R11/F01	Bedroom		122.06	101.80	94.46	7.34	7.21	83.40	77.39
R12/F01	Bedroom		122.16	93.49	78.69	14.80	15.83	76.53	64.42
R13/F01	Bedroom		162.90	158.49	90.73	67.76	42.75	97.29	55.70
R14/F01	Bedroom		120.60	116.31	102.31	14.00	12.04	96.45	84.83
R15/F01	Bedroom		122.06	103.57	90.20	13.38	12.92	84.85	73.89
R16/F01	Bedroom		122.06	96.81	79.01	17.80	18.38	79.31	64.73
R19/F01	Bedroom		122.06	103.67	96.69	6.98	6.73	84.93	79.21
R20/F01	Bedroom		122.06	100.10	87.79	12.31	12.30	82.01	71.93
R23/F01	Bedroom		122.06	101.59	93.86	7.73	7.61	83.23	76.90
R24/F01	Bedroom		102.67	96.54	78.37	18.17	18.82	94.03	76.33
R25/F01	Bedroom		102.67	91.54	77.24	14.30	15.62	89.16	75.23
R26/F01	Bedroom		163.42	158.84	102.86	55.98	35.24	97.20	62.94
R1/F02	Bedroom		120.59	117.92	116.51	1.41	1.20	97.78	96.61
R2/F02	Bedroom		102.67	95.14	95.09	0.04	0.04	92.66	92.62
R3/F02	Bedroom		102.67	95.91	93.87	2.04	2.13	93.42	91.43
R4/F02	Bedroom		122.06	97.06	89.62	7.44	7.66	79.52	73.42
R5/F02	Bedroom		122.06	96.70	90.16	6.54	6.76	79.22	73.86
R6/F02	Bedroom		122.06	87.96	83.48	4.48	5.09	72.06	68.39

Room / Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
R7/F02	Bedroom		122.06	99.95	87.16	12.79	12.80	81.88	71.40
R8/F02	Bedroom		122.06	91.53	81.56	9.97	10.89	74.99	66.82
R9/F02	Bedroom		122.06	101.76	81.44	20.32	19.97	83.37	66.72
R10/F02	Bedroom		122.16	95.03	78.60	16.43	17.29	77.79	64.34
R11/F02	Bedroom		122.06	101.79	84.44	17.35	17.05	83.40	69.18
R12/F02	Bedroom		122.06	98.31	82.30	16.00	16.28	80.54	67.43
R13/F02	Bedroom		122.06	100.33	85.32	15.01	14.96	82.20	69.90
R14/F02	Bedroom		102.67	95.37	82.09	13.28	13.93	92.89	79.95
R15/F02	Bedroom		102.67	92.36	78.69	13.67	14.80	89.95	76.64
R16/F02	Bedroom		162.94	160.74	99.81	60.93	37.91	98.64	61.25
R17/F02	Kitchen-Resi		81.33	61.27	24.94	36.34	59.30	75.34	30.66
R18/F02	Kitchen-Resi		90.45	86.16	26.65	59.52	69.07	95.27	29.46
R19/F02	Bedroom		162.90	159.76	90.08	69.68	43.62	98.07	55.29
R20/F02	Bedroom		120.60	117.81	106.07	11.74	9.96	97.68	87.95
R1/F03	Bedroom		120.59	117.66	117.66	0.00	0.00	97.57	97.56
R2/F03	Bedroom		162.94	159.88	108.52	51.36	32.13	98.12	66.60
R17/F03	Kitchen-Resi		81.33	62.22	35.40	26.83	43.11	76.51	43.52
R18/F03	Kitchen-Resi		90.45	86.54	27.64	58.90	68.07	95.68	30.55
R19/F03	Bedroom		162.90	159.75	93.87	65.87	41.24	98.06	57.63
R21/F03	Bedroom		120.60	117.36	111.15	6.21	5.29	97.31	92.16
GILBEYS YARD (BLOCK B)									
R1/F00	Unknown		124.52	120.83	61.60	59.23	49.02	97.04	49.47
R2/F00	Unknown		118.76	118.47	40.54	77.93	65.78	99.75	34.13
R3/F00	Unknown		118.63	118.55	73.63	44.92	37.89	99.93	62.06
R4/F00	Unknown		75.35	73.17	47.80	25.37	34.67	97.11	63.44
R5/F00	Unknown		100.20	99.16	42.24	56.91	57.40	98.96	42.16
R6/F00	Unknown		118.78	118.49	48.87	69.62	58.76	99.75	41.14
R7/F00	Unknown		118.75	118.65	42.59	76.07	64.11	99.92	35.86
R8/F00	Unknown		75.35	73.26	31.90	41.37	56.46	97.24	42.33
R9/F00	Unknown		100.75	99.77	29.05	70.73	70.89	99.03	28.83
R10/F00	Unknown		118.76	118.57	33.89	84.68	71.42	99.83	28.54
R11/F00	Unknown		118.73	118.66	33.70	84.97	71.60	99.95	28.38
R12/F00	Unknown		75.35	72.78	31.53	41.26	56.68	96.60	41.84
R13/F00	Living Room		118.03	116.67	39.00	77.67	66.57	98.85	33.05
R14/F00	Bedroom		132.84	118.19	27.96	90.23	76.34	88.97	21.05
R15/F00	Living Room		89.33	89.32	32.99	56.33	63.06	99.99	36.93
R16/F00	Living Room		85.50	85.37	33.19	52.18	61.13	99.85	38.82
R1/F01	Unknown		124.52	120.55	100.28	20.27	16.81	96.81	80.54
R2/F01	Unknown		118.76	116.01	92.44	23.57	20.32	97.68	77.83
R3/F01	Unknown		118.63	116.85	75.69	41.17	35.23	98.50	63.80
R4/F01	Unknown		75.35	72.53	55.26	17.27	23.81	96.26	73.34
R5/F01	Unknown		100.20	98.40	50.17	48.24	49.02	98.21	50.07
R6/F01	Unknown		118.53	115.73	52.22	63.51	54.88	97.64	44.06
R7/F01	Unknown		118.74	116.94	45.48	71.45	61.11	98.48	38.30
R8/F01	Unknown		75.26	72.51	45.27	27.24	37.57	96.35	60.16
R9/F01	Unknown		100.75	98.98	40.89	58.09	58.69	98.25	40.59
R10/F01	Unknown		118.62	116.19	42.02	74.18	63.84	97.96	35.42
R11/F01	Unknown		118.71	117.37	45.31	72.05	61.39	98.87	38.17
R12/F01	Unknown		75.39	71.91	46.03	25.88	35.99	95.39	61.06
R14/F01	Bedroom		132.84	118.20	42.01	76.18	64.45	88.98	31.63
R15/F01	Bedroom		89.33	87.95	45.83	42.12	47.89	98.45	51.31
R16/F01	Bedroom		85.50	84.05	35.57	48.48	57.68	98.30	41.60
R1/F02	Unknown		124.52	120.55	102.83	17.72	14.70	96.81	82.58
R2/F02	Unknown		118.76	116.01	96.49	19.52	16.82	97.68	81.25
R3/F02	Unknown		118.63	116.85	81.57	35.29	30.20	98.50	68.76
R4/F02	Unknown		75.35	72.53	60.88	11.65	16.06	96.26	80.80
R5/F02	Unknown		100.20	98.40	56.70	41.70	42.38	98.21	56.59
R6/F02	Unknown		118.53	115.73	60.42	55.31	47.79	97.64	50.98
R7/F02	Unknown		118.76	116.94	56.00	60.94	52.11	98.47	47.16
R8/F02	Unknown		75.26	72.51	56.43	16.08	22.18	96.35	74.98
R9/F02	Unknown		100.75	98.98	50.92	48.06	48.56	98.25	50.54
R10/F02	Unknown		118.62	116.19	54.74	61.45	52.89	97.96	46.15
R11/F02	Unknown		118.59	117.24	55.70	61.54	52.49	98.86	46.97
R12/F02	Unknown		75.36	71.79	56.90	14.89	20.74	95.27	75.51
R14/F02	Bedroom		132.84	118.26	57.09	61.18	51.73	89.03	42.97
R15/F02	Bedroom		89.33	87.95	56.53	31.42	35.73	98.45	63.28
R16/F02	Bedroom		85.50	84.05	45.43	38.62	45.95	98.30	53.13
R1/F03	Unknown		124.52	120.08	106.29	13.79	11.48	96.44	85.36
R2/F03	Unknown		118.76	115.75	100.48	15.27	13.19	97.46	84.61
R3/F03	Unknown		118.63	116.68	90.50	26.18	22.43	98.35	76.29
R4/F03	Unknown		75.35	72.77	71.48	1.29	1.77	96.58	94.87
R5/F03	Unknown		100.20	98.64	70.11	28.53	28.92	98.44	69.97
R6/F03	Unknown		118.53	115.61	75.07	40.54	35.07	97.54	63.34

10766-REL22-IS01 Existing Vs. Proposed			5 CHALK FARM ROAD IR34 (23.05.2017)			Jun 2017			
Room / Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
R7/F03	Unknown		118.76	116.76	73.98	42.78	36.64	98.32	62.30
R8/F03	Unknown		75.26	73.10	72.27	0.83	1.13	97.13	96.03
R9/F03	Unknown		100.75	99.68	67.41	32.27	32.37	98.94	66.91
R10/F03	Unknown		118.62	115.96	73.84	42.12	36.32	97.76	62.25
R11/F03	Unknown		118.59	117.18	71.88	45.30	38.66	98.81	60.61
R12/F03	Unknown		75.36	71.77	70.97	0.79	1.10	95.24	94.18
R14/F03	Bedroom		132.84	122.84	75.14	47.70	38.83	92.47	56.56
R15/F03	Bedroom		89.33	87.91	73.86	14.05	15.98	98.41	82.68
R16/F03	Bedroom		85.50	83.68	61.10	22.57	26.98	97.87	71.46
56 GLOUCESTER AVENUE									
R1/F00	Unknown		233.68	192.61	192.61	0.00	0.00	82.42	82.42
R2/F01	Unknown		233.68	229.26	229.26	0.00	0.00	98.11	98.11
R1/F02	Unknown		233.68	229.99	229.99	0.00	0.00	98.42	98.42
R1/F03	Unknown		233.68	229.25	229.25	0.00	0.00	98.10	98.10
58 GLOUCESTER AVENUE									
R1/F00	Unknown		96.33	79.93	79.93	0.00	0.00	82.97	82.97
R1/F01	Unknown		96.33	95.00	95.00	0.00	0.00	98.61	98.61
R1/F02	Unknown		96.33	95.58	95.58	0.00	0.00	99.22	99.22
R2/F02	Unknown		127.53	125.11	125.11	0.00	0.00	98.10	98.10
R1/F03	Unknown		96.33	95.58	95.58	0.00	0.00	99.22	99.22
R2/F03	Unknown		127.53	125.17	125.17	0.00	0.00	98.15	98.15
60 GLOUCESTER AVENUE									
R1/F00	Unknown		96.33	77.00	77.00	0.00	0.00	79.93	79.93
R1/F01	Unknown		96.33	93.21	93.21	0.00	0.00	96.76	96.76
R1/F02	Unknown		212.61	186.88	186.88	0.00	0.00	87.90	87.90
R1/F03	Unknown		214.96	188.28	188.28	0.00	0.00	87.59	87.59
62 GLOUCESTER AVENUE									
R1/F00	Unknown		128.38	58.12	58.12	0.00	0.00	45.27	45.27
R1/F01	Unknown		128.38	127.06	127.06	0.00	0.00	98.97	98.97
R1/F02	Unknown		128.38	127.06	127.06	0.00	0.00	98.97	98.97
66 GLOUCESTER AVENUE									
R1/F00	Unknown		96.33	75.09	75.09	0.00	0.00	77.95	77.95
R2/F00	Unknown		128.38	58.11	58.11	0.00	0.00	45.26	45.26
R1/F01	Unknown		96.33	89.33	89.33	0.00	0.00	92.73	92.73
R2/F01	Unknown		128.38	127.04	127.04	0.00	0.00	98.96	98.96
R1/F02	Unknown		96.33	92.86	92.86	0.00	0.00	96.40	96.40
R2/F02	Unknown		128.38	127.04	127.04	0.00	0.00	98.96	98.96
R1/F03	Unknown		96.33	89.05	89.05	0.00	0.00	92.43	92.43
90 CAMDEN LOCK PLACE									
R1/F00	Unknown		680.17	671.44	657.96	13.48	2.01	98.72	96.74
R2/F00	Unknown		104.46	100.48	100.42	0.07	0.07	96.19	96.13
R3/F00	Unknown		111.77	105.69	105.68	0.01	0.01	94.56	94.55
R1/F01	Unknown		104.46	99.38	99.38	0.00	0.00	95.14	95.14
R1/F02	Unknown		699.00	698.41	698.41	0.00	0.00	99.91	99.91
R2/F02	Unknown		104.46	99.35	99.35	0.00	0.00	95.11	95.11
R3/F02	Unknown		111.77	105.69	105.69	0.00	0.00	94.56	94.56
R4/F02	Unknown		699.00	690.90	690.87	0.02	0.00	98.84	98.84
R1/F03	Unknown		699.00	698.41	698.41	0.00	0.00	99.91	99.91
R2/F03	Unknown		104.46	99.35	99.35	0.00	0.00	95.11	95.11
R3/F03	Unknown		111.77	105.69	105.69	0.00	0.00	94.56	94.56
R4/F03	Unknown		699.00	690.81	690.79	0.02	0.00	98.83	98.82
R1/F04	Unknown		699.00	698.41	698.41	0.00	0.00	99.91	99.91
R2/F04	Unknown		104.46	99.35	99.35	0.00	0.00	95.11	95.11
R3/F04	Unknown		699.00	690.81	690.79	0.01	0.00	98.83	98.83
50 CHALK FARM ROAD									
51 CHALK FARM ROAD									
R1/F01	Unknown		172.78	162.46	98.82	63.64	39.17	94.03	57.20
R1/F02	Unknown		172.78	165.20	111.89	53.31	32.27	95.61	64.76

10766-REL22-IS01 Existing Vs. Proposed			5 CHALK FARM ROAD IR34 (23.05.2017)			Jun 2017			
Room / Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
52 CHALK FARM ROAD									
R1/F01	Unknown		204.33	193.32	99.42	93.90	48.57	94.61	48.66
R1/F02	Unknown		204.33	193.82	113.25	80.57	41.57	94.86	55.42
52A CHALK FARM ROAD									
R1/F01	Unknown		166.82	160.19	73.16	87.03	54.33	96.03	43.86
R1/F02	Unknown		166.82	159.79	83.38	76.41	47.82	95.78	49.98
53 CHALK FARM ROAD									
55 CHALK FARM ROAD									
R1/F01	Unknown		210.70	207.59	99.43	108.16	52.10	98.53	47.19
R1/F02	Unknown		210.70	207.61	103.32	104.29	50.23	98.53	49.04
57A CHALK FARM ROAD									
R1/F01	Unknown		277.39	268.36	209.70	58.65	21.86	96.74	75.60
R1/F02	Unknown		277.39	275.10	250.36	24.73	8.99	99.17	90.26

Existing vs Proposed
Annual Probable Sunlight Hours (APSH)

Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
69-78 JUNIPER CRESCENT												
R5/F00	W5/F00	Living Room		19	0	13	0	13	0	0	0.00	0.00
R5/F00	W6/F00	Living Room		62	6	33	4	31	2	2	33.33	6.06
R5/F00	W7/F00	Living Room		104	19	59	9	49	10	10	52.63	16.95
R5/F00	W8/F00	Living Room		136	20	59	9	48	11	11	55.00	18.64
R6/F00	W9/F00	Bedroom		136	25	75	8	57	17	18	68.00	24.00
R7/F00	W10/F00	Bedroom		137	26	73	8	54	18	19	69.23	26.03
R9/F00	W12/F00	Living Room		137	21	58	7	42	14	16	66.67	27.59
R5/F01	W5/F01	Living Room		19	0	13	0	13	0	0	0.00	0.00
R5/F01	W6/F01	Living Room		62	6	34	4	32	2	2	33.33	5.88
R5/F01	W7/F01	Living Room		104	19	59	10	50	9	9	47.37	15.25
R5/F01	W8/F01	Living Room		136	20	58	10	48	10	10	50.00	17.24
R6/F01	W9/F01	Bedroom		136	26	76	10	60	16	16	61.54	21.05
R7/F01	W10/F01	Bedroom		137	25	72	8	54	17	18	68.00	25.00
R9/F01	W12/F01	Living Room		137	26	61	9	42	17	19	65.38	31.15
R5/F02	W5/F02	Living Room		19	0	13	0	13	0	0	0.00	0.00
R5/F02	W6/F02	Living Room		62	6	34	4	32	2	2	33.33	5.88
R5/F02	W7/F02	Living Room		104	19	59	13	53	6	6	31.58	10.17
R5/F02	W8/F02	Living Room		136	20	58	13	51	7	7	35.00	12.07
R6/F02	W9/F02	Bedroom		136	25	75	11	61	14	14	56.00	18.67
R7/F02	W10/F02	Bedroom		137	24	62	10	48	14	14	58.33	22.58
R9/F02	W12/F02	Living Room		137	25	70	8	52	17	18	68.00	25.71
R2/F03	W2/F03	Living Room		19	0	13	0	13	0	0	0.00	0.00
R2/F03	W3/F03	Living Room		62	6	34	4	32	2	2	33.33	5.88
R2/F03	W4/F03	Living Room		104	19	59	14	54	5	5	26.32	8.47
R2/F03	W5/F03	Living Room		136	20	60	15	55	5	5	25.00	8.33
R3/F03	W6/F03	Bedroom		136	26	76	15	65	11	11	42.31	14.47
R7/F02	W7/F03	Bedroom		137	26	73	12	58	14	15	53.85	20.55
79 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		137	24	69	5	44	19	25	79.17	36.23
R1/F01	W1/F01	Bedroom		137	26	74	7	52	19	22	73.08	29.73
R1/F02	W1/F02	Bedroom		137	24	60	6	42	18	18	75.00	30.00
R1/F02	W2/F02	Bedroom		137	26	76	8	57	18	19	69.23	25.00
80 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		140	25	71	6	46	19	25	76.00	35.21
R1/F01	W1/F01	Bedroom		140	27	77	8	53	19	24	70.37	31.17
R1/F02	W1/F02	Bedroom		140	25	63	7	44	18	19	72.00	30.16
R1/F02	W2/F02	Bedroom		140	27	78	9	58	18	20	66.67	25.64
81 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		142	25	70	7	43	18	27	72.00	38.57
R1/F01	W1/F01	Bedroom		142	27	78	9	55	18	23	66.67	29.49

Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
R1/F02	W1/F02	Bedroom		142	25	63	7	44	18	19	72.00	30.16
R1/F02	W2/F02	Bedroom		142	27	78	9	58	18	20	66.67	25.64
82 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		147	25	70	6	41	19	29	76.00	41.43
R1/F01	W1/F01	Bedroom		147	26	76	7	49	19	27	73.08	35.53
R1/F02	W1/F02	Bedroom		147	25	64	6	40	19	24	76.00	37.50
R1/F02	W2/F02	Bedroom		147	27	81	9	58	18	23	66.67	28.40
83 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		148	24	67	4	38	20	29	83.33	43.28
R1/F01	W1/F01	Bedroom		148	25	73	5	46	20	27	80.00	36.99
R1/F02	W1/F02	Bedroom		148	23	77	7	57	16	20	69.57	25.97
R1/F02	W2/F02	Bedroom		148	25	63	6	39	19	24	76.00	38.10
84 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		151	20	54	2	28	18	26	90.00	48.15
R1/F01	W1/F01	Bedroom		151	20	59	4	36	16	23	80.00	38.98
R1/F02	W1/F02	Bedroom		151	20	58	4	35	16	23	80.00	39.66
R1/F02	W2/F02	Bedroom		151	16	55	5	39	11	16	68.75	29.09
85-92 JUNIPER CRESCENT												
R1/F00	W1/F00	Bedroom		152	27	81	7	48	20	33	74.07	40.74
R2/F00	W2/F00	Bedroom		153	25	76	5	44	20	32	80.00	42.11
R3/F00	W3/F00	Bedroom		153	24	71	5	39	19	32	79.17	45.07
R4/F00	W4/F00	Bedroom		153	26	80	6	46	20	34	76.92	42.50
R1/F01	W1/F01	Bedroom		152	27	81	8	51	19	30	70.37	37.04
R2/F01	W2/F01	Bedroom		153	27	78	7	48	20	30	74.07	38.46
R3/F01	W3/F01	Bedroom		153	24	71	5	40	19	31	79.17	43.66
R4/F01	W4/F01	Bedroom		153	27	81	7	48	20	33	74.07	40.74
R1/F02	W1/F02	Bedroom		152	28	82	8	53	20	29	71.43	35.37
R2/F02	W2/F02	Bedroom		153	27	78	7	49	20	29	74.07	37.18
R3/F02	W3/F02	Bedroom		153	24	71	5	41	19	30	79.17	42.25
R4/F02	W4/F02	Bedroom		153	27	81	7	49	20	32	74.07	39.51
R1/F03	W1/F03	Bedroom		152	28	82	10	56	18	26	64.29	31.71
R2/F03	W2/F03	Bedroom		153	28	79	9	51	19	28	67.86	35.44
R3/F03	W3/F03	Bedroom		153	25	72	7	45	18	27	72.00	37.50
R4/F03	W4/F03	Bedroom		153	28	82	9	51	19	31	67.86	37.80
93-100 JUNIPER CRESCENT												
R1/F00	W1/F00	Bedroom		164	27	83	8	47	19	36	70.37	43.37
R2/F00	W2/F00	Bedroom		164	18	65	1	31	17	34	94.44	52.31

Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
R3/F00	W3/F00	Bedroom		164	24	67	7	35	17	32	70.83	47.76
R4/F00	W4/F00	Bedroom		164	24	81	6	46	18	35	75.00	43.21
R1/F01	W1/F01	Bedroom		164	30	89	9	52	21	37	70.00	41.57
R2/F01	W2/F01	Bedroom		164	28	80	8	43	20	37	71.43	46.25
R3/F01	W3/F01	Bedroom		164	28	79	8	43	20	36	71.43	45.57
R4/F01	W4/F01	Bedroom		164	30	89	12	54	18	35	60.00	39.33
R1/F02	W1/F02	Bedroom		164	30	89	10	53	20	36	66.67	40.45
R2/F02	W2/F02	Bedroom		164	28	80	8	44	20	36	71.43	45.00
R3/F02	W3/F02	Bedroom		164	28	79	8	46	20	33	71.43	41.77
R4/F02	W4/F02	Bedroom		164	30	89	13	58	17	31	56.67	34.83
R1/F03	W1/F03	Bedroom		164	30	89	10	54	20	35	66.67	39.33
R2/F03	W2/F03	Bedroom		164	28	82	9	49	19	33	67.86	40.24
R3/F03	W3/F03	Bedroom		164	28	79	8	46	20	33	71.43	41.77
R4/F03	W4/F03	Bedroom		164	30	89	13	59	17	30	56.67	33.71
101 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		164	21	70	7	40	14	30	66.67	42.86
R1/F01	W1/F01	Bedroom		163	30	77	14	48	16	29	53.33	37.66
R1/F02	W1/F02	Bedroom		163	30	68	15	40	15	28	50.00	41.18
R1/F02	W2/F02	Bedroom		163	28	70	16	49	12	21	42.86	30.00
102 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		169	20	70	7	40	13	30	65.00	42.86
R1/F01	W1/F01	Bedroom		168	30	85	14	55	16	30	53.33	35.29
R1/F02	W1/F02	Bedroom		168	30	77	16	49	14	28	46.67	36.36
R1/F02	W2/F02	Bedroom		168	30	86	16	60	14	26	46.67	30.23
103 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		168	16	64	8	43	8	21	50.00	32.81
R1/F01	W1/F01	Bedroom		169	30	86	17	59	13	27	43.33	31.40
R1/F02	W1/F02	Bedroom		169	30	86	17	63	13	23	43.33	26.74
R1/F02	W2/F02	Bedroom		169	30	79	17	54	13	25	43.33	31.65
104 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		173	13	57	4	36	9	21	69.23	36.84
R1/F01	W1/F01	Bedroom		172	30	87	18	64	12	23	40.00	26.44
R1/F02	W1/F02	Bedroom		172	30	77	18	54	12	23	40.00	29.87
R1/F02	W2/F02	Bedroom		172	30	87	18	64	12	23	40.00	26.44
105 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		174	20	70	12	50	8	20	40.00	28.57
R1/F01	W1/F01	Bedroom		175	30	87	19	66	11	21	36.67	24.14
R1/F02	W1/F02	Bedroom		175	30	87	20	68	10	19	33.33	21.84

Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
R1/F02	W2/F02	Bedroom		175	30	78	19	58	11	20	36.67	25.64
106 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		178	23	74	17	57	6	17	26.09	22.97
R1/F01	W1/F01	Bedroom		178	30	87	21	66	9	21	30.00	24.14
R1/F02	W1/F02	Bedroom		178	30	77	21	58	9	19	30.00	24.68
R1/F02	W2/F02	Bedroom		178	30	87	21	70	9	17	30.00	19.54
107 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		180	21	70	15	54	6	16	28.57	22.86
R1/F01	W1/F01	Bedroom		-180	30	87	21	67	9	20	30.00	22.99
R1/F02	W1/F02	Bedroom		-180	30	76	21	61	9	15	30.00	19.74
R1/F02	W2/F02	Bedroom		-180	30	88	21	71	9	17	30.00	19.32
108 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		-176	22	71	16	55	6	16	27.27	22.54
R1/F01	W1/F01	Bedroom		-176	30	88	21	70	9	18	30.00	20.45
R1/F02	W1/F02	Bedroom		-176	30	76	21	63	9	13	30.00	17.11
R1/F02	W2/F02	Bedroom		-176	30	88	21	73	9	15	30.00	17.05
109 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		-176	24	64	23	62	1	2	4.17	3.13
R1/F00	W2/F00	Kitchen-Resi		-176	24	72	21	62	3	10	12.50	13.89
R1/F01	W1/F01	Living Room		-176	30	87	23	72	7	15	23.33	17.24
R1/F01	W2/F01	Living Room		-176	30	87	24	74	6	13	20.00	14.94
110 JUNIPER CRESCENT												
R2/F02	W2/F02	Bedroom		-176	30	76	24	67	6	9	20.00	11.84
R2/F02	W3/F02	Bedroom		-176	30	88	24	77	6	11	20.00	12.50
110 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		-176	18	58	18	56	0	2	0.00	3.45
R1/F00	W2/F00	Living Room		4	0	1	0	0	0	1	0.00	100.00
R1/F00	W3/F00	Living Room		-176	25	79	22	69	3	10	12.00	12.66
R2/F00	W4/F00	Kitchen-Resi		-176	26	81	20	68	6	13	23.08	16.05
R1/F01	W1/F01	Living Room		-176	30	86	24	73	6	13	20.00	15.12
R1/F01	W2/F01	Living Room		4	0	1	0	0	0	1	0.00	100.00
R2/F01	W3/F01	Kitchen-Resi		-176	30	84	24	73	6	11	20.00	13.10
R1/F02	W1/F02	Living Room		-176	30	76	24	68	6	8	20.00	10.53
R1/F02	W2/F02	Living Room		-176	30	88	24	79	6	9	20.00	10.23
R1/F02	W4/F02	Living Room		4	0	4	0	3	0	1	0.00	25.00
R2/F02	W3/F02	Kitchen-Resi		-176	30	76	24	68	6	8	20.00	10.53
90 CAMDEN LOCK PLACE												
R1/F02	W1/F02	Unknown		-118	18	59	18	53	0	6	0.00	10.17
R1/F02	W2/F02	Unknown		-118	20	61	20	55	0	6	0.00	9.84
R1/F02	W3/F02	Unknown		-118	21	62	21	55	0	7	0.00	11.29
R1/F02	W4/F02	Unknown		-27	2	17	2	10	0	7	0.00	41.18
R1/F03	W1/F03	Unknown		-118	23	64	23	60	0	4	0.00	6.25
R1/F03	W2/F03	Unknown		-118	23	64	23	59	0	5	0.00	7.81
R1/F03	W3/F03	Unknown		-118	23	64	23	59	0	5	0.00	7.81
R1/F03	W4/F03	Unknown		-27	2	18	2	12	0	6	0.00	33.33

Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
R1/F04	W1/F04	Unknown		-118	23	64	23	61	0	3	0.00	4.69
R1/F04	W2/F04	Unknown		-118	23	64	23	61	0	3	0.00	4.69
R1/F04	W3/F04	Unknown		-118	23	64	23	61	0	3	0.00	4.69
R1/F04	W4/F04	Unknown		-27	2	18	2	15	0	3	0.00	16.67
51 CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-163	23	76	9	61	14	15	60.87	19.74
R1/F02	W1/F02	Unknown		-163	26	82	13	69	13	13	50.00	15.85
52 CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-163	25	80	10	64	15	16	60.00	20.00
R1/F02	W1/F02	Unknown		-163	28	83	15	70	13	13	46.43	15.66
52A CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-163	26	80	10	63	16	17	61.54	21.25
R1/F02	W1/F02	Unknown		-163	28	82	14	68	14	14	50.00	17.07
55 CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-163	28	83	10	65	18	18	64.29	21.69
R1/F01	W2/F01	Unknown		-163	28	83	10	65	18	18	64.29	21.69
R1/F02	W1/F02	Unknown		-163	29	85	15	71	14	14	48.28	16.47
R1/F02	W2/F02	Unknown		-163	29	85	13	69	16	16	55.17	18.82
57A CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-160	28	84	11	67	17	17	60.71	20.24
R1/F01	W2/F01	Unknown		-160	28	84	12	68	16	16	57.14	19.05
R1/F02	W1/F02	Unknown		-160	30	86	17	73	13	13	43.33	15.12
R1/F02	W2/F02	Unknown		-160	30	86	18	74	12	12	40.00	13.95
R1/F02	W3/F02	Unknown		-160	30	86	18	74	12	12	40.00	13.95

Cumulative
Vertical Sky Component (VSC)

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
54-64 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	28.7	22.3	6.4	22.3
R1/F00	W2/F00	Kitchen-Resi	29	22.2	6.8	23.4
R6/F00	W7/F00	Kitchen-Resi	34.5	20	14.5	42.0
R6/F00	W8/F00	Kitchen-Resi	34.9	19.9	15	43.0
R1/F01	W1/F01	Kitchen-Resi	30.3	24.4	5.9	19.5
R1/F01	W2/F01	Kitchen-Resi	30.6	24.4	6.2	20.3
R6/F01	W7/F01	Kitchen-Resi	35.5	22	13.5	38.0
R6/F01	W8/F01	Kitchen-Resi	35.8	21.9	13.9	38.8
R1/F02	W1/F02	Kitchen-Resi	32.1	26.9	5.2	16.2
R1/F02	W2/F02	Kitchen-Resi	32.3	26.8	5.5	17.0
R6/F02	W7/F02	Kitchen-Resi	36.5	24.3	12.2	33.4
R6/F02	W8/F02	Kitchen-Resi	36.7	24.2	12.5	34.1
R1/F03	W1/F03	Kitchen-Resi	33.9	29.5	4.4	13.0
R1/F03	W2/F03	Kitchen-Resi	34.1	29.4	4.7	13.8
R4/F03	W5/F03	Kitchen-Resi	37.4	26.9	10.5	28.1
R4/F03	W6/F03	Kitchen-Resi	37.6	26.8	10.8	28.7
69-78 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	37.3	18.1	19.2	51.5
R3/F00	W3/F00	Bedroom	37.3	18.5	18.8	50.4
R4/F00	W4/F00	Bedroom	37.5	19.7	17.8	47.5
R5/F00	W5/F00	Living Room	36.5	21.5	15	41.1
R5/F00	W6/F00	Living Room	36.9	29	7.9	21.4
R5/F00	W7/F00	Living Room	36.5	31.1	5.4	14.8
R5/F00	W8/F00	Living Room	31.7	24.1	7.6	24.0
R6/F00	W9/F00	Bedroom	36.6	27.1	9.5	26.0
R7/F00	W10/F00	Bedroom	36	25.6	10.4	28.9
R9/F00	W12/F00	Living Room	27.1	17.3	9.8	36.2
R1/F01	W1/F01	Kitchen-Resi	37.8	20	17.8	47.1
R3/F01	W3/F01	Bedroom	37.8	20.3	17.5	46.3
R4/F01	W4/F01	Bedroom	38.2	21.7	16.5	43.2
R5/F01	W5/F01	Living Room	37.2	23.5	13.7	36.8

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R5/F01	W6/F01	Living Room	37.8	30.6	7.2	19.0
R5/F01	W7/F01	Living Room	37.4	32.3	5.1	13.6
R5/F01	W8/F01	Living Room	32.1	24.9	7.2	22.4
R6/F01	W9/F01	Bedroom	37.6	28.2	9.4	25.0
R7/F01	W10/F01	Bedroom	37.1	27.1	10	27.0
R9/F01	W12/F01	Living Room	28.6	17.8	10.8	37.8
R1/F02	W1/F02	Kitchen-Resi	34.1	18	16.1	47.2
R3/F02	W3/F02	Bedroom	34.1	18.3	15.8	46.3
R4/F02	W4/F02	Bedroom	38.8	23.9	14.9	38.4
R5/F02	W5/F02	Living Room	37.8	25.6	12.2	32.3
R5/F02	W6/F02	Living Room	38.5	32.2	6.3	16.4
R5/F02	W7/F02	Living Room	38.1	33.4	4.7	12.3
R5/F02	W8/F02	Living Room	32.7	25.9	6.8	20.8
R6/F02	W9/F02	Bedroom	38.2	29.4	8.8	23.0
R7/F02	W10/F02	Bedroom	32.7	23.3	9.4	28.7
R9/F02	W12/F02	Living Room	36.1	25.6	10.5	29.1
R1/F03	W1/F03	Bedroom	39.2	26.5	12.7	32.4
R2/F03	W2/F03	Living Room	38.4	27.9	10.5	27.3
R2/F03	W3/F03	Living Room	39	33.7	5.3	13.6
R2/F03	W4/F03	Living Room	38.7	34.4	4.3	11.1
R2/F03	W5/F03	Living Room	35.9	29.6	6.3	17.5
R3/F03	W6/F03	Bedroom	38.8	30.6	8.2	21.1
79 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	33.3	22.1	11.2	33.6
R1/F01	W1/F01	Bedroom	37	25.4	11.6	31.4
R1/F02	W1/F02	Bedroom	31.4	20.7	10.7	34.1
R1/F02	W2/F02	Bedroom	38.4	27.9	10.5	27.3
80 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	33.3	21.1	12.2	36.6
R1/F01	W1/F01	Bedroom	37.3	24.7	12.6	33.8
R1/F02	W1/F02	Bedroom	31.4	19.7	11.7	37.3
R1/F02	W2/F02	Bedroom	91.4	27	64.4	70.5
81 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	32.9	20.1	12.8	38.9
R1/F01	W1/F01	Bedroom	37.3	23.8	13.5	36.2
R1/F02	W1/F02	Bedroom	31.4	18.6	12.8	40.8
R1/F02	W2/F02	Bedroom	91.3	26.1	65.2	71.4
82 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	33.4	19.5	13.9	41.6
R1/F01	W1/F01	Bedroom	37.2	22.5	14.7	39.5

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R1/F02	W1/F02	Bedroom	31.4	17.3	14.1	44.9
R1/F02	W2/F02	Bedroom	90.8	24.8	66	72.7
83 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	33.3	18.7	14.6	43.8
R1/F01	W1/F01	Bedroom	36.8	21.2	15.6	42.4
R1/F02	W2/F02	Bedroom	88.8	16.3	72.5	81.6
R1/F02	W1/F02	Bedroom	31.2	23.4	7.8	25.0
84 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	28.8	15.8	13	45.1
R1/F01	W1/F01	Bedroom	32.4	18	14.4	44.4
R1/F02	W1/F02	Bedroom	28.1	14.2	13.9	49.5
R1/F02	W2/F02	Bedroom	73.1	20.3	52.8	72.2
85-92 JUNIPER CRESCENT						
R1/F00	W1/F00	Bedroom	36.5	18.9	17.6	48.2
R2/F00	W2/F00	Bedroom	34.7	17.5	17.2	49.6
R3/F00	W3/F00	Bedroom	34.7	17.2	17.5	50.4
R4/F00	W4/F00	Bedroom	36.2	18.1	18.1	50.0
R1/F01	W1/F01	Bedroom	37.6	20.1	17.5	46.5
R2/F01	W2/F01	Bedroom	36.6	18.8	17.8	48.6
R3/F01	W3/F01	Bedroom	36.4	18.3	18.1	49.7
R4/F01	W4/F01	Bedroom	37.7	19.2	18.5	49.1
R1/F02	W1/F02	Bedroom	38.3	21.1	17.2	44.9
R2/F02	W2/F02	Bedroom	37.2	19.8	17.4	46.8
R3/F02	W3/F02	Bedroom	37	19.3	17.7	47.8
R4/F02	W4/F02	Bedroom	38.3	20.1	18.2	47.5
R1/F03	W1/F03	Bedroom	38.7	22.2	16.5	42.6
R2/F03	W2/F03	Bedroom	37.8	20.9	16.9	44.7
R3/F03	W3/F03	Bedroom	37.5	20.4	17.1	45.6
R4/F03	W4/F03	Bedroom	38.7	21.1	17.6	45.5
93-100 JUNIPER CRESCENT						
R1/F00	W1/F00	Bedroom	35.4	16.1	19.3	54.5
R2/F00	W2/F00	Bedroom	31	12.7	18.3	59.0
R3/F00	W3/F00	Bedroom	31.9	15.8	16.1	50.5
R4/F00	W4/F00	Bedroom	34.5	16.6	17.9	51.9
R1/F01	W1/F01	Bedroom	37.8	17.1	20.7	54.8
R2/F01	W2/F01	Bedroom	37.1	17.4	19.7	53.1
R3/F01	W3/F01	Bedroom	36.7	17.6	19.1	52.0

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R4/F01	W4/F01	Bedroom	37.9	19.7	18.2	48.0
R1/F02	W1/F02	Bedroom	38.3	18	20.3	53.0
R2/F02	W2/F02	Bedroom	37.6	18.3	19.3	51.3
R3/F02	W3/F02	Bedroom	37.2	18.5	18.7	50.3
R4/F02	W4/F02	Bedroom	38.4	20.6	17.8	46.4
R1/F03	W1/F03	Bedroom	38.7	18.9	19.8	51.2
R2/F03	W2/F03	Bedroom	38.1	19.3	18.8	49.3
R3/F03	W3/F03	Bedroom	37.7	19.6	18.1	48.0
R4/F03	W4/F03	Bedroom	38.8	21.6	17.2	44.3
101 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	32.5	16.7	15.8	48.6
R1/F01	W1/F01	Bedroom	34.3	18.2	16.1	46.9
R1/F02	W1/F02	Bedroom	31	15.3	15.7	50.6
R1/F02	W2/F02	Bedroom	75.4	19.9	55.5	73.6
102 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	32.1	18	14.1	43.9
R1/F01	W1/F01	Bedroom	37.4	22.1	15.3	40.9
R1/F02	W1/F02	Bedroom	33.1	18.3	14.8	44.7
R1/F02	W2/F02	Bedroom	89.4	24	65.4	73.2
103 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	28.5	19	9.5	33.3
R1/F01	W1/F01	Bedroom	37.6	23.6	14	37.2
R1/F02	W1/F02	Bedroom	91	25.6	65.4	71.9
R1/F02	W2/F02	Bedroom	33.2	19.7	13.5	40.7
104 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	25.3	15.1	10.2	40.3
R1/F01	W1/F01	Bedroom	37.7	25.4	12.3	32.6
R1/F02	W1/F02	Bedroom	33.2	21.5	11.7	35.2
R1/F02	W2/F02	Bedroom	91.3	27.3	64	70.1
105 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	31.2	22.8	8.4	26.9
R1/F01	W1/F01	Bedroom	37.7	27.3	10.4	27.6
R1/F02	W1/F02	Bedroom	91.4	29	62.4	68.3
R1/F02	W2/F02	Bedroom	33.2	23.3	9.9	29.8
106 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	32.3	25.3	7	21.7
R1/F01	W1/F01	Bedroom	37.7	29	8.7	23.1
R1/F02	W1/F02	Bedroom	33.3	25.1	8.2	24.6

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R1/F02	W2/F02	Bedroom	38.6	30.7	7.9	20.5
107 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	30.9	25.6	5.3	17.2
R1/F01	W1/F01	Bedroom	37.7	30.6	7.1	18.8
R1/F02	W1/F02	Bedroom	33.3	26.6	6.7	20.1
R1/F02	W2/F02	Bedroom	91.5	32.1	59.4	64.9
108 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	31.5	27.3	4.2	13.3
R1/F01	W1/F01	Bedroom	37.7	32.1	5.6	14.9
R1/F02	W1/F02	Bedroom	33.3	28.2	5.1	15.3
R1/F02	W2/F02	Bedroom	91.5	33.5	58	63.4
109 JUNIPER CRESCENT						
R1/F00	W1/F00	Kitchen-Resi	31.2	30.2	1	3.2
R1/F00	W2/F00	Kitchen-Resi	27	23.4	3.6	13.3
R1/F01	W1/F01	Living Room	37.7	32.8	4.9	13.0
R1/F01	W2/F01	Living Room	37.6	33.2	4.4	11.7
R2/F02	W2/F02	Bedroom	33.2	29.2	4	12.0
R2/F02	W3/F02	Bedroom	91.2	34.6	56.6	62.1
110 JUNIPER CRESCENT						
R1/F00	W1/F00	Living Room	27.1	26.9	0.2	0.7
R1/F00	W2/F00	Living Room	11.6	10.9	0.7	6.0
R1/F00	W3/F00	Living Room	35.6	32.9	2.7	7.6
R2/F00	W4/F00	Kitchen-Resi	35.1	31.8	3.3	9.4
R1/F01	W1/F01	Living Room	37.7	33.7	4	10.6
R1/F01	W2/F01	Living Room	22.4	21.5	0.9	4.0
R2/F01	W3/F01	Kitchen-Resi	37.5	34.2	3.3	8.8
R1/F02	W1/F02	Living Room	33.2	29.7	3.5	10.5
R1/F02	W2/F02	Living Room	90.5	35	55.5	61.3
R1/F02	W4/F02	Living Room	34.7	33.8	0.9	2.6
R2/F02	W3/F02	Kitchen-Resi	33.1	30.1	3	9.1
GILBEYS YARD (BLOCK A)						
R1/F00	W2/F00	Unknown	27.7	20.5	7.2	26.0
R2/F00	W3/F00	Living Room	28	19.4	8.6	30.7
R3/F00	W4/F00	Living Room	29	18.7	10.3	35.5
R4/F00	W5/F00	Living Room	27.2	16.3	10.9	40.1
R5/F00	W6/F00	Living Room	30.4	18.5	11.9	39.1
R6/F00	W7/F00	Living Room	30.9	17.9	13	42.1
R7/F00	W8/F00	Living Room	31.3	17.2	14.1	45.0
R8/F00	W9/F00	Living Room	31.6	16.8	14.8	46.8
R9/F00	W10/F00	Living Room	32	16.4	15.6	48.8

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R10/F00	W11/F00	Living Room	32.3	16	16.3	50.5
R11/F00	W12/F00	Living Room	32.6	15.6	17	52.1
R12/F00	W13/F00	Living Room	32.7	15.4	17.3	52.9
R13/F00	W14/F00	Living Room	30.2	13.6	16.6	55.0
R14/F00	W15/F00	Living Room	32.3	14.8	17.5	54.2
R15/F00	W16/F00	Living Room	30	12.3	17.7	59.0
R16/F00	W18/F00	Bedroom	33.1	15.2	17.9	54.1
R17/F00	W19/F00	Kitchen-Resi	17.2	12.1	5.1	29.7
R18/F00	W20/F00	Kitchen-Resi	24.1	8.2	15.9	66.0
R19/F00	W17/F00	Bedroom	33.2	13.9	19.3	58.1
R20/F00	W1/F00	Bedroom	28.2	21.5	6.7	23.8
R1/F01	W2/F01	Unknown	32.8	24.1	8.7	26.5
R2/F01	W3/F01	Bedroom	34.2	23.6	10.6	31.0
R3/F01	W4/F01	Bedroom	34.7	22.8	11.9	34.3
R4/F01	W5/F01	Bedroom	31.8	19.7	12.1	38.1
R4/F01	W6/F01	Bedroom	34.4	21.9	12.5	36.3
R7/F01	W8/F01	Bedroom	34.8	21.8	13	37.4
R7/F01	W7/F01	Bedroom	35	22.2	12.8	36.6
R8/F01	W9/F01	Bedroom	35	20.8	14.2	40.6
R8/F01	W10/F01	Bedroom	35.4	20.9	14.5	41.0
R9/F01	W29/F01	Kitchen-Resi	21.5	13.4	8.1	37.7
R10/F01	W30/F01	Kitchen-Resi	26.1	9	17.1	65.5
R11/F01	W12/F01	Bedroom	35.1	20	15.1	43.0
R11/F01	W11/F01	Bedroom	35.4	20.5	14.9	42.1
R12/F01	W13/F01	Bedroom	35.3	19.5	15.8	44.8
R12/F01	W14/F01	Bedroom	35.7	19.6	16.1	45.1
R13/F01	W27/F01	Bedroom	36.9	15.3	21.6	58.5
R14/F01	W1/F01	Bedroom	33.5	25.4	8.1	24.2
R15/F01	W16/F01	Bedroom	35.5	18.9	16.6	46.8
R15/F01	W15/F01	Bedroom	35.8	19.3	16.5	46.1
R16/F01	W17/F01	Bedroom	35.6	18.4	17.2	48.3
R16/F01	W18/F01	Bedroom	36	18.4	17.6	48.9
R19/F01	W20/F01	Bedroom	35.7	17.8	17.9	50.1
R19/F01	W19/F01	Bedroom	36	18.2	17.8	49.4
R20/F01	W21/F01	Bedroom	35.8	17.4	18.4	51.4
R20/F01	W22/F01	Bedroom	36	17.4	18.6	51.7
R23/F01	W24/F01	Bedroom	33.3	15.4	17.9	53.8
R23/F01	W23/F01	Bedroom	35.3	16.8	18.5	52.4
R24/F01	W25/F01	Bedroom	35.9	16.6	19.3	53.8
R25/F01	W26/F01	Bedroom	33.6	13.8	19.8	58.9
R26/F01	W28/F01	Bedroom	37.1	16.6	20.5	55.3

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R1/F02	W2/F02	Bedroom	36.8	27.4	9.4	25.5
R2/F02	W3/F02	Bedroom	38	27	11	28.9
R3/F02	W4/F02	Bedroom	38.1	26.1	12	31.5
R4/F02	W5/F02	Bedroom	31.7	19.6	12.1	38.2
R5/F02	W6/F02	Bedroom	33.2	20	13.2	39.8
R6/F02	W7/F02	Bedroom	33.2	19	14.2	42.8
R7/F02	W8/F02	Bedroom	33.2	18.1	15.1	45.5
R8/F02	W9/F02	Bedroom	33.3	17.5	15.8	47.4
R9/F02	W10/F02	Bedroom	33.4	16.7	16.7	50.0
R10/F02	W11/F02	Bedroom	33.4	16	17.4	52.1
R11/F02	W12/F02	Bedroom	33.4	15.2	18.2	54.5
R12/F02	W13/F02	Bedroom	33.3	14.6	18.7	56.2
R13/F02	W14/F02	Bedroom	32.1	13.7	18.4	57.3
R14/F02	W15/F02	Bedroom	38	18.1	19.9	52.4
R15/F02	W16/F02	Bedroom	35.8	15.5	20.3	56.7
R16/F02	W18/F02	Bedroom	38.4	17.8	20.6	53.6
R17/F02	W29/F02	Kitchen-Resi	22.2	14.8	7.4	33.3
R18/F02	W30/F02	Kitchen-Resi	27.9	10	17.9	64.2
R19/F02	W17/F02	Bedroom	38.3	16.3	22	57.4
R20/F02	W1/F02	Bedroom	37.2	28.3	8.9	23.9
R1/F03	W2/F03	Bedroom	39	30	9	23.1
R2/F03	W4/F03	Bedroom	39.1	19	20.1	51.4
R17/F03	W29/F03	Kitchen-Resi	23.9	16.8	7.1	29.7
R18/F03	W30/F03	Kitchen-Resi	30.6	12.7	17.9	58.5
R19/F03	W3/F03	Bedroom	39.1	17.4	21.7	55.5
R21/F03	W1/F03	Bedroom	38.9	30.4	8.5	21.9
GILBEYS YARD (BLOCK B)						
R1/F00	W1/F00	Unknown	32.8	13.2	19.6	59.8
R2/F00	W2/F00	Unknown	31	12.2	18.8	60.6
R3/F00	W3/F00	Unknown	31.2	13.5	17.7	56.7
R4/F00	W4/F00	Unknown	35.3	14.7	20.6	58.4
R5/F00	W5/F00	Unknown	35.3	14.2	21.1	59.8
R6/F00	W6/F00	Unknown	31.2	13.3	17.9	57.4
R7/F00	W7/F00	Unknown	31.2	13.2	18	57.7
R8/F00	W8/F00	Unknown	35.4	13.7	21.7	61.3

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R9/F00	W9/F00	Unknown	35.4	13.7	21.7	61.3
R10/F00	W10/F00	Unknown	31.2	13.3	17.9	57.4
R11/F00	W11/F00	Unknown	31.2	13.3	17.9	57.4
R12/F00	W12/F00	Unknown	35.3	13.5	21.8	61.8
R13/F00	W13/F00	Living Room	29.3	11.6	17.7	60.4
R14/F00	W14/F00	Bedroom	28.9	11.7	17.2	59.5
R15/F00	W15/F00	Living Room	33.2	11.9	21.3	64.2
R16/F00	W16/F00	Living Room	30.8	10.8	20	64.9
R1/F01	W1/F01	Unknown	36.4	17.4	19	52.2
R2/F01	W2/F01	Unknown	37.3	17.5	19.8	53.1
R3/F01	W3/F01	Unknown	37.6	17.3	20.3	54.0
R4/F01	W4/F01	Unknown	37.5	16.8	20.7	55.2
R5/F01	W5/F01	Unknown	37.4	16.4	21	56.1
R6/F01	W6/F01	Unknown	37.5	16.1	21.4	57.1
R7/F01	W7/F01	Unknown	37.6	16	21.6	57.4
R8/F01	W8/F01	Unknown	37.5	16.2	21.3	56.8
R9/F01	W9/F01	Unknown	37.4	16.3	21.1	56.4
R10/F01	W10/F01	Unknown	37.7	16.3	21.4	56.8
R11/F01	W11/F01	Unknown	37.8	16.3	21.5	56.9
R12/F01	W12/F01	Unknown	37.1	16.1	21	56.6
R14/F01	W15/F01	Bedroom	30.1	13.9	16.2	53.8
R15/F01	W16/F01	Bedroom	37.8	14.7	23.1	61.1
R16/F01	W17/F01	Bedroom	37.8	13.4	24.4	64.6
R1/F02	W1/F02	Unknown	37.4	19.3	18.1	48.4
R2/F02	W2/F02	Unknown	38.1	19.6	18.5	48.6
R3/F02	W3/F02	Unknown	38.4	19.6	18.8	49.0
R4/F02	W4/F02	Unknown	38.3	19.2	19.1	49.9
R5/F02	W5/F02	Unknown	38.2	18.9	19.3	50.5
R6/F02	W6/F02	Unknown	38.3	18.7	19.6	51.2
R7/F02	W7/F02	Unknown	38.3	18.8	19.5	50.9
R8/F02	W8/F02	Unknown	38.2	18.9	19.3	50.5
R9/F02	W9/F02	Unknown	38	19.1	18.9	49.7
R10/F02	W10/F02	Unknown	38.3	19.2	19.1	49.9
R11/F02	W11/F02	Unknown	38.4	19.2	19.2	50.0
R12/F02	W12/F02	Unknown	37.7	18.9	18.8	49.9

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R14/F02	W15/F02	Bedroom	31	16.4	14.6	47.1
R15/F02	W16/F02	Bedroom	38.5	17.5	21	54.5
R16/F02	W17/F02	Bedroom	38.4	16	22.4	58.3
R1/F03	W1/F03	Unknown	38.3	21.2	17.1	44.6
R2/F03	W2/F03	Unknown	38.8	21.6	17.2	44.3
R3/F03	W3/F03	Unknown	39	21.8	17.2	44.1
R4/F03	W4/F03	Unknown	38.9	21.6	17.3	44.5
R5/F03	W5/F03	Unknown	38.8	21.5	17.3	44.6
R6/F03	W6/F03	Unknown	38.8	21.4	17.4	44.8
R7/F03	W7/F03	Unknown	38.9	21.6	17.3	44.5
R8/F03	W8/F03	Unknown	38.8	21.8	17	43.8
R9/F03	W9/F03	Unknown	38.6	21.9	16.7	43.3
R10/F03	W10/F03	Unknown	38.8	22	16.8	43.3
R11/F03	W11/F03	Unknown	38.9	22.1	16.8	43.2
R12/F03	W12/F03	Unknown	38.3	22	16.3	42.6
R14/F03	W15/F03	Bedroom	33.4	20.5	12.9	38.6
R15/F03	W16/F03	Bedroom	39	20.5	18.5	47.4
R16/F03	W17/F03	Bedroom	39	18.8	20.2	51.8
56 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	19.4	19.4	0	0.0
R1/F00	W2/F00	Unknown	20.8	20.8	0	0.0
R2/F01	W1/F01	Unknown	28.2	27.2	1	3.5
R2/F01	W2/F01	Unknown	31.4	30.3	1.1	3.5
R1/F02	W1/F02	Unknown	33.1	30.9	2.2	6.6
R1/F02	W2/F02	Unknown	37.4	35	2.4	6.4
R1/F03	W1/F03	Unknown	38.6	36.3	2.3	6.0
R1/F03	W2/F03	Unknown	38.8	36.6	2.2	5.7
58 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	15.3	15.3	0	0.0
R1/F01	W1/F01	Unknown	23.3	22.2	1.1	4.7
R1/F02	W1/F02	Unknown	37.9	35.6	2.3	6.1
R2/F02	W2/F02	Unknown	37.8	35.6	2.2	5.8
R1/F03	W1/F03	Unknown	38.7	36.5	2.2	5.7
R2/F03	W2/F03	Unknown	38.7	36.6	2.1	5.4
60 GLOUCESTER AVENUE						

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R1/F00	W1/F00	Unknown	8	8	0	0.0
R1/F01	W1/F01	Unknown	14.9	14.3	0.6	4.0
R1/F02	W1/F02	Unknown	36.3	34.2	2.1	5.8
R1/F03	W1/F03	Unknown	37.7	35.7	2	5.3
62 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	15.8	15.8	0	0.0
R1/F01	W1/F01	Unknown	33.4	32.7	0.7	2.1
R1/F02	W1/F02	Unknown	38.6	36.5	2.1	5.4
66 GLOUCESTER AVENUE						
R1/F00	W1/F00	Unknown	5.8	5.8	0	0.0
R2/F00	W2/F00	Unknown	15.8	15.8	0	0.0
R1/F01	W1/F01	Unknown	9	9	0	0.0
R2/F01	W2/F01	Unknown	33.4	32.8	0.6	1.8
R1/F02	W1/F02	Unknown	12.6	12.5	0.1	0.8
R2/F02	W2/F02	Unknown	38.6	36.5	2.1	5.4
R1/F03	W1/F03	Unknown	33.1	32	1.1	3.3
90 CAMDEN LOCK PLACE						
R1/F00	W1/F00	Unknown	35	28.1	6.9	19.7
R1/F00	W2/F00	Unknown	34.5	28.5	6	17.4
R2/F00	W3/F00	Unknown	32.9	27.8	5.1	15.5
R3/F00	W4/F00	Unknown	33.2	28.7	4.5	13.6
R1/F01	W1/F01	Unknown	35	30.1	4.9	14.0
R1/F02	W1/F02	Unknown	35.8	30.8	5	14.0
R1/F02	W2/F02	Unknown	36	30.5	5.5	15.3
R1/F02	W3/F02	Unknown	36.3	30.2	6.1	16.8
R1/F02	W4/F02	Unknown	37.5	31.5	6	16.0
R2/F02	W5/F02	Unknown	36.7	32.3	4.4	12.0
R3/F02	W6/F02	Unknown	37.1	33.3	3.8	10.2
R4/F02	W7/F02	Unknown	34.6	31.1	3.5	10.1
R4/F02	W8/F02	Unknown	33.3	30.1	3.2	9.6
R1/F03	W1/F03	Unknown	37.7	33.5	4.2	11.1
R1/F03	W2/F03	Unknown	37.8	33.3	4.5	11.9
R1/F03	W3/F03	Unknown	38	33	5	13.2
R1/F03	W4/F03	Unknown	38.7	33.7	5	12.9
R2/F03	W5/F03	Unknown	38.2	34.3	3.9	10.2
R3/F03	W6/F03	Unknown	38.6	35.3	3.3	8.5
R4/F03	W7/F03	Unknown	37.1	34.1	3	8.1
R4/F03	W8/F03	Unknown	36.4	33.6	2.8	7.7
R1/F04	W1/F04	Unknown	38.8	35.4	3.4	8.8
R1/F04	W2/F04	Unknown	38.9	35.2	3.7	9.5
R1/F04	W3/F04	Unknown	38.9	35	3.9	10.0
R1/F04	W4/F04	Unknown	39.4	35.3	4.1	10.4

Vertical Sky Component						
Room	Window	Room Use	Existing	Proposed	Loss	%
R2/F04	W5/F04	Unknown	39.2	35.9	3.3	8.4
R3/F04	W6/F04	Unknown	39	36.5	2.5	6.4
R3/F04	W7/F04	Unknown	38.8	36.5	2.3	5.9
51 CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	35	24	11	31.4
R1/F02	W1/F02	Unknown	36.4	26.2	10.2	28.0
52 CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	36	24.4	11.6	32.2
R1/F02	W1/F02	Unknown	37	26.3	10.7	28.9
52A CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	36.1	24.3	11.8	32.7
R1/F02	W1/F02	Unknown	37.1	26.1	11	29.6
55 CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	36	24.4	11.6	32.2
R1/F01	W2/F01	Unknown	35.8	24.4	11.4	31.8
R1/F02	W1/F02	Unknown	37.4	26.2	11.2	29.9
R1/F02	W2/F02	Unknown	37.4	26.2	11.2	29.9
57A CHALK FARM ROAD						
R1/F01	W1/F01	Unknown	36.8	25.5	11.3	30.7
R1/F01	W2/F01	Unknown	36.8	25.4	11.4	31.0
R1/F02	W1/F02	Unknown	37.6	27.5	10.1	26.9
R1/F02	W2/F02	Unknown	37.6	27.4	10.2	27.1
R1/F02	W3/F02	Unknown	37.7	27.3	10.4	27.6

Cumulative
No Skyline (NSL)

DAYLIGHT DISTRIBUTION ANALYSIS									
Room/ Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
54-64 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		75.35	70.34	64.91	5.42	7.71	93.35	86.15
R6/F00	Kitchen-Resi		75.35	70.57	54.35	16.23	22.99	93.66	72.13
R1/F01	Kitchen-Resi		75.35	70.34	65.75	4.59	6.53	93.35	87.26
R6/F01	Kitchen-Resi		75.35	70.57	56.94	13.63	19.32	93.66	75.57
R1/F02	Kitchen-Resi		75.35	70.34	68.03	2.30	3.28	93.35	90.29
R6/F02	Kitchen-Resi		75.35	70.57	60.60	9.97	14.13	93.66	80.43
R1/F03	Kitchen-Resi		75.35	70.34	70.34	0.00	0.00	93.35	93.35
R4/F03	Kitchen-Resi		75.35	70.57	64.69	5.88	8.34	93.66	85.85
69-78 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		65.88	52.20	34.82	17.38	33.29	79.24	52.86
R3/F00	Bedroom		72.33	64.46	22.01	42.45	65.86	89.12	30.42
R4/F00	Bedroom		120.34	114.07	67.44	46.63	40.88	94.79	56.04
R5/F00	Living Room		331.94	331.94	331.14	0.80	0.24	100.00	99.76
R6/F00	Bedroom		120.34	114.11	97.15	16.96	14.86	94.83	80.73
R7/F00	Bedroom		72.04	70.25	56.08	14.17	20.17	97.52	77.85
R9/F00	Living Room		175.88	173.86	96.31	77.55	44.61	98.85	54.76
R1/F01	Kitchen-Resi		65.88	52.21	39.68	12.53	24.00	79.25	60.23
R3/F01	Bedroom		72.33	64.46	25.49	38.98	60.46	89.12	35.23
R4/F01	Bedroom		120.34	114.08	73.30	40.78	35.75	94.80	60.91
R5/F01	Living Room		331.94	331.94	331.15	0.79	0.24	100.00	99.76
R6/F01	Bedroom		120.34	114.14	99.61	14.53	12.73	94.84	82.77
R7/F01	Bedroom		72.04	70.25	58.47	11.78	16.77	97.52	81.16
R9/F01	Living Room		175.88	173.92	104.20	69.72	40.09	98.89	59.25
R1/F02	Kitchen-Resi		65.88	51.05	41.66	9.40	18.41	77.50	63.23
R3/F02	Bedroom		72.33	63.25	29.47	33.78	53.41	87.43	40.73
R4/F02	Bedroom		120.34	114.09	82.88	31.21	27.35	94.81	68.87
R5/F02	Living Room		331.94	331.94	331.26	0.68	0.20	100.00	99.80
R6/F02	Bedroom		120.34	114.14	102.07	12.07	10.58	94.85	84.81
R7/F02	Bedroom		72.04	72.04	72.04	0.00	0.00	100.00	100.00
R9/F02	Living Room		175.88	173.80	108.12	65.68	37.79	98.82	61.47
R1/F03	Bedroom		120.34	113.22	101.94	11.28	9.96	94.08	84.71
R2/F03	Living Room		331.94	331.94	331.47	0.47	0.14	100.00	99.86
R3/F03	Bedroom		120.34	113.29	112.34	0.95	0.83	94.14	93.36
79 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.97	146.12	103.39	42.72	29.24	98.75	69.88
R1/F01	Bedroom		120.07	115.91	86.05	29.86	25.76	96.53	71.66
R1/F02	Bedroom		120.07	120.07	120.07	0.00	0.00	100.00	100.00
80 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.95	146.46	102.58	43.89	29.96	98.99	69.33
R1/F01	Bedroom		120.06	116.84	86.62	30.22	25.87	97.31	72.14
R1/F02	Bedroom		120.06	120.06	120.06	0.00	0.00	100.00	100.00
81 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.98	145.96	103.54	42.42	29.06	98.63	69.97
R1/F01	Bedroom		120.09	115.86	87.11	28.75	24.81	96.48	72.54
R1/F02	Bedroom		120.09	120.09	120.09	0.00	0.00	100.00	100.00
82 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.89	146.47	103.76	42.71	29.16	99.04	70.16
R1/F01	Bedroom		120.01	116.54	84.01	32.53	27.91	97.11	70.00
R1/F02	Bedroom		120.01	120.01	120.01	0.00	0.00	100.00	100.00
83 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.97	145.76	102.48	43.28	29.69	98.51	69.26
R1/F01	Bedroom		120.08	115.86	80.72	35.14	30.33	96.49	67.22
R1/F02	Bedroom		120.08	120.08	118.41	1.67	1.39	100.00	98.61
84 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		147.94	142.98	98.04	44.93	31.43	96.64	66.27
R1/F01	Bedroom		120.06	111.11	72.56	38.54	34.69	92.54	60.44
R1/F02	Bedroom		120.06	116.20	111.55	4.65	4.00	96.79	92.92

DAYLIGHT DISTRIBUTION ANALYSIS									
Room/ Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
85-92 JUNIPER CRESCENT									
R1/F00	Bedroom		146.48	144.90	92.78	52.11	35.97	98.92	63.34
R2/F00	Bedroom		125.56	124.21	85.44	38.76	31.21	98.92	68.05
R3/F00	Bedroom		123.86	122.66	94.64	28.02	22.84	99.03	76.41
R4/F00	Bedroom		147.02	145.47	97.87	47.60	32.72	98.95	66.57
R1/F01	Bedroom		146.48	144.90	92.18	52.72	36.38	98.93	62.94
R2/F01	Bedroom		125.56	124.25	84.84	39.41	31.72	98.95	67.56
R3/F01	Bedroom		123.86	122.70	94.25	28.45	23.19	99.06	76.09
R4/F01	Bedroom		147.02	145.45	96.98	48.47	33.32	98.94	65.97
R1/F02	Bedroom		146.48	144.91	102.18	42.73	29.49	98.93	69.76
R2/F02	Bedroom		125.56	124.24	90.47	33.77	27.18	98.95	72.05
R3/F02	Bedroom		123.86	122.69	100.42	22.27	18.15	99.05	81.07
R4/F02	Bedroom		147.02	145.46	103.69	41.77	28.71	98.94	70.53
R1/F03	Bedroom		146.48	144.91	108.27	36.64	25.29	98.93	73.92
R2/F03	Bedroom		125.56	124.24	94.39	29.85	24.03	98.95	75.17
R3/F03	Bedroom		123.86	122.69	104.32	18.37	14.97	99.05	84.22
R4/F03	Bedroom		147.02	145.46	107.14	38.32	26.34	98.94	72.88
93-100 JUNIPER CRESCENT									
R1/F00	Bedroom		146.22	144.53	67.35	77.19	53.40	98.85	46.06
R2/F00	Bedroom		126.98	125.35	66.99	58.36	46.56	98.72	52.76
R3/F00	Bedroom		123.62	121.98	65.05	56.93	46.67	98.68	52.62
R4/F00	Bedroom		149.03	147.27	83.45	63.81	43.33	98.82	56.00
R1/F01	Bedroom		146.22	144.55	69.59	74.96	51.86	98.86	47.59
R2/F01	Bedroom		126.98	125.67	71.45	54.22	43.14	98.97	56.27
R3/F01	Bedroom		123.62	122.14	68.90	53.24	43.59	98.80	55.74
R4/F01	Bedroom		149.03	147.31	86.84	60.47	41.05	98.84	58.27
R1/F02	Bedroom		146.22	144.24	78.45	65.79	45.61	98.65	53.65
R2/F02	Bedroom		126.98	125.38	81.98	43.40	34.62	98.74	64.56
R3/F02	Bedroom		123.62	121.76	82.23	39.53	32.47	98.50	66.52
R4/F02	Bedroom		149.03	147.01	102.00	45.01	30.62	98.65	68.44
R1/F03	Bedroom		146.22	144.17	91.53	52.64	36.51	98.60	62.60
R2/F03	Bedroom		126.98	125.36	96.82	28.55	22.77	98.73	76.25
R3/F03	Bedroom		123.62	121.75	94.76	27.00	22.17	98.49	76.65
R4/F03	Bedroom		149.03	147.00	114.43	32.57	22.16	98.64	76.78
101 JUNIPER CRESCENT									
R1/F00	Living Room		255.23	252.41	141.87	110.54	43.79	98.90	55.58
R1/F01	Bedroom		113.13	103.24	88.00	15.25	14.77	91.26	77.78
R1/F02	Bedroom		113.13	109.69	109.27	0.43	0.39	96.96	96.59
102 JUNIPER CRESCENT									
R1/F00	Living Room		255.18	252.50	165.78	86.72	34.35	98.95	64.96
R1/F01	Bedroom		112.06	106.65	96.57	10.08	9.45	95.18	86.18
R1/F02	Bedroom		112.06	112.06	112.03	0.03	0.03	100.00	99.97
103 JUNIPER CRESCENT									
R1/F00	Living Room		255.41	253.24	185.32	67.92	26.82	99.15	72.56
R1/F01	Bedroom		111.90	106.39	97.36	9.02	8.48	95.07	87.01
R1/F02	Bedroom		111.90	111.90	111.90	0.00	0.00	100.00	100.00
104 JUNIPER CRESCENT									
R1/F00	Living Room		255.03	252.41	191.33	61.09	24.20	98.97	75.02
R1/F01	Bedroom		111.88	106.32	98.62	7.70	7.25	95.03	88.14
R1/F02	Bedroom		111.88	111.88	111.88	0.00	0.00	100.00	100.00
105 JUNIPER CRESCENT									
R1/F00	Living Room		255.12	252.46	221.17	31.29	12.39	98.95	86.69
R1/F01	Bedroom		112.11	106.64	97.07	9.57	8.97	95.12	86.58
R1/F02	Bedroom		112.11	112.11	112.11	0.00	0.00	100.00	100.00
106 JUNIPER CRESCENT									
R1/F00	Living Room		254.21	251.53	235.82	15.70	6.24	98.95	92.77
R1/F01	Bedroom		112.40	107.46	97.81	9.65	8.98	95.60	87.02
R1/F02	Bedroom		112.40	112.40	112.40	0.00	0.00	100.00	100.00

Project No:10766-REL22-IS02			5 CHALK FARM ROAD				Jun 2017		
Existing Vs. Proposed+Cumulative			IR34 (23.05.2017)						
MBS DAYLIGHT DISTRIBUTION ANALYSIS									
Room/ Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
107 JUNIPER CRESCENT									
R1/F00	Living Room		257.17	254.67	248.54	6.13	2.41	99.03	96.64
R1/F01	Bedroom		113.02	107.86	98.29	9.57	8.88	95.43	86.96
R1/F02	Bedroom		113.02	113.02	113.02	0.00	0.00	100.00	100.00
108 JUNIPER CRESCENT									
R1/F00	Living Room		255.90	253.38	249.08	4.30	1.70	99.01	97.34
R1/F01	Bedroom		113.02	107.72	99.05	8.67	8.05	95.31	87.64
R1/F02	Bedroom		113.02	113.02	113.02	0.00	0.00	100.00	100.00
109 JUNIPER CRESCENT									
R1/F00	Kitchen-Resi		206.67	202.52	198.75	3.77	1.86	97.99	96.17
R1/F01	Living Room		206.67	202.82	199.66	3.16	1.56	98.14	96.61
R2/F02	Bedroom		137.78	137.78	137.78	0.00	0.00	100.00	100.00
110 JUNIPER CRESCENT									
R1/F00	Living Room		213.17	213.03	212.81	0.22	0.10	99.94	99.83
R2/F00	Kitchen-Resi		77.50	72.88	71.90	0.97	1.34	94.03	92.78
R1/F01	Living Room		213.17	213.17	213.17	0.00	0.00	100.00	100.00
R2/F01	Kitchen-Resi		77.50	72.89	72.55	0.34	0.46	94.05	93.61
R1/F02	Living Room		213.17	213.17	213.17	0.00	0.00	100.00	100.00
R2/F02	Kitchen-Resi		77.50	69.55	69.37	0.18	0.26	89.75	89.51
GILBEYS YARD (BLOCK A)									
R1/F00	Unknown		120.59	113.43	64.34	49.10	43.28	94.06	53.35
R2/F00	Living Room		178.73	128.78	73.54	55.24	42.89	72.06	41.15
R3/F00	Living Room		178.73	147.74	66.80	80.94	54.79	82.66	37.37
R4/F00	Living Room		212.81	191.29	92.08	99.22	51.87	89.89	43.27
R5/F00	Living Room		212.81	193.11	93.01	100.10	51.84	90.74	43.71
R6/F00	Living Room		212.81	176.45	82.09	94.37	53.48	82.92	38.57
R7/F00	Living Room		212.81	200.16	81.77	118.39	59.15	94.05	38.42
R8/F00	Living Room		212.81	182.75	72.54	110.21	60.31	85.88	34.09
R9/F00	Living Room		212.81	205.83	77.61	128.21	62.29	96.72	36.47
R10/F00	Living Room		212.81	191.02	71.15	119.87	62.75	89.76	33.43
R11/F00	Living Room		212.81	205.31	86.43	118.89	57.91	96.48	40.61
R12/F00	Living Room		212.81	196.94	97.46	99.47	50.51	92.54	45.80
R13/F00	Living Room		212.81	203.18	153.01	50.17	24.69	95.47	71.90
R14/F00	Living Room		178.73	177.53	142.40	35.13	19.79	99.33	79.68
R15/F00	Living Room		178.73	174.86	122.67	52.19	29.85	97.84	68.64
R16/F00	Bedroom		162.94	158.79	86.10	72.69	45.78	97.45	52.84
R17/F00	Kitchen-Resi		81.33	58.07	26.28	31.80	54.76	71.41	32.31
R18/F00	Kitchen-Resi		90.45	78.58	21.78	56.80	72.28	86.88	24.08
R19/F00	Bedroom		162.90	158.95	79.94	79.01	49.71	97.57	49.07
R20/F00	Bedroom		120.60	114.25	57.96	56.29	49.27	94.73	48.06
R1/F01	Unknown		120.59	116.13	111.31	4.82	4.15	96.30	92.30
R2/F01	Bedroom		102.67	96.41	95.23	1.18	1.22	93.90	92.75
R3/F01	Bedroom		102.67	97.27	79.19	18.08	18.59	94.74	77.13
R4/F01	Bedroom		122.06	99.41	88.47	10.94	11.01	81.44	72.48
R7/F01	Bedroom		122.06	98.51	96.59	1.91	1.94	80.70	79.13
R8/F01	Bedroom		122.06	89.70	80.88	8.82	9.83	73.48	66.26
R9/F01	Kitchen-Resi		81.33	60.75	26.36	34.39	56.61	74.70	32.41
R10/F01	Kitchen-Resi		90.45	86.14	23.62	62.52	72.58	95.24	26.12
R11/F01	Bedroom		122.06	101.80	94.46	7.34	7.21	83.40	77.39
R12/F01	Bedroom		122.16	93.49	78.69	14.80	15.83	76.53	64.42
R13/F01	Bedroom		162.90	158.49	90.73	67.76	42.75	97.29	55.70
R14/F01	Bedroom		120.60	116.31	102.31	14.00	12.04	96.45	84.83
R15/F01	Bedroom		122.06	103.57	90.20	13.38	12.92	84.85	73.89
R16/F01	Bedroom		122.06	96.81	79.01	17.80	18.38	79.31	64.73
R19/F01	Bedroom		122.06	103.67	96.69	6.98	6.73	84.93	79.21
R20/F01	Bedroom		122.06	100.10	87.79	12.31	12.30	82.01	71.93
R23/F01	Bedroom		122.06	101.59	93.86	7.73	7.61	83.23	76.90
R24/F01	Bedroom		102.67	96.54	78.37	18.17	18.82	94.03	76.33
R25/F01	Bedroom		102.67	91.54	77.24	14.30	15.62	89.16	75.23
R26/F01	Bedroom		163.42	158.84	102.86	55.98	35.24	97.20	62.94
R1/F02	Bedroom		120.59	117.92	116.51	1.41	1.20	97.78	96.61
R2/F02	Bedroom		102.67	95.14	95.09	0.04	0.04	92.66	92.62
R3/F02	Bedroom		102.67	95.91	93.87	2.04	2.13	93.42	91.43
R4/F02	Bedroom		122.06	97.06	89.62	7.44	7.66	79.52	73.42
R5/F02	Bedroom		122.06	96.70	90.16	6.54	6.76	79.22	73.86
R6/F02	Bedroom		122.06	87.96	83.48	4.48	5.09	72.06	68.39
DD-10766-M011-Exis V PropIR34+Cmltv_Habs only.xlsx 08/06/2017									
				3					

Project No:10766-REL22-IS02			5 CHALK FARM ROAD				Jun 2017		
Existing Vs. Proposed+Cumulative			IR34 (23.05.2017)						
MBS DAYLIGHT DISTRIBUTION ANALYSIS									
Room/ Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
R7/F02	Bedroom		122.06	99.95	87.16	12.79	12.80	81.88	71.40
R8/F02	Bedroom		122.06	91.53	81.56	9.97	10.89	74.99	66.82
R9/F02	Bedroom		122.06	101.76	81.44	20.32	19.97	83.37	66.72
R10/F02	Bedroom		122.16	95.03	78.60	16.43	17.29	77.79	64.34
R11/F02	Bedroom		122.06	101.79	84.44	17.35	17.05	83.40	69.18
R12/F02	Bedroom		122.06	98.31	82.30	16.00	16.28	80.54	67.43
R13/F02	Bedroom		122.06	100.33	85.32	15.01	14.96	82.20	69.90
R14/F02	Bedroom		102.67	95.37	82.09	13.28	13.93	92.89	79.95
R15/F02	Bedroom		102.67	92.36	78.69	13.67	14.80	89.95	76.64
R16/F02	Bedroom		162.94	160.74	99.81	60.93	37.91	98.64	61.25
R17/F02	Kitchen-Resi		81.33	61.27	24.94	36.34	59.30	75.34	30.66
R18/F02	Kitchen-Resi		90.45	86.16	26.65	59.52	69.07	95.27	29.46
R19/F02	Bedroom		162.90	159.76	90.08	69.68	43.62	98.07	55.29
R20/F02	Bedroom		120.60	117.81	106.07	11.74	9.96	97.68	87.95
R1/F03	Bedroom		120.59	117.66	117.66	0.00	0.00	97.57	97.56
R2/F03	Bedroom		162.94	159.88	108.52	51.36	32.13	98.12	66.60
R17/F03	Kitchen-Resi		81.33	62.22	35.40	26.83	43.11	76.51	43.52
R18/F03	Kitchen-Resi		90.45	86.54	27.64	58.90	68.07	95.68	30.55
R19/F03	Bedroom		162.90	159.75	93.87	65.87	41.24	98.06	57.63
R21/F03	Bedroom		120.60	117.36	111.15	6.21	5.29	97.31	92.16
GILBEYS YARD (BLOCK B)									
R1/F00	Unknown		124.52	120.83	61.60	59.23	49.02	97.04	49.47
R2/F00	Unknown		118.76	118.47	40.54	77.93	65.78	99.75	34.13
R3/F00	Unknown		118.63	118.55	73.63	44.92	37.89	99.93	62.06
R4/F00	Unknown		75.35	73.17	47.80	25.37	34.67	97.11	63.44
R5/F00	Unknown		100.20	99.16	42.24	56.91	57.40	98.96	42.16
R6/F00	Unknown		118.78	118.49	48.87	69.62	58.76	99.75	41.14
R7/F00	Unknown		118.75	118.65	42.59	76.07	64.11	99.92	35.86
R8/F00	Unknown		75.35	73.26	31.90	41.37	56.46	97.24	42.33
R9/F00	Unknown		100.75	99.77	29.05	70.73	70.89	99.03	28.83
R10/F00	Unknown		118.76	118.57	33.89	84.68	71.42	99.83	28.54
R11/F00	Unknown		118.73	118.66	33.70	84.97	71.60	99.95	28.38
R12/F00	Unknown		75.35	72.78	31.53	41.26	56.68	96.60	41.84
R13/F00	Living Room		118.03	116.67	39.00	77.67	66.57	98.85	33.05
R14/F00	Bedroom		132.84	118.19	27.96	90.23	76.34	88.97	21.05
R15/F00	Living Room		89.33	89.32	32.99	56.33	63.06	99.99	36.93
R16/F00	Living Room		85.50	85.37	33.19	52.18	61.13	99.85	38.82
R1/F01	Unknown		124.52	120.55	100.28	20.27	16.81	96.81	80.54
R2/F01	Unknown		118.76	116.01	92.44	23.57	20.32	97.68	77.83
R3/F01	Unknown		118.63	116.85	75.69	41.17	35.23	98.50	63.80
R4/F01	Unknown		75.35	72.53	55.26	17.27	23.81	96.26	73.34
R5/F01	Unknown		100.20	98.40	50.17	48.24	49.02	98.21	50.07
R6/F01	Unknown		118.53	115.73	52.22	63.51	54.88	97.64	44.06
R7/F01	Unknown		118.74	116.94	45.48	71.45	61.11	98.48	38.30
R8/F01	Unknown		75.26	72.51	45.27	27.24	37.57	96.35	60.16
R9/F01	Unknown		100.75	98.98	40.89	58.09	58.69	98.25	40.59
R10/F01	Unknown		118.62	116.19	42.02	74.18	63.84	97.96	35.42
R11/F01	Unknown		118.71	117.37	45.31	72.05	61.39	98.87	38.17
R12/F01	Unknown		75.39	71.91	46.03	25.88	35.99	95.39	61.06
R14/F01	Bedroom		132.84	118.20	42.01	76.18	64.45	88.98	31.63
R15/F01	Bedroom		89.33	87.95	45.83	42.12	47.89	98.45	51.31
R16/F01	Bedroom		85.50	84.05	35.57	48.48	57.68	98.30	41.60
R1/F02	Unknown		124.52	120.55	102.83	17.72	14.70	96.81	82.58
R2/F02	Unknown		118.76	116.01	96.49	19.52	16.82	97.68	81.25
R3/F02	Unknown		118.63	116.85	81.57	35.29	30.20	98.50	68.76
R4/F02	Unknown		75.35	72.53	60.88	11.65	16.06	96.26	80.80
R5/F02	Unknown		100.20	98.40	56.70	41.70	42.38	98.21	56.59
R6/F02	Unknown		118.53	115.73	60.42	55.31	47.79	97.64	50.98
R7/F02	Unknown		118.76	116.94	56.00	60.94	52.11	98.47	47.16
R8/F02	Unknown		75.26	72.51	56.43	16.08	22.18	96.35	74.98
R9/F02	Unknown		100.75	98.98	50.92	48.06	48.56	98.25	50.54
R10/F02	Unknown		118.62	116.19	54.74	61.45	52.89	97.96	46.15
R11/F02	Unknown		118.59	117.24	55.70	61.54	52.49	98.86	46.97
R12/F02	Unknown		75.36	71.79	56.90	14.89	20.74	95.27	75.51
R14/F02	Bedroom		132.84	118.26	57.09	61.18	51.73	89.03	42.97
R15/F02	Bedroom		89.33	87.95	56.53	31.42	35.73	98.43	63.28
R16/F02	Bedroom		85.50	84.05	45.43	38.62	45.95	98.30	53.13
R1/F03	Unknown		124.52	120.08	106.29	13.79	11.48	96.44	85.36
R2/F03	Unknown		118.76	115.75	100.48	15.27	13.19	97.46	84.61
R3/F03	Unknown		118.63	116.68	90.50	26.18	22.43	98.35	76.29
R4/F03	Unknown		75.35	72.77	71.48	1.29	1.77	96.58	94.87
R5/F03	Unknown		100.20	98.64	70.11	28.53	28.92	98.44	69.97
R6/F03	Unknown		118.53	115.61	75.07	40.54	35.07	97.54	63.34
DD-10766-M011-Exis V PropIR34+Cmltv_Habs only.xlsx 08/06/2017									
4									

Project No:10766-REL22-IS02			5 CHALK FARM ROAD			Jun 2017			
Existing Vs. Proposed+Cumulative			IR34 (23.05.2017)						
MBS DAYLIGHT DISTRIBUTION ANALYSIS									
Room / Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
R7/F03	Unknown		118.76	116.76	73.98	42.78	36.64	98.32	62.30
R8/F03	Unknown		75.26	73.10	72.27	0.83	1.13	97.13	96.03
R9/F03	Unknown		100.75	99.68	67.41	32.27	32.37	98.94	66.91
R10/F03	Unknown		118.62	115.96	73.84	42.12	36.32	97.76	62.25
R11/F03	Unknown		118.59	117.18	71.88	45.30	38.66	98.81	60.61
R12/F03	Unknown		75.36	71.77	70.97	0.79	1.10	95.24	94.18
R14/F03	Bedroom		132.84	122.84	75.14	47.70	38.83	92.47	56.56
R15/F03	Bedroom		89.33	87.91	73.86	14.05	15.98	98.41	82.68
R16/F03	Bedroom		85.50	83.68	61.10	22.57	26.98	97.87	71.46
56 GLOUCESTER AVENUE									
R1/F00	Unknown		233.68	192.61	192.61	0.00	0.00	82.42	82.42
R2/F01	Unknown		233.68	229.26	229.26	0.00	0.00	98.11	98.11
R1/F02	Unknown		233.68	229.99	229.99	0.00	0.00	98.42	98.42
R1/F03	Unknown		233.68	229.25	229.25	0.00	0.00	98.10	98.10
58 GLOUCESTER AVENUE									
R1/F00	Unknown		96.33	79.93	79.93	0.00	0.00	82.97	82.97
R1/F01	Unknown		96.33	95.00	95.00	0.00	0.00	98.61	98.61
R1/F02	Unknown		96.33	95.58	95.58	0.00	0.00	99.22	99.22
R2/F02	Unknown		127.53	125.11	125.11	0.00	0.00	98.10	98.10
R1/F03	Unknown		96.33	95.58	95.58	0.00	0.00	99.22	99.22
R2/F03	Unknown		127.53	125.17	125.17	0.00	0.00	98.15	98.15
60 GLOUCESTER AVENUE									
R1/F00	Unknown		96.33	77.00	77.00	0.00	0.00	79.93	79.93
R1/F01	Unknown		96.33	93.21	93.21	0.00	0.00	96.76	96.76
R1/F02	Unknown		212.61	186.88	186.88	0.00	0.00	87.90	87.90
R1/F03	Unknown		214.96	188.28	188.28	0.00	0.00	87.59	87.59
62 GLOUCESTER AVENUE									
R1/F00	Unknown		128.38	58.12	58.12	0.00	0.00	45.27	45.27
R1/F01	Unknown		128.38	127.06	127.06	0.00	0.00	98.97	98.97
R1/F02	Unknown		128.38	127.06	127.06	0.00	0.00	98.97	98.97
66 GLOUCESTER AVENUE									
R1/F00	Unknown		96.33	75.09	75.09	0.00	0.00	77.95	77.95
R2/F00	Unknown		128.38	58.11	58.11	0.00	0.00	45.26	45.26
R1/F01	Unknown		96.33	89.33	89.33	0.00	0.00	92.73	92.73
R2/F01	Unknown		128.38	127.04	127.04	0.00	0.00	98.96	98.96
R1/F02	Unknown		96.33	92.86	92.86	0.00	0.00	96.40	96.40
R2/F02	Unknown		128.38	127.04	127.04	0.00	0.00	98.96	98.96
R1/F03	Unknown		96.33	89.05	89.05	0.00	0.00	92.43	92.43
90 CAMDEN LOCK PLACE									
R1/F00	Unknown		680.17	671.44	657.96	13.48	2.01	98.72	96.74
R2/F00	Unknown		104.46	100.48	100.42	0.07	0.07	96.19	96.13
R3/F00	Unknown		111.77	105.69	105.68	0.01	0.01	94.56	94.55
R1/F01	Unknown		104.46	99.38	99.38	0.00	0.00	95.14	95.14
R1/F02	Unknown		699.00	698.41	698.41	0.00	0.00	99.91	99.91
R2/F02	Unknown		104.46	99.35	99.35	0.00	0.00	95.11	95.11
R3/F02	Unknown		111.77	105.69	105.69	0.00	0.00	94.56	94.56
R4/F02	Unknown		699.00	690.90	690.87	0.02	0.00	98.84	98.84
R1/F03	Unknown		699.00	698.41	698.41	0.00	0.00	99.91	99.91
R2/F03	Unknown		104.46	99.35	99.35	0.00	0.00	95.11	95.11
R3/F03	Unknown		111.77	105.69	105.69	0.00	0.00	94.56	94.56
R4/F03	Unknown		699.00	690.81	690.79	0.02	0.00	98.83	98.82
R1/F04	Unknown		699.00	698.41	698.41	0.00	0.00	99.91	99.91
R2/F04	Unknown		104.46	99.35	99.35	0.00	0.00	95.11	95.11
R3/F04	Unknown		699.00	690.81	690.79	0.01	0.00	98.83	98.83
51 CHALK FARM ROAD									
R1/F01	Unknown		172.78	162.46	98.82	63.64	39.17	94.03	57.20
R1/F02	Unknown		172.78	165.20	111.89	53.31	32.27	95.61	64.76
52 CHALK FARM ROAD									
DD-10766-M011-Exis V PropIR34+Cmltv_Habs only.xlsx 08/06/2017									
				5					

Project No:10766-REL22-IS02			5 CHALK FARM ROAD				Jun 2017		
Existing Vs. Proposed+Cumulative			IR34 (23.05.2017)						
MBS DAYLIGHT DISTRIBUTION ANALYSIS									
Room/ Floor	Room Use	Flat Number	Whole Room	Prev sq ft	New sq ft	Loss sq ft	% Loss	% Prev	% New
R1/F01	Unknown		204.33	193.32	99.42	93.90	48.57	94.61	48.66
R1/F02	Unknown		204.33	193.82	113.24	80.58	41.57	94.86	55.42
52A CHALK FARM ROAD									
R1/F01	Unknown		166.82	160.19	73.16	87.03	54.33	96.03	43.86
R1/F02	Unknown		166.82	159.79	83.38	76.41	47.82	95.78	49.98
55 CHALK FARM ROAD									
R1/F01	Unknown		210.70	207.59	97.36	110.23	53.10	98.53	46.21
R1/F02	Unknown		210.70	207.61	102.31	105.30	50.72	98.53	48.56
57A CHALK FARM ROAD									
R1/F01	Unknown		277.39	268.36	208.79	59.57	22.20	96.74	75.27
R1/F02	Unknown		277.39	275.10	250.23	24.87	9.04	99.17	90.21
DD-10766-M011-Exis V PropIR34+Cmltv_Habs only.xlsx 08/06/2017									
				6					

Cumulative
Annual Probable Sunlight Hours (APSH)

Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
69-78 JUNIPER CRESCENT												
R5/F00	W5/F00	Living Room		18.80659461	0	13	0	13	0	0	0.00	0.00
R5/F00	W6/F00	Living Room		61.57156442	6	33	4	32	2	1	33.33	3.03
R5/F00	W7/F00	Living Room		104.4005218	19	59	9	49	10	10	52.63	16.95
R5/F00	W8/F00	Living Room		136.3896677	20	59	9	48	11	11	55.00	18.64
R6/F00	W9/F00	Bedroom		136.4263256	25	75	8	57	17	18	68.00	24.00
R7/F00	W10/F00	Bedroom		136.8232372	26	73	8	53	18	20	69.23	27.40
R9/F00	W12/F00	Living Room		136.8232372	21	58	7	42	14	16	66.67	27.59
R5/F01	W5/F01	Living Room		18.80659461	0	13	0	13	0	0	0.00	0.00
R5/F01	W6/F01	Living Room		61.57156442	6	34	4	32	2	2	33.33	5.88
R5/F01	W7/F01	Living Room		104.4005218	19	59	10	50	9	9	47.37	15.25
R5/F01	W8/F01	Living Room		136.3896677	20	58	10	48	10	10	50.00	17.24
R6/F01	W9/F01	Bedroom		136.4263256	26	76	10	59	16	17	61.54	22.37
R7/F01	W10/F01	Bedroom		136.8232372	25	72	9	55	16	17	64.00	23.61
R9/F01	W12/F01	Living Room		136.8232372	26	61	9	42	17	19	65.38	31.15
R5/F02	W5/F02	Living Room		18.80659461	0	13	0	13	0	0	0.00	0.00
R5/F02	W6/F02	Living Room		61.57156442	6	34	4	32	2	2	33.33	5.88
R5/F02	W7/F02	Living Room		104.4005218	19	59	13	53	6	6	31.58	10.17
R5/F02	W8/F02	Living Room		136.3896677	20	58	13	51	7	7	35.00	12.07
R6/F02	W9/F02	Bedroom		136.4263256	25	75	12	62	13	13	52.00	17.33
R7/F02	W10/F02	Bedroom		136.8232372	24	62	10	49	14	13	58.33	20.97
R9/F02	W12/F02	Living Room		136.8232372	25	70	9	52	16	18	64.00	25.71
R2/F03	W2/F03	Living Room		18.80659461	0	13	0	13	0	0	0.00	0.00
R2/F03	W3/F03	Living Room		61.57156442	6	34	4	32	2	2	33.33	5.88
R2/F03	W4/F03	Living Room		104.4005218	19	59	14	54	5	5	26.32	8.47
R2/F03	W5/F03	Living Room		136.3896677	20	60	15	55	5	5	25.00	8.33
R3/F03	W6/F03	Bedroom		136.4263256	26	76	15	65	11	11	42.31	14.47
R7/F02	W7/F03	Bedroom		136.8263989	26	73	12	60	14	13	53.85	17.81
79 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		137.0712269	24	69	5	44	19	25	79.17	36.23
R1/F01	W1/F01	Bedroom		137.0712269	26	74	7	51	19	23	73.08	31.08
R1/F02	W1/F02	Bedroom		137.0712269	24	60	6	43	18	17	75.00	28.33
R1/F02	W2/F02	Bedroom		137.0622912	26	76	8	57	18	19	69.23	25.00
80 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		139.7386892	25	71	6	46	19	25	76.00	35.21
R1/F01	W1/F01	Bedroom		140.1021203	27	77	8	54	19	23	70.37	29.87
R1/F02	W1/F02	Bedroom		139.8143433	25	63	7	43	18	20	72.00	31.75
R1/F02	W2/F02	Bedroom		139.7386892	27	78	9	57	18	21	66.67	26.92
81 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		142.4929682	25	70	7	41	18	29	72.00	41.43
R1/F01	W1/F01	Bedroom		142.2386281	27	78	8	53	19	25	70.37	32.05

Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
R1/F02	W1/F02	Bedroom		142.4888594	25	63	7	44	18	19	72.00	30.16
R1/F02	W2/F02	Bedroom		142.2386282	27	78	9	57	18	21	66.67	26.92
82 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		146.903242	25	70	6	41	19	29	76.00	41.43
R1/F01	W1/F01	Bedroom		146.903242	26	76	7	49	19	27	73.08	35.53
R1/F02	W1/F02	Bedroom		146.903242	25	64	6	40	19	24	76.00	37.50
R1/F02	W2/F02	Bedroom		146.9032421	27	81	8	56	19	25	70.37	30.86
83 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		148.2805248	24	67	4	38	20	29	83.33	43.28
R1/F01	W1/F01	Bedroom		148.3531654	25	73	5	46	20	27	80.00	36.99
R1/F02	W1/F02	Bedroom		148.3531654	23	77	6	55	17	22	73.91	28.57
R1/F02	W2/F02	Bedroom		148.3531654	25	63	6	39	19	24	76.00	38.10
84 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		150.8824311	20	54	2	28	18	26	90.00	48.15
R1/F01	W1/F01	Bedroom		150.8824311	20	59	4	36	16	23	80.00	38.98
R1/F02	W1/F02	Bedroom		150.8824311	20	58	4	35	16	23	80.00	39.66
R1/F02	W2/F02	Bedroom		150.8824311	16	55	5	39	11	16	68.75	29.09
85-92 JUNIPER CRESCENT												
R1/F00	W1/F00	Bedroom		151.878354	27	81	7	48	20	33	74.07	40.74
R2/F00	W2/F00	Bedroom		152.5715787	25	76	5	44	20	32	80.00	42.11
R3/F00	W3/F00	Bedroom		152.5715787	24	71	5	39	19	32	79.17	45.07
R4/F00	W4/F00	Bedroom		152.5715787	26	80	6	46	20	34	76.92	42.50
R1/F01	W1/F01	Bedroom		151.878354	27	81	8	52	19	29	70.37	35.80
R2/F01	W2/F01	Bedroom		152.5715787	27	78	7	48	20	30	74.07	38.46
R3/F01	W3/F01	Bedroom		152.5715787	24	71	5	40	19	31	79.17	43.66
R4/F01	W4/F01	Bedroom		152.5715787	27	81	7	48	20	33	74.07	40.74
R1/F02	W1/F02	Bedroom		151.878354	28	82	8	53	20	29	71.43	35.37
R2/F02	W2/F02	Bedroom		152.5715787	27	78	7	49	20	29	74.07	37.18
R3/F02	W3/F02	Bedroom		152.5715787	24	71	5	41	19	30	79.17	42.25
R4/F02	W4/F02	Bedroom		152.5715787	27	81	7	49	20	32	74.07	39.51
R1/F03	W1/F03	Bedroom		151.878354	28	82	10	56	18	26	64.29	31.71
R2/F03	W2/F03	Bedroom		152.5715787	28	79	9	51	19	28	67.86	35.44
R3/F03	W3/F03	Bedroom		152.5715787	25	72	7	44	18	28	72.00	38.89
R4/F03	W4/F03	Bedroom		152.5715787	28	82	9	51	19	31	67.86	37.80
93-100 JUNIPER CRESCENT												
R1/F00	W1/F00	Bedroom		164.2748994	27	83	8	46	19	37	70.37	44.58
R2/F00	W2/F00	Bedroom		164.2748994	18	65	1	31	17	34	94.44	52.31

Project No:10766-REL22-IS02		5 CHALK FARM ROAD					Jun 2017					
Existing Vs. Proposed+Cumulative		IR34 (23.05.2017)										
MBS		SUNLIGHT ANALYSIS										
Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
R3/F00	W3/F00	Bedroom		164.2748994	24	67	7	35	17	32	70.83	47.76
R4/F00	W4/F00	Bedroom		164.2748994	24	81	6	46	18	35	75.00	43.21
R1/F01	W1/F01	Bedroom		164.2748994	30	89	9	50	21	39	70.00	43.82
R2/F01	W2/F01	Bedroom		164.2748994	28	80	8	42	20	38	71.43	47.50
R3/F01	W3/F01	Bedroom		164.2748994	28	79	8	43	20	36	71.43	45.57
R4/F01	W4/F01	Bedroom		164.2748994	30	89	12	54	18	35	60.00	39.33
R1/F02	W1/F02	Bedroom		164.2748994	30	89	10	51	20	38	66.67	42.70
R2/F02	W2/F02	Bedroom		164.2748994	28	80	8	43	20	37	71.43	46.25
R3/F02	W3/F02	Bedroom		164.2748994	28	79	8	46	20	33	71.43	41.77
R4/F02	W4/F02	Bedroom		164.2748994	30	89	13	58	17	31	56.67	34.83
R1/F03	W1/F03	Bedroom		164.2748994	30	89	10	52	20	37	66.67	41.57
R2/F03	W2/F03	Bedroom		164.2748994	28	82	9	48	19	34	67.86	41.46
R3/F03	W3/F03	Bedroom		164.2748994	28	79	8	46	20	33	71.43	41.77
R4/F03	W4/F03	Bedroom		164.2748994	30	89	13	59	17	30	56.67	33.71
101 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		163.6840293	21	70	7	40	14	30	66.67	42.86
R1/F01	W1/F01	Bedroom		163.4979547	30	77	14	48	16	29	53.33	37.66
R1/F02	W1/F02	Bedroom		163.4979547	30	68	15	40	15	28	50.00	41.18
R1/F02	W2/F02	Bedroom		163.472019	28	70	15	48	13	22	46.43	31.43
102 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		168.7110094	20	70	7	40	13	30	65.00	42.86
R1/F01	W1/F01	Bedroom		167.8725213	30	85	14	56	16	29	53.33	34.12
R1/F02	W1/F02	Bedroom		167.8725213	30	77	16	49	14	28	46.67	36.36
R1/F02	W2/F02	Bedroom		167.888694	30	86	15	59	15	27	50.00	31.40
103 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		167.9124056	16	64	8	43	8	21	50.00	32.81
R1/F01	W1/F01	Bedroom		169.3256133	30	86	17	59	13	27	43.33	31.40
R1/F02	W1/F02	Bedroom		169.3183478	30	86	16	60	14	26	46.67	30.23
R1/F02	W2/F02	Bedroom		169.3256133	30	79	17	55	13	24	43.33	30.38
104 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		173.4844163	13	57	4	36	9	21	69.23	36.84
R1/F01	W1/F01	Bedroom		172.4130253	30	87	18	64	12	23	40.00	26.44
R1/F02	W1/F02	Bedroom		172.3573062	30	77	18	54	12	23	40.00	29.87
R1/F02	W2/F02	Bedroom		172.4151541	30	87	18	64	12	23	40.00	26.44
105 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		173.6689048	20	70	12	49	8	21	40.00	30.00
R1/F01	W1/F01	Bedroom		175.3275191	30	87	19	66	11	21	36.67	24.14
R1/F02	W1/F02	Bedroom		175.3275781	30	87	20	68	10	19	33.33	21.84
APSH-10766-M011-Exis V PropIR34+Cmltv_Habs only.xlsx					08/06/2017		3					

Project No:10766-REL22-IS02		5 CHALK FARM ROAD					Jun 2017					
Existing Vs. Proposed+Cumulative		IR34 (23.05.2017)										
MBS		SUNLIGHT ANALYSIS										
Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
R1/F02	W2/F02	Bedroom		175.3275191	30	78	19	58	11	20	36.67	25.64
106 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		178.4594227	23	74	17	57	6	17	26.09	22.97
R1/F01	W1/F01	Bedroom		178.1267643	30	87	21	65	9	22	30.00	25.29
R1/F02	W1/F02	Bedroom		178.1267643	30	77	21	58	9	19	30.00	24.68
R1/F02	W2/F02	Bedroom		178.1414541	30	87	21	70	9	17	30.00	19.54
107 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		179.6804871	21	70	15	54	6	16	28.57	22.86
R1/F01	W1/F01	Bedroom		-179.5278702	30	87	22	67	8	20	26.67	22.99
R1/F02	W1/F02	Bedroom		-179.5278702	30	76	22	61	8	15	26.67	19.74
R1/F02	W2/F02	Bedroom		-179.5360236	30	88	21	71	9	17	30.00	19.32
108 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		-175.8495185	22	71	17	56	5	15	22.73	21.13
R1/F01	W1/F01	Bedroom		-175.8495185	30	88	21	70	9	18	30.00	20.45
R1/F02	W1/F02	Bedroom		-175.8495185	30	76	21	63	9	13	30.00	17.11
R1/F02	W2/F02	Bedroom		-175.8495185	30	88	21	73	9	15	30.00	17.05
109 JUNIPER CRESCENT												
R1/F00	W1/F00	Kitchen-Resi		-175.8495185	24	64	23	63	1	1	4.17	1.56
R1/F00	W2/F00	Kitchen-Resi		-175.8495185	24	72	21	60	3	12	12.50	16.67
R1/F01	W1/F01	Living Room		-175.8495185	30	87	23	71	7	16	23.33	18.39
R1/F01	W2/F01	Living Room		-175.8495185	30	87	24	72	6	15	20.00	17.24
R2/F02	W2/F02	Bedroom		-175.8495185	30	76	24	67	6	9	20.00	11.84
R2/F02	W3/F02	Bedroom		-175.8495185	30	88	24	76	6	12	20.00	13.64
110 JUNIPER CRESCENT												
R1/F00	W1/F00	Living Room		-175.8495185	18	58	18	56	0	2	0.00	3.45
R1/F00	W2/F00	Living Room		4.150481455	0	1	0	0	0	1	0.00	100.00
R1/F00	W3/F00	Living Room		-175.8495185	25	79	22	68	3	11	12.00	13.92
R2/F00	W4/F00	Kitchen-Resi		-175.8495185	26	81	20	66	6	15	23.08	18.52
R1/F01	W1/F01	Living Room		-175.8495185	30	86	24	72	6	14	20.00	16.28
R1/F01	W2/F01	Living Room		4.150481455	0	1	0	0	0	1	0.00	100.00
R2/F01	W3/F01	Kitchen-Resi		-175.8495185	30	84	24	73	6	11	20.00	13.10
R1/F02	W1/F02	Living Room		-175.8495185	30	76	24	67	6	9	20.00	11.84
R1/F02	W2/F02	Living Room		-175.8495185	30	88	24	77	6	11	20.00	12.50
R1/F02	W4/F02	Living Room		4.150481455	0	4	0	3	0	1	0.00	25.00
R2/F02	W3/F02	Kitchen-Resi		-175.8495185	30	76	24	68	6	8	20.00	10.53
90 CAMDEN LOCK PLACE												
R1/F02	W1/F02	Unknown		-117.5066855	18	59	18	53	0	6	0.00	10.17
R1/F02	W2/F02	Unknown		-117.5066855	20	61	20	55	0	6	0.00	9.84
R1/F02	W3/F02	Unknown		-117.5066855	21	62	21	55	0	7	0.00	11.29
R1/F02	W4/F02	Unknown		-27.40512641	2	17	2	10	0	7	0.00	41.18
R1/F03	W1/F03	Unknown		-117.5066855	23	64	23	60	0	4	0.00	6.25
R1/F03	W2/F03	Unknown		-117.5066855	23	64	23	59	0	5	0.00	7.81
R1/F03	W3/F03	Unknown		-117.5066855	23	64	23	59	0	5	0.00	7.81
R1/F03	W4/F03	Unknown		-27.40512641	2	18	2	12	0	6	0.00	33.33
APSH-10766-M011-Exis V PropIR34+Cmltv_Habs only.xlsx					08/06/2017		4					

Room	Window	Room Use	Flat Number	Orientation	Existing		Window Proposed		Winter Loss	Annual Loss	Winter %Loss	Annual %Loss
					Winter APSH	Annual APSH	Winter APSH	Annual APSH				
R1/F04	W1/F04	Unknown		-117.5066855	23	64	23	61	0	3	0.00	4.69
R1/F04	W2/F04	Unknown		-117.5066855	23	64	23	61	0	3	0.00	4.69
R1/F04	W3/F04	Unknown		-117.5066855	23	64	23	61	0	3	0.00	4.69
R1/F04	W4/F04	Unknown		-27.40512641	2	18	2	15	0	3	0.00	16.67
51 CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-162.9054714	23	76	9	61	14	15	60.87	19.74
R1/F02	W1/F02	Unknown		-162.9054714	26	82	12	68	14	14	53.85	17.07
52 CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-162.9054714	25	80	10	63	15	17	60.00	21.25
R1/F02	W1/F02	Unknown		-162.9054714	28	83	15	69	13	14	46.43	16.87
52A CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-163.2436548	26	80	10	63	16	17	61.54	21.25
R1/F02	W1/F02	Unknown		-162.9054714	28	82	14	67	14	15	50.00	18.29
55 CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-163.2436548	28	83	8	62	20	21	71.43	25.30
R1/F01	W2/F01	Unknown		-162.9054714	28	83	8	62	20	21	71.43	25.30
R1/F02	W1/F02	Unknown		-162.9054714	29	85	14	70	15	15	51.72	17.65
R1/F02	W2/F02	Unknown		-162.9054714	29	85	12	68	17	17	58.62	20.00
57A CHALK FARM ROAD												
R1/F01	W1/F01	Unknown		-160.3241814	28	84	11	67	17	17	60.71	20.24
R1/F01	W2/F01	Unknown		-160.3241814	28	84	11	67	17	17	60.71	20.24
R1/F02	W1/F02	Unknown		-160.3241814	30	86	16	72	14	14	46.67	16.28
R1/F02	W2/F02	Unknown		-160.3241814	30	86	17	73	13	13	43.33	15.12
R1/F02	W3/F02	Unknown		-160.3241814	30	86	17	73	13	13	43.33	15.12