


# **LEGEND** External Finishes - The Yard - Ground Floor Level

- T1** : Granite Stone Sett Paving various rotation. Lengths between 100-250mm Width x 100 Depth. 24% Stirling Red/Grey (availability of Stirling red TBC by quarry). 38% Millennium Green, 38% Sea Black 10mm joints 40mm bed
- T2** : Sea black setts. The setting-out of the setts within the perimeter of the fan is indicative and should be developed with the paving subcontractor along traditional laying techniques.  
**SEE DRAWING (90)-5003 FOR TYPICAL 'FAN' PAVING LAYOUTS TYP 1,2,3**
- T3** : Lightly Sawn and Textured Granite Setts - Source from site. Lengths between 100-250mm x 80-125mm Width x APPROX. 100 Depth Sawn + Textured (Tolerance +/- 2mm). (sizes will be limited to available existing sett sizes & numbers.)
- T5** : Rough Reclaimed Granite Setts - Source from site. Lengths between 100-250mm x 80-125mm Width x Approx 100 Depth Reclaimed, cleaned + laid with no finish. (sizes will be limited to available existing sett sizes & numbers.)
- T7** : Sea black paving zone to mark original ECD Viaduct footprint. Two rows border around periphery
- T8** : Tactile Granite Corduroy Paving of milled granite to match surrounding paving (Sea black). 800mm Length x 400mm Width x 50mm depth
- T9** : Single line of new granite setts threshold. 100x100 Width x 100 Depth. Colour to match T1.
- T9B** : Triple line of new granite setts threshold. 100x100 Width x 100 Depth. Colour to match T1.
- Slot Drain - C250**
- Slot Drain - D400**
- Concrete encasing for Slot Drain**
- Concrete encasing for Slot Drain**  
**CF: Compressible filler**
- MJ: Expansion joint in paving**  
See Structural Engineers Details
- Fall lines shown indicatively, slopes to be executed with soft blends, no setts to be cut
- SOP** Setting out position for paving finish

Continuation on drawing (90)-400509



Continuation on drawing (90)-400306

Continuation on drawing (90)-400305

DO NOT SCALE FROM THIS DRAWING - ALL DIMENSIONS TO BE CHECKED ON SITE

TO BE READ IN CONJUNCTION WITH ALL ARCH DETAILS & SPECIFICATIONS


## **NOTES:**

- This drawing shows design intent only & is subject to detailed design specialists.
  - Figured dimensions only are to be taken from this drawing. All contractors must visit site & are responsible for taking & checking all dimensions relating to their work. BAM Design to be advised of any variation between drawings & site conditions.
  - All vertical dimensions to be taken from FFL, please note that all manufacturing schedules are to take this into account.
  - All dimensions are in millimetres unless noted otherwise.
  - All levels in meters unless noted otherwise.
- To be read in conjunction with -
- ARUP drawings for structural frame, openings, supports

## **NOTES:**

- General**
- Material finishes all to approved samples
  - Areas stated are approximate for pricing exercise only and are total area of BAMC scope of works boundary as indicated on drawing 4389-A-20-001
  - Existing services covers in new / re-installed paving to be re-aligned with paving where possible - individual covers to be reviewed on site
- To be read in conjunction with -
- ARUP Structural Engineers drawings for sub base information
  - ARUP / PBA drawings for drainage layouts
  - BAMC Electrical Engineers drawings for services, lighting layouts
  - BAMC for waterproofing details (23 - Series)
  - Miller Druck for paving finishes / cut patterns
  - PBA - Drainage levels

## **KEY PLAN**



BAM Design Ltd  
An operating company of  
BAM Contract UK Ltd

Architect  
Interior Design  
3D Visualisation  
Feasibility Studies  
Structural Engineering  
Groundwater Services  
Building Information Modelling

Carlisle Business Park  
Carlisle View, 20th Floor  
Hartlepool, AL1 2TD  
01777 860000  
design@bam.co.uk  
www.bam.co.uk

project COAL DROPS YARD

External Paving Layout - The  
Yard - L00 Yard Level - Sheet 10

As indicated @ A1  
03/08/16  
KXC-M0- 001-BD4389-A-(90)-400510 002

CONSTRUCTION

drawn RS  
checked MVB  
date 03/08/16  
scale 1:500


4389

002

002	TM	DW	26.05.17	Updated as per BAMC comments
Rev	To	Drawn	Date	Description

LEGEND  
External Finishes - LSS - Ground Floor Level

- T1 : Granite Stone Sett Paving various rotation. Lengths between 100-250mm Width x 100 Depth. 24% Stirling Red/Grey (availability of Stirling red TBC by quarry). 38% Millennium Green, 38% Sea Black 10mm joints 40mm bed
- T5 : Rough Reclaimed Granite Setts - Source from site Lengths between 100-250mm x 80-125mm Width x Approx 100 Depth Reclaimed, cleaned + laid with no finish. (sizes will be limited to available existing sett sizes & numbers.)
- T8 : Tactile Granite Corduroy Paving of milled granite to match surrounding paving (Sea black). 800mm Length x 400mm Width x 50mm depth
- T9 : Single line of new granite setts threshold 100x100 Width x 100 Depth Colour to match T1.
- Slot Drain - C250
- Slot Drain - C250
- Concrete encasing for Slot Drain
- Concrete encasing for Slot Drain
- CF: Compressible filler
- MJ: Expansion joint in paving See Structural Engineers Details
- SOP Setting out position for paving finish



DO NOT SCALE FROM THIS DRAWING - ALL DIMENSIONS TO BE CHECKED ON SITE

TO BE READ IN CONJUNCTION WITH ALL ARCH DETAILS & SPECIFICATIONS


NOTES:

- This drawing shows design intent only & is subject to detailed design specialists.
  - Figured dimensions only are to be taken from this drawing. All contractors must visit site & are responsible for taking & checking all dimensions relating to their work. BAM Design to be advised of any variation between drawings & site conditions.
  - All vertical dimensions to be taken from FFL, please note that all manufacturing schedules are to take this into account.
  - All dimensions are in millimetres unless noted otherwise.
  - All levels in meters unless noted otherwise.
- To be read in conjunction with -
- ARUP drawings for structural frame, openings, supports

NOTES:

- General -
- Material finishes all to approved samples
  - Areas stated are approximate for pricing exercise only and are total area of BAMC scope of works boundary as indicated on drawing 4389-A-20-001
  - Existing services covers in new / re-installed paving to be re-aligned with paving where possible - individual covers to be reviewed on site
- To be read in conjunction with -
- ARUP Structural Engineers drawings for sub base information
  - ARUP / PBA drawings for drainage layouts
  - BAMC Electrical Engineers drawings for services, lighting layouts
  - BAMC for waterproofing details (23 - Series)
  - Miler Druck for paving finishes / cut patterns
  - PBA - Drainage levels

KEY PLAN



PROJECT COAL DROPS YARD

External Paving Layout - M3  
LSS - L00 Yard Level - Sheet 01

As indicated @ A1  
date 02/18/16  
drawn SS  
checked MHB  
revision 4389  
S4

003 TM DW 26.05.17 Changed T8 to T9 paving, updated orientation of gates  
002 TM DW 03.05.17 Updated as per BAMC comments  
001 RS DW 17.02.17 Construction Issue



**LEGEND**  
**External Finishes - LSS - Ground Floor Level**

**T1** : Granite Stone Sett Paving various rotation. Lengths between 100-250mm Width x 100 Depth. 24% Stirling Red/Grey (availability of Stirling red TBC by quarry), 38% Millennium Green, 38% Sea Black 10mm joints 40mm bed

**T5** : Rough Reclaimed Granite Setts - Source from site Lengths between 100-250mm x 80-125mm Width x Approx 100 Depth Reclaimed, cleaned + laid with no finish. (sizes will be limited to available existing sett sizes & numbers.)

**T8** : Tactile Granite Corduroy Paving of milled granite to match surrounding paving (Sea black). 800mm Length x 400mm Width x 50mm depth

**T9** : Single line of new granite setts threshold 100x100 Width x 100 Depth Colour to match T1.


**Slot Drain - C250**

**Concrete encasing for Slot Drain**

**CF: Compressible filler**

**MJ: Expansion joint in paving**  
See Structural Engineers Details

**SOP** Setting out position for paving finish



DO NOT SCALE FROM THIS DRAWING - ALL DIMENSIONS TO BE CHECKED ON SITE

**NOTES:**


- This drawing shows design intent only & is subject to detailed design specialists.
  - Figured dimensions only are to be taken from this drawing. All contractors must visit site & are responsible for taking & checking all dimensions relating to their work. BAM Design to be advised of any variation between drawings & site conditions.
  - All vertical dimensions to be taken from FFL, please note that all manufacturing schedules are to take this into account.
  - All dimensions are in millimetres unless noted otherwise.
  - All levels in meters unless noted otherwise.
- To be read in conjunction with -  
ARUP drawings for structural frame, openings, supports

TO BE READ IN CONJUNCTION WITH ALL ARCH DETAILS & SPECIFICATIONS

**NOTES:**

- General -**
- Material finishes all to approved samples
  - Areas stated are approximate for pricing exercise only and are total area of BAMC scope of works boundary as indicated on drawing 4389-A-20-001
  - Existing services covers in new / re-installed paving to be re-aligned with paving where possible - individual covers to be reviewed on site
- To be read in conjunction with -**
- ARUP Structural Engineers drawings for sub base information
  - ARUP / PBA drawings for drainage layouts
  - BAMC Electrical Engineers drawings for services, lighting layouts
  - BAMC for waterproofing details (23 - Series)
  - Miller Drunk for paving finishes / cut patterns
  - PBA - Drainage levels

**KEY PLAN**



003	TM	DW	26.05.17	Changed T98 to T99 paving, updated orientation at gates
002	TM	DW	03.05.17	Updated as per BAMC comments
001	RS	DW	17.02.17	Construction Issue



BAM Design Ltd  
An operating company of  
BAM Contract UK Ltd  
Architectural  
Interior Design  
3D Visualisation  
Feasibility Studies  
Structural Engineering  
Civil Engineering  
Building Information Modelling



project COAL DROPS YARD

External Paving Layout - M3  
LSS - L00 Yard Level - Sheet 02

As indicated @ A1  
date 11/06/15  
KXC-M3- 001-BD4389-A-(90)-400302 003

drawn SS  
checked MWB  
date 11/06/15  
KXC-M3- 001-BD4389-A-(90)-400302 003

purpose of issue  
CONSTRUCTION  
S4

**LEGEND**  
**External Finishes - LSS - Ground Floor Level**

**T1** : Granite Stone Sett Paving various rotation. Lengths between 100-250mm Width x 100 Depth. 24% Stirling Red/Grey (availability of Stirling red TBC by quarry). 38% Millennium Green, 38% Sea Black 10mm joints 40mm bed


**T5** : Rough Reclaimed Granite Setts - Source from site Lengths between 100-250mm x 80-125mm Width x Approx 100 Depth Reclaimed, cleaned + laid with no finish (sizes will be limited to available existing sett sizes & numbers.)

**T8** : Tactile Granite Corduroy Paving of milled granite to match surrounding paving (Sea black). 800mm Length x 400mm Width x 50mm depth

**T9** : Single line of new granite setts threshold 100x100 Width x 100 Depth Colour to match T1.

Slot Drain - C250  
Slot Drain - C250  
Concrete encasing for Slot Drain  
Concrete encasing for Slot Drain  
CF: Compressible filler  
MJ: Expansion joint in paving See Structural Engineers Details  
SOP Setting out position for paving finish

DO NOT SCALE FROM THIS DRAWING.  
ALL DIMENSIONS TO BE CHECKED ON SITE.  
FOR REFERENCED VIEWS REFER TO  
SERIES OF DRAWINGS



DO NOT SCALE FROM THIS DRAWING - ALL DIMENSIONS TO BE CHECKED ON SITE

TO BE READ IN CONJUNCTION WITH ALL ARCH DETAILS & SPECIFICATIONS


**NOTES:**

- This drawing shows design intent only & is subject to detailed design specialists.
  - Figured dimensions only are to be taken from this drawing. All contractors must visit site & are responsible for taking & checking all dimensions relating to their work. BAM Design to be advised of any variation between drawings & site conditions.
  - All vertical dimensions to be taken from FFL, please note that all manufacturing schedules are to take this into account.
  - All dimensions are in millimetres unless noted otherwise.
  - All levels in meters unless noted otherwise.
- To be read in conjunction with -  
ARUP drawings for structural frame, openings, supports

**NOTES:**

- General -**
- Material finishes all to approved samples
  - Areas stated are appropriate for pricing exercise only and are total area of BAMC scope of works boundary as indicated on drawing 4389-A-20-001
  - Existing services covers in new / re-instated paving to be re-aligned with paving where possible - individual covers to be reviewed on site
- To be read in conjunction with -
- ARUP Structural Engineers drawings for sub base information
  - ARUP / PBA drawings for drainage layouts
  - BAMC Electrical Engineers drawings for services, lighting layouts
  - BAMC for waterproofing details (23 - Series)
  - Miller Drucks for paving finishes / cut patterns
  - PBA - Drainage levels

**KEY PLAN**



003	TM	DW	26.05.17	Changed T10 to T9 paving, updated orientation at gates
002	TM	DW	03.05.17	Updated as per BAMC comments
001	RS	DW	17.02.17	Construction Issue
Rev No Date Description				



BAM Design Ltd  
An equal opportunity company of  
BAM Contract UK Ltd

Architect  
Interior Design  
3D Visualisation  
Feasibility Studies  
Structural Engineering  
Civil Engineering  
Building Information Modelling

Carlton Business Park  
Coffin Lane, St Albans  
Hertfordshire, AL1 1TD  
01777 860000  
design@bam.co.uk  
www.bam.co.uk



project COAL DROPS YARD

External Paving Layout - M3  
LSS - L00 Yard Level - Sheet 03

As indicated @ A1  
03/08/16  
KXC-M3- 001-BD4389-A-(90)-400303

drawn RS  
checked MRB  
4389

Rev 03/08/16  
S4



**LEGEND**  
**External Finishes - LSS - Ground Floor Level**

T1 : Granite Stone Sett Paving various rotation. Lengths between 100-250mm Width x 100 Depth. 24% Stirling Red/Grey (availability of Stirling red TBC by quarry) .38% Millennium Green, 38% Sea Black 10mm joints 40mm bed

T5 : Rough Reclaimed Granite Setts - Source from site Lengths between 100-250mm x 80-125mm Width x Approx 100 Depth Reclaimed, cleaned + laid with no finish. (sizes will be limited to available existing sett sizes & numbers.)

T8 : Tactile Granite Corduroy Paving of milled granite to match surrounding paving (Sea black). 800mm Length x 400mm Width x 50mm depth

T9 : Single line of new granite setts threshold 100x100 Width x 100 Depth Colour to match T1.


Slot Drain - C250

Concrete encasing for Slot Drain

CF: Compressible filler

MJ: Expansion joint in paving See Structural Engineers Details

SOP Setting out position for paving finish



DO NOT SCALE FROM THIS DRAWING - ALL DIMENSIONS TO BE CHECKED ON SITE

**NOTES:**


- This drawing shows design intent only & is subject to detailed design specialists.
  - Figured dimensions only are to be taken from this drawing. All contractors must visit site & are responsible for taking & checking all dimensions relating to their work. BAM Design to be advised of any variation between drawings & site conditions.
  - All vertical dimensions to be taken from FFL, please note that all manufacturing schedules are to take this into account.
  - All dimensions are in millimetres unless noted otherwise.
  - All levels in meters unless noted otherwise.
- To be read in conjunction with -  
ARUP drawings for structural frame, openings, supports

TO BE READ IN CONJUNCTION WITH ALL ARCH DETAILS & SPECIFICATIONS

**NOTES:**

- General -**
- Material finishes all to approved samples
  - Areas stated are approximate for pricing exercise only and are total area of BAMC scope of works boundary as indicated on drawing 4380-A-20-001
  - Existing services covers in new / re-installed paving to be re-aligned with paving where possible - individual covers to be reviewed on site
- To be read in conjunction with -**
- ARUP Structural Engineers drawings for sub base information
  - ARUP / PBA drawings for drainage layouts
  - BAMC Electrical Engineers drawings for services, lighting layouts
  - BAMC for waterproofing details (23 - Series)
  - Miller Druck for paving finishes / cut patterns
  - PBA - Drainage levels

**KEY PLAN**



003	TM	DW	26.05.17	Changed T8 to T9 paving, updated orientation of gates
002	TM	DW	03.05.17	Updated as per BAMC comments
001	RS	DW	17.02.17	Construction Issue
Rev				
1	by	RS	20/02/17	Construction







BAM Design Ltd  
An operating company of  
BAM Contract UK Ltd  
Architectural  
Interior Design  
3D Visualisation  
Feasibility Studies  
Structural Engineering  
Groundwater Services  
Building Information Modelling








project COAL DROPS YARD

External Paving Layout - M3  
LSS - L00 Yard Level - Sheet 04

As indicated @ A1  
03/08/16  
drawn RS  
checked MHB  
date 03/08/16  
sheet 4389  
revision S4  
project KXC-M3- 001-BD4389-A-(90)-400304  
sheet 003

**External Finishes - LSS - Ground Floor Level**

- |   |   |
|---|---|
|  | <p><b>T1:</b> Granite Stone Set Paving various rotation. Lengths between 100-250mm Width x 100-250mm Depth. 24% Stirling Red/Grey (availability of Stirling red TBC by quarry), 38% Millennium Green, 38% Sea Black 10mm joints 40mm bed</p>                  |
|  | <p><b>T5:</b> Rough Recycled Granite Setts - Source from site<br/>Lengths between 100-250mm x 80-125mm Width x Approx 100 Depth<br/>Reclaimed, cleaned + laid with no finish.<br/>(sizes will be limited to available existing sett sizes &amp; numbers.)</p> |
|  | <p><b>T8:</b> Tactile Granite Corduroy Paving of milled granite to match surrounding paving (Sea Black), 800mm Length x 400mm Width x 50mm depth</p>  |
|  | <p><b>T9:</b> Single line of new granite setts threshold<br/>100x100 Width x 100 Depth<br/>Colour to match T1.</p>  |

-  Slot Drain - C250
-  Slot Drain - C250
-  Concrete encasing for Slot Drain
-  Concrete encasing for Slot Drain
-  CF: Compressible filler
-  MJ: Expansion joint in paving  
See Structural Engineers Details
-  SOP Setting out position for paving finish

 SOP Setting out position for paving finish

DO NOT SCALE FROM THIS DRAWING.

ALL DIMENSIONS TO BE CHECKED ON SITE.

FOR REFERENCED VIEWS REFER TO SERIES OF DRAWINGS KXC- M3- 001- A- ((90))

Continuation on drawing (90)-400510

Continuation on drawing (90)-400306

Continuation on drawing (90)-400304

DO NOT SCALE FROM THIS DRAWING - ALL DIMENSIONS TO BE CHECKED ON SITE

TO BE READ IN CONJUNCTION WITH ALL ARCH DETAILS & SPECIFICATIONS

1. This drawing shows design intent only & is subject to detailed design specialists.
2. Fiqured dimensions only are to be taken from this drawing. All contractors must visit site & are responsible for taking & checking all dimensions relating to their work. BAM Design to be advised of any variation between drawings & site conditions.
3. Vertical dimensions to be taken from FFL, please note that all manufacturing schedules are to take this into account.
4. All dimensions are in millimetres unless noted otherwise.
5. All levels in meters unless noted otherwise.

**To be read in conjunction with -**  
ARUP drawings for structural frame, openings, supports

- **General -**
  - Material finishes all to approved samples
  - Areas stated are approximate for pricing exercise only and are total area of BAMC scope of works boundary as indicated on drawing 4389-A-20-001
  - Existing services covered in new / re-instated paving to be re-aligned with paving where possible - individual covers to be reviewed on site
- **To be read in conjunction with -**
  - ARUP Structural Engineers drawings for sub base information
  - ARUP / PBA drawings for drainage layouts
  - BAMO Electrical Engineers drawings for services, lighting layouts
  - BAMO for waterproofing details (23 - Sealing)
  - Miller Druck for paving finishes / cut patterns
  - PBA - Drainage levels

A technical drawing of a roof section. A red dashed box highlights a specific area on the roof surface, likely indicating the location of the roof drain or a specific construction detail.



 **bam**

**BAM Design Ltd**  
An operating company of  
BAM Construct UK

Architecture  
Interior Design  
3D Visualisation  
Feasibility Studies  
Structural Engineering  
Environmental Services  
Building Information Systems

Centrium Business  
Griffith Way, St Albans  
Hertfordshire, AL1 1AB

01727 694200  
design@bam.co.uk

| project COAL DROPS YARD

External Paving Layout - M3  
LSS - L00 Yard Level - Sheet

purpose of issue

## CONSTRUCTION












scale	As indicated @ A1	drawn	RS	RAM job no.	dry status
date	03/08/16	checked	MWB	4389	S4
site	glitification project	Consultant	Role	CI/SFB	Content
dry / doc ref.	KYC-M3- 001-BD4389-A-	(90)-400305	003		

003	TM	DW	26.05.17	Changed T9B to T9 paving, updated orientation at gates
002	TM	DW	03.05.17	Updated as per BAMC comments
001	RS	DW	17.02.17	Construction Issue



## LEGEND

### External Finishes - LSS - Ground Floor Level








	<b>T1 :</b> Granite Stone Setts Paving various rotation. Lengths between 100-250mm Width x 100 Depth. 24% Stirling Red/Grey (availability of Stirling Red TBC by quarry). 38% Millennium Green, 38% Sea Black 10mm joints 40mm bed	 Slot Drain - C250
		 Slot Drain - C250
	<b>T5 :</b> Rough Reclaimed Granite Setts - Source from site Lengths between 100-250mm x 80-125mm Width x Approx 100 Depth Reclaimed, cleaned & laid with no finish. (sizes will be limited to available existing set sizes & numbers.)	 Concrete encasing for Slot Drain
		 Concrete encasing for Slot Drain
	<b>T8 :</b> Tactile Granite Corduroy Paving of milled granite to match surrounding paving (Sea Black). 800mm Length x 400mm Width x 50mm depth	 CF: Compressible filler
		 MJ: Expansion joint in paving See Structural Engineers Details
	<b>T9 :</b> Single line of new granite setts threshold 100x100 Width x 100 Depth Colour to match T1.	 SOP Setting out position for paving finish

**T1 :** Granite Stone Set Paving varying colour. Lengths between 100-250mm Width x 100 Depth. 24% Stirling Red/Grey (availability of Stirling Red TBC by quarry) 38% Millennium Green, 38% Sea Black 10mm joints 40mm bed

**T5 :** Rough Reclaimed Granite Setts - Source from site  
Lengths between 100-250mm x 80-125mm Width x Approx 100 Depth  
Reclaimed, cleaned & laid with no finish.  
(sizes will be limited to available sett sizes & numbers.)

**T8 :** Tactile Granite Corduroy Paving of milled granite to match surrounding paving (Sea Black). 800mm Length x 400mm Width x 50mm depth


**T9 :** Single line of new granite setts threshold  
100x100 Width x 100 Depth  
Colour to match T1.

-  Slot Drain - C250
-  Slot Drain - C250
-  Concrete encasing for Slot Drain
-  Concrete encasing for Slot Drain
-  CF: Compressible filler
-  MJ: Expansion joint in paving  
See Structural Engineers Details
-  SOP Setting out position for paving finish

DO NOT SCALE FROM THIS DRAWING.

ALL DIMENSIONS TO BE CHECKED ON SITE.

FOR REFERENCED VIEWS REFER TO KXC- M3- 001- A- ((90))  
SERIES OF DRAWINGS



1. This drawing shows design intent only & is subject to detailed design specialists.
2. Further dimensions are to be taken from this drawing. All contractors must visit site & are responsible for taking & checking all dimensions relating to their work. BAM Design to be advised of any variation between drawings & site conditions.
3. All vertical dimensions to be taken from FFL, please note that all manufacturing schedules are to take this into account.
4. All dimensions are in millimetres unless noted otherwise.
5. All levels in meters unless noted otherwise.

**To be read in conjunction with -**  
ARUP drawings for structural frame, openings, supports

- **General -**
- Material finishes all to approved samples
- Areas stated are approximate for pricing exercise only and are total area of BAMC scope of works boundary as indicated on drawing 4389-A-20-001
- Existing services covers in new / re-instated paving to be re-aligned with paving where possible - individual covers to be reviewed on site
- To be read in conjunction with -**
- ARUP Structural Engineers drawings for sub base information
- ARUP / PBA drawings for drainage layouts
- BAMD Electrical Engineers drawings for services, lighting layouts
- BAMD for waterproofing details (23 - Series)
- Miller Druck for paving finishes / cut patterns
- PBA - Drainage levels



**BAM Design Ltd**  
An operating company of  
BAM Construct UK Ltd

Architecture  
Interior Design  
3D Visualisation  
Feasibility Studies  
Structural Engineering  
Environmental Services  
Building Information Modelling

date / data rec.	site	plot/location	project	Consultant	Role	CI/SFB	Content	rev.
------------------	------	---------------	---------	------------	------	--------	---------	------

003	TM	DW	26.05.17	Changed T08 to T9 paving, updated orientation at gates
002	TM	DW	03.05.17	Updated as per BAMC comments
001	RS	DW	17.02.17	Construction Issue