

Lyfthaus Quotation. Client: Coffey Architects Application: Lightwell bin lift

Client Address: EC1V

Installation Address: WC1


Customer Contact: Mr. Tomasz Romaniewicz

Lyfthaus Contact: Darren Papani Tel: 01440 731111 Email: darren@lyfthaus.co.uk

Quotation ref: DLTL46786

Date of Quotation: 7th April 2015









LS = Lift stroke, CH = Closed height, L = Length, W = Width

B1 = Fixed side, B2 = Wheel side

Diagram is for illustration purposes only. Your lift may use a double or triple scissor mechanism and include various options

Lyfthaus Quotation, Main Specification	
Type: Double Scissor Mechanism Model: TSD1500GL	
Capacity	1000Kg EDL –Goods Only
Lift Stroke (LS)	3000mm available, limited at 2370mm
Raised height (CH + LS)	2370mm when flush pit installed
Closed height (CH)	Flush with ground surface (when flush pit installed), 450mm closed height +
3 ()	50mm platform tray included for clients own surface finish
O/A Platform length (L)	2400mm
	240011111
O/A Platform width (W)	1300mm
Chiti lationii wati (vv)	1000mm
Lift time	Approx. 55 seconds
	rr
Power	Single phase 240v, 50Hz remote enclosed unit
Price	£23,500.00 inc. installation, exc. civil works
Delivery	Normally 12-14 working weeks
	, ,
Warranty	12 months parts and labour
Carriage	Included
Terms	40% with order, 50% prior to dispatch, balance 20 days subject to credit
Terms	clearance

Standard Features & Design Benefits

2

Trap prevention touch sensitive **trip bars** under the perimeter of the lift platform

Hydraulic hose break protection valves, to prevent uncontrolled platform descent

Armoured hoses to provide hose damage protection

Overload protection to ensure the specified maximum capacity only is lifted

Low voltage 24v control system to prevent injury

Water & dust resistant electrical and hydraulic systems – IP54

Micro-processor controlled for the best reliability

Mechanical props for safe & secure maintenance

Chromed, honed, air tested hydraulic cylinders complete with high pressure seals

All lifts tested to + 30% overload

Sealed for life, maintenance free bearings

Scissor arms constructed using **steel profiles** with torsion bars at points of maximum stress

Proven designs with over 100,000 lifts in operation

Solid steel pivot blocks, strength & stability

Special Application & Site Specific Features

Platform mounted barriers to platform sides B1 and L2 and interlocked outward opening gate to side B2. Designed to complement street side balustrade, exc. spearhead finials. All finished in powder coated black

Mounting of interlock to street side gate (by others)

Woven concertina mesh skirts to open sides of lift mechanism

Lower level controls

Gate release button to street side gate

Full installation to prepared site – conditions apply

Price excludes all civil works

Suitable drainage required (by others) as moisture will enter pit enclosure

Power/control cable duct required (by others) to power point

Suitable isolator required (by others)

Lyfthaus to supply civil works advice and drawing of lift prior to manufacture

Why Lyfthaus

3

All Lyfthaus lift platforms are supplied with our unique package of benefits, including:

- ✓ Peace of mind money back guarantee
- ✓ Instant support and advice
- √ 15+ years product operating life expectancy

- ✓ Guaranteed lowest cost of ownership
- ✓ Proven reliability underpinned by our nationwide service network
- ✓ In-house spares stock-holding
- ✓ Full A.L.E.M membership
- ✓ Over 40 years in the business! The industry's no. 1 experts
- ✓ In-house design department
- ✓ In-house manufacturing
- ✓ 24 hour emergency contact

Certification, Legislation & Standards

- EN1570 compliance/1999
- CE marked, issued with European Declaration of Conformity
- Edmolift is an ISO9000 accredited firm
- PUWER & LOLER compliance and advice
- Notified Body Approval as applicable

<u>Investment security:</u> In these volatile business conditions we know how important it is to have suppliers with secure, dependable financial strength. Suppliers you can rely on for years to come who are established and have had the foresight to invest in their future. Edmolift Group is a five star rated company who welcomes any financial health check. You can be assured that your scissor lift investment is in the safest hands with Edmolift.

On-going support, service, maintenance & repairs:- Your Lyfthaus will be supplied with the very best warranty in the industry and is amongst the worlds most reliable lifting products. It is however reassuring for you to know that our service department is available to offer service contracts, maintenance and repairs ensuring your compliance with your PUWER & LOLER obligations. Please contact us for further details or a contract service quotation.

Price excludes VAT. Goods are supplied in accordance with our conditions of sale which are available upon re





