

PETER BOVILL  
MONTAGU EVANS LLP  
5 BOLTON STREET LONDON W1J  
8BA

Application Ref: **2016/6472/P**  
Please ask for: **Jennifer Walsh**  
Telephone: 020 7974 3500

19 January 2017

**DRAFT**

Dear Sir/Madam

**DECISION**

Town and Country Planning Act 1990 (as amended)

**Full Planning Permission Granted**

Address:

**Basement Car Park  
20 Lamb's Conduit Street  
London  
WC1N 3LE**

**DECISION**

Proposal:

Change of use of the existing basement car park (ancillary residential Class C3) to a flexible B1/B8/D1/Gym (D2)/veterinary clinic (sui generis) use, including the installation of air conditioning plant to the existing basement lightwell.

Drawing Nos: Site Location Plan; 9116/10A; 16010-AL-0100-01 PL01; 16010-AL-0200-02 PL03; Noise Report 16/0689/R1 16th November 2016; Energy and Sustainability Statement revision C; Cover Letter dated 30th November from Montagu Evans; FIGURE 3 cad file MBSK160630.DWG; FIGURE 4 cad file MBSk160630.DWG;

The Council has considered your application and decided to grant permission subject to the following condition(s):

Condition(s) and Reason(s):

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.

Executive Director Supporting Communities



Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 All new external work shall be carried out in materials that resemble, as closely as possible, in colour and texture those of the existing building, unless otherwise specified in the approved application.

Reason: To safeguard the appearance of the premises and the character of the immediate area in accordance with the requirements of policy CS14 of the London Borough of Camden Local Development Framework Core Strategy and policy DP24 of the London Borough of Camden Local Development Framework Development Policies.

- 3 The development hereby permitted shall be carried out in accordance with the following approved plans Site Location Plan; 9116/10A; 16010-AL-0100-01 PL01; 16010-AL-0200-02 PL03; Noise Report 16/0689/R1 16th November 2016; Energy and Sustainability Statement revision C; Cover Letter dated 30th November from Montagu Evans; FIGURE 3 cad file MBSK160630.DWG; FIGURE 4 cad file MBSK160630.DWG;

Reason:

For the avoidance of doubt and in the interest of proper planning.

- 4 The uses hereby permitted shall not be carried out outside the following times 07.00 - 22.30 Mondays to Saturdays and 8.00 - 20.00 on Sundays and Bank Holidays.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies CS5 and CS7 of the London Borough of Camden Local Development Framework Core Strategy and policy DP26, DP28 of the London Borough of Camden Local Development Framework Development Policies.

- 5 No music shall be played on the premises in such a way as to be audible within any adjoining premises or on the adjoining highway.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policy CS5 of the London Borough of Camden Local Development Framework Core Strategy and policy DP26 of the London Borough of Camden Local Development Framework Development Policies.

- 6 Before the development commences, full details of a scheme for ventilation and air conditioning, including manufacturers specifications, noise levels and attenuation, shall be submitted to and approved by the Local Planning Authority in writing. The use shall not proceed other than in complete accordance with such scheme as has been approved. All such measures shall be retained and maintained in accordance with the manufacturers' recommendations.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies CS5 and CS7 of the London Borough of Camden Local Development Framework Core Strategy and policies DP12, DP26 and DP28 of the London Borough of Camden Local Development Framework Development Policies.

- 7 Noise levels at a point 1 metre external to sensitive facades shall be at least 5dB(A) less than the existing background measurement (LA90), expressed in dB(A) when all plant/equipment (or any part of it) is in operation unless the plant/equipment hereby permitted will have a noise that has a distinguishable, discrete continuous note (whine, hiss, screech, hum) and/or if there are distinct impulses (bangs, clicks, clatters, thumps), then the noise levels from that piece of plant/equipment at any sensitive façade shall be at least 10dB(A) below the LA90, expressed in dB(A).

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policy CS5 of the London Borough of Camden Local Development Framework Core Strategy and policies DP26 and DP28 of the London Borough of Camden Local Development Framework Development Policies.

- 8 No loading or unloading of goods, including fuel, by vehicles arriving at or departing from the premises shall be carried out otherwise than within the curtilage of the building.

Reason: To avoid obstruction of the surrounding streets and to safeguard amenities of adjacent premises in accordance with the requirements of policy CS11 of the London Borough of Camden Local Development Framework Core Strategy and policy DP16 of the London Borough of Camden Local Development Framework Development Policies.

- 9 Before the development commences, details of secure and covered cycle storage area for 6 cycles shall be submitted to and approved by the local planning authority. The approved facility shall thereafter be provided in its entirety prior to the first occupation of any of the new units, and permanently retained thereafter.

Reason: To ensure the development provides adequate cycle parking facilities in accordance with the requirements of policy CS11 of the London Borough of Camden Local Development Framework Core Strategy and policy DP17 of the London Borough of Camden Local Development Framework Development Policies.

- 10 Notwithstanding the provisions of Class D2 of the Schedule of the Town and Country Planning (Use Classes) Order, 1987, or any provision equivalent to that Class in any statutory instrument revoking and re-enacting that Order, the premises shall not be used as any class within class D2 with the exception of a gym if a D2 use was implemented under the scheme hereby approved.

Reason: To ensure that the future occupation of the building does not adversely affect the adjoining premises/immediate area in accordance with policy CS5 of the

London Borough of Camden Local Development Framework Core Strategy and policies DP26 and DP28 of the London Borough of Camden Local Development Framework Development Policies.

Informative(s):

- 1 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts which cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Argyle Street WC1H 8EQ, (tel: 020-7974 6941).
- 2 Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You are advised to consult the Council's Compliance and Enforcement team [Regulatory Services], Camden Town Hall, Argyle Street, WC1H 8EQ (Tel. No. 020 7974 4444 or on the website <http://www.camden.gov.uk/ccm/content/contacts/council-contacts/environment/contact-the-environmental-health-team.en> or seek prior approval under Section 61 of the Act if you anticipate any difficulty in carrying out construction other than within the hours stated above.
- 3 The Mayor of London intends to introduce a Community Infrastructure Levy (CIL) to help pay for Crossrail on 1st April 2012. Any permission granted after this time will need to pay a CIL including those submitted before April. This CIL will be collected by Camden on behalf of the Mayor of London. From April Camden will be sending out liability notices setting out how much CIL will need to be paid if an affected planning application is implemented and who will be liable. The proposed charge in Camden will be £50 per m2 on all uses except affordable housing, education, healthcare, and development by charities for their charitable purposes. You will be expected to advise us when planning permissions are implemented and we will issue a CIL demand notice setting out what monies needs to paid when and how to pay The CIL will be collected from Camden on behalf of the Mayor.
- 4 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts which cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Argyle Street WC1H 8EQ, (tel: 020-7974 6941).
- 5 You are advised that if implemented, the alternative use permission hereby granted gives flexibility of use for 10 years from the date of this permission. After 10 years the lawful use would revert to whichever of the uses is taking place at the time.
- 6 The applicants are reminded that the Freeholders consent must be obtained before

starting any works on site.

In dealing with the application, the Council has sought to work with the applicant in a positive and proactive way in accordance with paragraphs 186 and 187 of the National Planning Policy Framework.

You can find advice about your rights of appeal at:

<http://www.planningportal.gov.uk/planning/appeals/guidance/guidancecontent>

Yours faithfully

Executive Director Supporting Communities

**DRAFT**

**DECISION**