

Your Timber Windows of Hampstead & Highgate Quotation

For high performance engineered timber products

Quote Ref: 655/6 V2

Date: Thursday 22 June 2017

Quotation Prepared for: Mark Rogers
23 Langbourne Avenue
London
N6 6AJ

Scope of Project:

Replacement - Carefully remove existing items, prepare openings and supply and fit replacements. To include all making good of aperture ready for final decoration by others. All installed in full compliance with Building Regulations Document L (2010 Edition) by our trained and experienced installers.

Site Address: As quotation

Technical Specification:

All products in multi-layer Engineered European Redwood sections for added stability. Internally beaded throughout for security. Factory glazed with argon gas filled double glazed units featuring soft-coat energy saving glass. Drained and vented sections to protect against sealed unit failure. Fully factory finished with high performance, micro-porous paint treatments. Flush casement windows with high security multi-point locking systems and locking handles. Conventional Cottage Casement windows with high security multi-point locking systems and locking handles.

Item	Qty	Item Reference	Product	Style	Remarks
1	1	Reception Room Bay	Bay Window		
1	1		Conventional Flush Casement Facet T DL10		Peardrop - Polished Brass Lacquered. White Finished.
1	1		Conventional Cottage Window Facet UOne Off		Peardrop - Polished Brass Lacquered. White Finished.
1	1		Conventional Flush Casement Facet V DL9		Peardrop - Polished Brass Lacquered. White Finished.
2	1	Bedroom Front	Bay Window		
2	1		Conventional Flush Casement Facet T DL10		Peardrop - Polished Brass Lacquered. White Finished.
2	1		Conventional Cottage Window Facet UOne Off		Peardrop - Polished Brass Lacquered. White Finished.
2	1		Conventional Flush Casement Facet V DL9		Peardrop - Polished Brass Lacquered. White Finished.
3	1	Bedroom Front	Conventional Cottage Window	One Off	Peardrop - Polished Brass Lacquered. White Finished.

Prepared By:
Steve Cook
Timberwindows Hampstead & Highgate

Your Project is covered by:



Nett Price: £13,043.33
VAT (20%): £2,608.67
Total Price: £15,652.00

Valid upon registration. Ask for full details

QUOTATION VALID FOR: 14 DAYS

Lead Time:

* Approximately 11-13 weeks from Sign Off of Final Detail.

Terms:

Deposit with order: 50%
Stage payment approximately two weeks prior to installation: 40%
On day of completion to installers: 10%

Your Guarantees:



Terms & conditions apply. Full details available upon request.

Item: 1

BAY WINDOW



Quantity: 1


Style:

Item Reference: Reception Room Bay

Quote Ref: 655/6 V2

Angles:

- a 135°
- b 135°



Detailed Specification:

Item: 1

CONVENTIONAL FLUSH CASEMENT FACET T IN EUROPEAN REDWOOD


Quantity: 1

Style: DL10

Item Reference: Reception Room Bay

Quote Ref: 655/6 V2

Key Features:



Detailed Specification:

VIEWS FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	680	Head Drip	None	Swept Heads	No
Height (mm)	1900	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Window Board Required	Yes	Glazing Features	None
Transom Drop (mm)	530	Window Board Species	Engineered European Redwood	Handle	Peardrop - Polished Brass Lacquered
Transom Drip	No	Window Board Colour	White (RAL 9003)	Peg Stay Alignment	Opening end pointing to handle
Colour	White (RAL 9003)	Window Board Length (mm)	880	Lockable Peg Stay	Yes
Cill	112mm x 38mm (inc. in overall ht)	Window Board Width (mm)	195	Dummy Hinges	None
Cill Species	Engineered European Redwood			Hinge System	Pivot with Seigenia locks
Cill Horns	No				

Notes: Window to be cottage casement with period brass ironmongery to match windows we have previously installed.

Item: 1

CONVENTIONAL COTTAGE CASEMENT FACET U IN EUROPEAN REDWOOD


Quantity: 1

Style: **One Off**

Item Reference: Reception Room Bay

Quote Ref: 655/6 V2

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	2200	Head Drip	None	Swept Heads	No
Height (mm)	1900	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Window Board Required	Yes	Glazing Features	None
Transom Drop (mm)	530	Window Board Species	Engineered European Redwood	Handle	Peardrop - Polished Brass Lacquered
Transom Drip	No	Window Board Colour	White (RAL 9003)	Peg Stay Alignment	Opening end pointing to handle
Colour	White (RAL 9003)	Window Board Length (mm)	2200	Lockable Peg Stay	Yes
Cill	112mm x 38mm (inc. in overall ht)	Window Board Width (mm)	195	Dummy Hinges	None
Cill Species	Engineered European Redwood			Hinge System	Pivot with Kenrick locks
Cill Horns	No				

Notes: Window to feature period brass ironmongery to match windows previously installed.

Item: 1

CONVENTIONAL FLUSH CASEMENT FACET V IN EUROPEAN REDWOOD


Quantity: 1

Style: DL9

Item Reference: Reception Room Bay

Quote Ref: 655/6 V2

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	680	Head Drip	None	Swept Heads	No
Height (mm)	1900	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Window Board Required	Yes	Glazing Features	None
Transom Drop (mm)	530	Window Board Species	Engineered European Redwood	Handle	Peardrop - Polished Brass Lacquered
Transom Drip	No	Window Board Colour	White (RAL 9003)	Peg Stay Alignment	Opening end pointing to handle
Colour	White (RAL 9003)	Window Board Length (mm)	800	Lockable Peg Stay	Yes
Cill	112mm x 38mm (inc. in overall ht)	Window Board Width (mm)	195	Dummy Hinges	None
Cill Species	Engineered European Redwood			Hinge System	Pivot with Seigenia locks
Cill Horns	No				

Notes: Window to be cottage casement with period brass ironmongery to match windows we have previously installed.

Item: 2

BAY WINDOW



Quantity: 1

Style:


Item Reference: Bedroom Front

Quote Ref: 655/6 V2

Angles:

a 135°

b 135°



Detailed Specification:

Item: 2

CONVENTIONAL FLUSH CASEMENT FACET T IN EUROPEAN REDWOOD




Quantity: 1

Style: DL10

Item Reference: Bedroom Front

Quote Ref: 655/6 V2

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	680	Head Drip	None	Swept Heads	No
Height (mm)	1600	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Window Board Required	Yes	Glazing Features	None
Transom Drop (mm)	530	Window Board Species	Engineered European Redwood	Handle	Peardrop - Polished Brass Lacquered
Transom Drip	No	Window Board Colour	White (RAL 9003)	Peg Stay Alignment	Opening end pointing to handle
Colour	White (RAL 9003)	Window Board Length (mm)	880	Lockable Peg Stay	Yes
Cill	165mm x 38mm (inc. in overall ht)	Window Board Width (mm)	195	Dummy Hinges	None
Cill Species	Engineered European Redwood			Hinge System	Pivot with Seigenia locks
Cill Horns	100mm RH Side				

Notes: Window to be cottage casement with period brass ironmongery to match windows we have previously installed.

Item: 2

CONVENTIONAL COTTAGE CASEMENT FACET U IN EUROPEAN REDWOOD


Quantity: 1

Style: One Off

Item Reference: Bedroom Front

Quote Ref: 655/6 V2

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	2200	Head Drip	None	Swept Heads	No
Height (mm)	1600	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Window Board Required	Yes	Glazing Features	None
Transom Drop (mm)	530	Window Board Species	Engineered European Redwood	Handle	Peardrop - Polished Brass Lacquered
Transom Drip	No	Window Board Colour	White (RAL 9003)	Peg Stay Alignment	Opening end pointing to handle
Colour	White (RAL 9003)	Window Board Length (mm)	2200	Lockable Peg Stay	Yes
Cill	165mm x 38mm (inc. in overall ht)	Window Board Width (mm)	195	Dummy Hinges	None
Cill Species	Engineered European Redwood			Hinge System	Pivot with Kenrick locks
Cill Horns	No				

Notes: Window to feature period brass ironmongery to match windows previously installed.

Item: 2

CONVENTIONAL FLUSH CASEMENT FACET V IN EUROPEAN REDWOOD


Quantity: 1

Style: DL9

Item Reference: Bedroom Front

Quote Ref: 655/6 V2

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	680	Head Drip	None	Swept Heads	No
Height (mm)	1600	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Window Board Required	Yes	Glazing Features	None
Transom Drop (mm)	530	Window Board Species	Engineered European Redwood	Handle	Peardrop - Polished Brass Lacquered
Transom Drip	No	Window Board Colour	White (RAL 9003)	Peg Stay Alignment	Opening end pointing to handle
Colour	White (RAL 9003)	Window Board Length (mm)	800	Lockable Peg Stay	Yes
Cill	165mm x 38mm (inc. in overall ht)	Window Board Width (mm)	195	Dummy Hinges	None
Cill Species	Engineered European Redwood			Hinge System	Pivot with Seigenia locks
Cill Horns	100mm LH Side				

Notes: Window to be cottage casement with period brass ironmongery to match windows we have previously installed.

Item: 3

CONVENTIONAL COTTAGE CASEMENT IN EUROPEAN REDWOOD




Quantity: 1

Style: **One Off**

Item Reference: Bedroom Front

Quote Ref: 655/6 V2

Key Features:



Detailed Specification:

VIEWED FROM OUTSIDE. POINT OF ARROW DENOTES HINGE POSITION.

Width (mm)	1150	Head Drip	None	Swept Heads	No
Height (mm)	1600	Add Ons Required	No	Glass Pattern	Clear
Frame Head Size	60mm	Trickle Vents Required	No	Glass Type	4mm Annealed
Feature Mould	Ovolo	Window Board Required	Yes	Glazing Features	None
Transom Drop (mm)	530	Window Board Species	Engineered European Redwood	Handle	Peardrop - Polished Brass Lacquered
Transom Drip	No	Window Board Colour	White (RAL 9003)	Peg Stay Alignment	Opening end pointing to handle
Colour	White (RAL 9003)	Window Board Length (mm)	1350	Lockable Peg Stay	Yes
Cill	165mm x 38mm (inc. in overall ht)	Window Board Width (mm)	195	Dummy Hinges	None
Cill Species	Engineered European Redwood			Hinge System	Pivot with Kenrick locks
Cill Horns	50mm Each Side				
Factory Fit Cill	Yes				

Notes: Window to feature period brass ironmongery to match windows previously installed.