

INDEX

CLASSIC FOLDING ARM AWNING	
- Visualisation	03
- Components	04
- Typical Cross Section	05
SIGNATURE FOLDING ARM AWNING	
- Visualisation	06
- Components	07
- Cross Section	08
SQ2 FOLDING ARM AWNING	
- Visualisation	09
- Components	10
- Cross Section	11
FIXING SPECIFICATIONS	12
VALANCE OPTIONS	13
FABRIC COLOUR RANGE	14
FRAME COLOUR RANGE	16





The CLASSIC FOLDING ARM AWNING is a stable and wind-resistant entry-level awning. It is extremely flexible and can be installed in various ways to fit into all kinds of different structural situations.

The optional valance plus vertical shade is the perfect way to protect against glare or prying eyes at any time of day.



CLASSIC FOLDING ARM AWNING COMPONENTS


Maximum width:

- 1 section: 7 m

- 2 section with jockey cover: 12 m

Maximum projection: 4 m





TYPICAL CROSS SECTION

Excess Requirements





The SIGNATURE FOLDING ARM AWNING is a tried and tested classic cassette awning, available both with or without a back plate. This sturdy awning can be used in almost any situation. It has a traditional design accentuated by the front lathe and end caps.




SIGNATURE FOLDING ARM COMPONENTS


Maximum width:

- 1 section: 7 m

- 2 section with jockey cover: 12 m

Maximum projection: 4 m





TYPICAL CROSS SECTION

Excess Requirements





The 5Q2 FOLDING ARM AWNING is the most retractable of all retractable awnings, uniquely engineered to close fully into a facade leaving no trace of an awning when not in use. The awning front panel can be manufactured in a variety of finishes to fit seamlessly with any frontage.




SQ2 FOLDING ARM AWNING COMPONENTS

Maximum width: 6 m


Maximum projection: 3.5 m

Pitch from 10° to 30°



Strong lifting
arm member





TYPICAL CROSS SECTION

Technical Requirements



FIXING SPECIFICATIONS

face-fixed installation



timber



Hardwood

Fixing: Coach screw
Size: M12 x 45 mm
Depth: 50 mm (min)

Softwood

Fixing: Coach screw
Size: M12 x 60 mm
Depth: 75 mm (min)

Steel



Fixing: Hex bolt
Size: M12 x 20 mm
Depth: 8 mm (min)

Concrete/Brickwork



Fixing: Anchor bolt
Size: M12 x 100 mm
Depth: 80 mm (min)


Fascia Cladding




Fixing: Hex bolt/cladding M14
Size: M14 x 100 mm (cladding)
Depth: 200 mm (min)

VALANCE OPTIONS

Valance Styles















Cross Section










N.B. Valance is not available for SQ2 Folding Arm Airing.

FABRIC COLOURS

			
3-015	3-029	3-216	6-312
			
6-300	3-000-N	3-217	3-004
			
4-001	3-218	3-215	3-213
			
3-219	3-219	3-214	6-304
			
3-201	3-220	6-301	3-612
			
4-071	6-307	3-002	6-302
			
4-008	3-000	4-072	6-308
			
6-320	3-001	3-000-N	6-313
			
4-071	3-008	3-000-N	6-303

FABRIC COLOURS

			
6-320	6-318	6-316	6-314
			
6-307	6-314	3-377	6-325
			
6-354	6-322	3-723	3-724
			
3-887	3-904-N	6-320	6-723
			
6-317	3-887	3-721	3-674
			
6-318	3-872	3-816-N	3-828
			
3-725	3-584	3-905	
			
6-323	6-317	6-327	
			
6-315	3-586	3-625	

STANDARD FRAME COLOURS

PURE WHITE	IVORY	YELLOW ORANGE	BLACK RED	NIGHT BLUE	MOSS GREEN	BLACK GREY	LIGHT GREY	SEDRÁ BROWN
TRAFFIC WHITE	SANDY YELLOW	DEEP ORANGE	BLUE LILAC	FOGHORN BLUE	FIR GREEN	STONE GREY	QUARTZ GREY	MAHOGANY BROWN
WHITE ALUMINIUM	SIGNAL YELLOW	VERMILION	TRAFFIC PURPLE	PASTEL BLUE	BLACK GREEN	FOSSEL GREY	GREY ALUMINIUM	CHOCOLATE BROWN
CREAM	TRAFFIC YELLOW	CHERRY RED	SAVOY BLUE	WINTER BLUE	SLATE GREY	WINDOW GREY	OLIVE BROWN	GREY BROWN
LIGHT HORN	PASTEL YELLOW	MAGENTA RED	AZURE BLUE	RESEDA GREEN	ANTHRACITE GREY	NOOK GREY	CLAY BROWN	MOOR DARK BROWN
							JET BLACK	BLACK BROWN

TREND FRAME COLOURS

MT 2010707	MT 2010704	MT 2010740	MT 2010706	MT 2011280	MT 2010717	MT 2010701	MT 2010746	MT 2010747

As a result of the ban on the use of heavy metals in powder coatings, paint manufacturers can no longer guarantee colour stability despite making every effort to do so. It therefore cannot be excluded that colours in general may fade with time. For technical reasons, the colours may appear different when printed.

www.morcoawnings.co.uk

