

## Door Schedule

Date: 22.08.17  
Site: 8 Windmill Street  
Project: 178  
Revision: -

Door Number	Location	Original or of historic interest	Description of Existing Door	Existing Architrave	Existing Ironmongery	Proposed Alterations	Fire resistance.	Ironmongery	Drawing Reference
DR.01	Ground floor shop door	No	Painted timber and glass door	Painted architrave	Chrome letter plate and numeral	No proposed alterations	N/A	N/A	N/A
DR.02	Ground floor front door	Not believed to be original but in a period style	Replica 6 panel door with back of door concealed with blank panel.	Painted architrave	Chrome letter plate and numeral	No proposed alterations	N/A	N/A	N/A
DR.03	Ground floor to rear	Yes	4 panel painted timber door with uper panel partially covered with wood boarding.	Painted architrave	Surface mounted mortise lock	No proposed alterations	N/A	N/A	N/A
DR.04	Ground floor to shop	No	Door Blank with no door handels and no door jamb.	Painted architrave	None	Replace door with new door blank to current FD30 standards.	FDS30	New hinges, locks and door knob.	178-703
DR.05	Ground floor half landing	No	Two leaf door with glass panel upper half	Painted architrave	Door handle and lock.	No proposed alterations	N/A	N/A	N/A
DR.11	First floor landing	No	Painted solid door blank	Painted architrave	Door handle and mortise locks	Replace door with new door blank to current FD30 standards.	FDS30	New hinges, locks and door knob.	178-703
DR.21	Second floor landing	Y	Painted solid door blank	Painted architrave	Door handle and mortise locks	Replace door with new door blank to current FD30 standards.	FDS30	New hinges, locks and door knob.	178-703
DR.22	Second floor Kitchen	No	Non historic 4 Panel door not fire rated with upper panels glass.	Painted architrave	Chrome door lever	Replace door with new 4 panel solid painted timber door. To be fully FDS30.	FDS30	New hinges, locks and door knob.	178-703
DR.23	Second floor bathroom	No	Non historic 4 Panel door not fire rated with upper panels glass.	Painted architrave	Chrome door lever	Replace door with new 4 panel solid painted timber door. To be fully FDS30.	FDS30	New hinges, locks and door knob.	178-703
DR.24	Second floor Living room	No	No door current existings. New door proposed as part of works.	N/A. New will be painted architrave	N/A	New 4 panel solid painted timber door. To be fully FDS30.	FDS30	New hinges, locks and door knob.	178-703
DR.31	Third Floor Bedroom 1	N	Solid painted timber 4 panel door.	Painted architrave	Steel door knob and hinges.	Replace door with new 4 panel solid painted timber door. To be fully FDS30.	FDS30	New hinges, locks and door knob.	178-703
DR.32	Third Floor Bedroom 1	N	Solid painted timber 4 panel door.	Painted architrave	Steel door knob and hinges.	No proposed alterations	N/A	N/A	N/A
DR.33	Third Floor Bedroom 2	N	Solid painted timber 4 panel door.	Painted architrave	Steel door knob and hinges.	Replace door with new 4 panel solid painted timber door. To be fully FDS30.	FDS30	New hinges, locks and door knob.	178-703
DR.34	Third Floor Bedroom 3	N	Solid painted timber 4 panel door.	Painted architrave	Steel door knob and hinges.	Replace door with new 4 panel solid painted timber door. To be fully FDS30.	FDS30	New hinges, locks and door knob.	178-703