



- GENERAL KEY**
- Assumed existing drainage run.
 - Proposed drainage.
 - svp Soil Vent Pipe (ex indicates existing)
 - rwp Rainwater Pipe (ex indicates existing)
 - rp Rodding access point
 - tg Trapped gully
 - Radiator, ref: Stelrad, Planar, to be sized by the plumber to suit the BTU requirements. TRV, ref: Drayton, TRV4 white. Bathroom heated towel rails as per drawing [000.xxx]
 - Existing radiator to be retained
 - TH Thermostat, ref: to suit manufacturer's system, electronic, location shown indicatively, exact location to be agreed with architect
 - UFH, ref: zones shown indicatively, to be agreed through manufacturer design, contractor to allow for different floor build-ups throughout, manufacturer layout drawings and calculations to be submitted for architect comments prior to order and installation, supplier to guarantee performance meets specific design criteria of property and works, incl. all relevant Approved Document. Allow for 6 zones
 - MAN Manifold, ref: to suit manufacturer's system, location shown indicatively, exact location to be agreed with architect
 - Water Softener
 - direction of fall

- WATERPROOFING KEY**
- Cavity drainage below ground system, slab to be laid to falls, to be designed and installed by waterproofing specialist
 - Surface water pipework (below ground)
 - Foul water pipework (below ground)
 - Sumps and pumps, to be designed and installed by waterproofing specialist
 - cavity drainage system membrane, to be designed and installed by waterproofing specialist

Refer to Drawings:
 700.330 for drainage notes
 700.310 for general specification
 700.311 for finishes schedule

Proposed Services GF
 59 Solent Road, NW6 1TY

Drawn By SU
 Scale 1:50 @ A3
 Status TENDER

Paul Archer Design Ltd

Issue	Notes	Date
	700.520 for window & door schedule 700.500 for wall build ups	

700.332

paul archer
design

www.paularcherdesign.co.uk

