



**KEY:**

- 1 = Reduc Micro 21 (21mm)
- 2 = Communal areas carpet (6mm) with aluminium trim at exposed edges
- 3 = Chamfered & pelleted hardwood threshold (scribed between existing linings & stops) - thickness dependant on height of adjoining flooring
- 4 = Carpet underlay (6mm)
- 5 = Carpet (12mm)
- 6 = Door
- 7 = WBP ply (6mm)
- 8 = Sheet vinyl (3mm)
- 9 = Coir entrance matting (17mm)

**IMPORTANT - MAXIMUM THRESHOLD GAP FOR ENTRANCE DOOR IS NOT TO EXCEED 3mm (ELSEWHERE THE GAP SHOULD NOT EXCEED 10mm)**

Rev B - 07/07/2017 - threshold clearance dimensions added

	PROJECT 5 ARCHITECTURE LLP 8 Waterson Street London E2 8HL T: +44 (0)20 7739 9131 F: +44 (0)20 7739 3687 E: info@p5a.co.uk	job title <b>FREDERICK STREET PORTFOLIO</b>	scale 1:2 @ A3	drawn SA	drawing no. <b>6214-FAC-D204B</b>
	drawing <b>FLOORING / HARDWOOD THRESHOLD DETAILS</b>	date MARCH 2017	checked PS		