



Key Plan

- All dimensions to be checked on site.
- Do not scale from this drawing
- Report any discrepancies and omissions to Llewelyn Davies Weeks Ltd
- All dimensions are shown in mm unless otherwise stated
- Refer to drawing issue sheet for purpose of issue
- If in doubt ask
- This drawing is Copyright © Llewelyn Davies Weeks Ltd

Notes

Secondary framing for ductwork will be designed by Bigfoot Systems or similar approved, and therefore is not shown on this drawing.

All roof plant to be grey powder coated unless noted otherwise.

LEGEND:

XXXX Cross-hatch denotes extent of acoustic screens referred to in Temple Group Noise Assessment Report consisting of:
New powder coated metal framed min. 5mm thick glazed toughened glass outer acoustic screen to match colour of existing awning and cladding.
Where screens cross over roofing between parapets min. 3mm thick glazed acrylic to be used in lieu of toughened glass for ease of site cutting.
On noise source side of screen 50mm thick Quietstone or similar approved absorbent fire resisting weatherproof lining to be fitted to back of outer screen leaving no air gaps.

P1 For Planning Authority 30.05.17 YC
No. Description Date By
Revisions

Structural Consultant Services Consultant
N **AECOM** ition only ARUP
Project Manager Cost Consultant
Buroton

Project Title
The Roger Williams Building
69-75 Chenies Mews, London
WC1E 6HX

Client
University College London
Hospitals Charity (UCLHC)

Drawing Title
Non Material Amendments
Proposed Section A-A

Drawing number Revision
CM_NMA_S_AA P1

Scale @ A3 Drawn
1:25 YC

Date
30.05.2017

Architect
LLEWELYN DAVIES
3rd Floor 1-54 Rathbone Place London E1 1WT UK
T +44(0)20 7607 7000 E london@lwdavies.com
www.lwdavies.com