

- Key Plan
- All dimensions to be checked on site.
 - Do not scale from this drawing
 - Report any discrepancies and omissions to Llewelyn Davies Weeks Ltd
 - All dimensions are shown in mm unless otherwise stated
 - Refer to drawing issue sheet for purpose of issue
 - If in doubt ask
 - This drawing is Copyright © Llewelyn Davies Weeks Ltd

Notes


Secondary framing for ductwork will be designed by Bigfoot Systems or similar approved, and therefore is not shown on this drawing.

All roof plant to be grey powder coated unless noted otherwise.

LEGEND:

XXXX Cross-hatch denotes extent of acoustic screens referred to in Temple Group Noise Assessment Report consisting of:
New powder coated metal framed min. 5mm thick glazed toughened glass outer acoustic screen to match colour of existing awning and cladding.
Where screens cross over roofing between parapets min. 3mm thick glazed acrylic to be used in lieu of toughened glass for ease of site cutting.
On noise source side of screen 50mm thick Quietstone or similar approved absorbent fire resisting weatherproof lining to be fitted to back of outer screen leaving no air gaps.

| | | | |
|-----------|------------------------|----------|----|
| P1 | For Planning Authority | 30.05.17 | YC |
| No. | Description | Date | By |
| Revisions | | | |

| | |
|-----------------------|---|
| Structural Consultant | Services Consultant |
| AECOM | ARUP |
| Project Manager | Cost Consultant |
| |  |

Project Title

The Roger Williams Building
69-75 Chenies Mews, London
WC1E 6HX

Client

University College London
Hospitals Charity (UCLHC)

Drawing Title

Non Material Amendments
Proposed Section B-B

| | |
|----------------|----------|
| Drawing number | Revision |
| CM_NMA_S_BB | P1 |

| | |
|------------|-------|
| Scale @ A3 | Drawn |
| 1:25 | YC |

Date

30.05.2017

Architect

LLEWELYN DAVIES

3rd Floor 1, 3-5 Rathbone Place London E1 1WT 14J
T +44(0)20 7600 7000 E info@ltd.co.uk
www.ltd.co.uk