


CONCRETE LINTELS 150 x 100 AS
(N° 6).

THE FLOOR JOISTS UNDER THE
PARTITION AS DETAIL 7 ON DRG.
NO.

WALL UNDER (9")

STUDS UNDER THE TIMBER BEAM AT 1ST FLOOR
REQUIRED 2 N° 100 x 75 TIMBER STUDS,
STEEL WITH 440 x 100 x 225 Dp. PADSTONES EACH END.

215mm DEEP DUCT INTO THE PARTY
WALL 3 N° CONCRETE TIES PER
THE POSITION SHOWN AS DETAIL
N° 2995/20



C	31.3.93	DETAIL 1 AND SECTION 1-1 ALTERED AND THE LAYOUT AMENDED TO REAR OF N° 7.
B	FEB. 93	SECTION 3-3 ADDED LAYOUT TO REAR OF N° 7 AMENDED, STEEL BEAM TO N° 7 REMOVED AND JOISTS TRIPLED
A	Jan. 93	Amend pier & walls to toilet blocks; Foundation depths Delete Detail 2; Redraw sections 1-1 & 2-2;
Rev.	Date	Amendment

6-7, BAYLEY STREET. W.C.1.

PROPOSED GROUND FLOOR PLAN

SINCLAIR JOHNSTON

CONSULTING CIVIL & STRUCTURAL ENGINEERS

Eagle House, 2b Narbonne Avenue
London SW4 9JS
Tel : 081-673 1234
Fax: 081-673 1419

ION 2 - 2

Drawn J.D.C.	Date DEC. 92	Checked M.C.S.
Scale 1:50 1:10	Drg.No. 2995/111	Rev. C